

File includes prices for New Century Energy (NCE) from August 4, 1997 to August 18, 2000. NCE was formed by a merger of Public Service of Colorado (PSR) and Southwest Public Service (SPS) on August 1, 1997. Prices for PSR and SPS are prior to the merger to form NCE. The NCE merger was concluded by a 1 for 1 exchange of PSR for NCE shares and 1 share of SPS for .95 NCE shares.

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 28, 1980	13.7500	12.1250	
July 29, 1980	13.5000	12.1250	
July 30, 1980	13.5000	12.2500	
July 31, 1980	13.0000	11.8750	
August 1, 1980	12.7500	11.7500	
August 4, 1980	12.8750	11.7500	
August 5, 1980	12.7500	11.8750	
August 6, 1980	12.7500	11.8750	
August 7, 1980	12.8750	12.2500	
August 8, 1980	13.0000	12.6250	
August 11, 1980	13.0000	12.0000	
August 12, 1980	13.0000	12.1250	
August 13, 1980	12.8750	11.8750	
August 14, 1980	13.1250	11.8750	
August 15, 1980	13.0000	11.8750	
August 18, 1980	12.7500	11.7500	
August 19, 1980	12.8750	11.7500	
August 20, 1980	12.5000	11.5000	
August 21, 1980	12.5000	11.5000	
August 22, 1980	12.6250	11.5000	
August 25, 1980	12.7500	11.5000	
August 26, 1980	12.7500	11.6250	
August 27, 1980	12.5000	11.6250	
August 28, 1980	12.5000	11.7500	
August 29, 1980	12.5000	11.6250	
September 2, 1980	12.7500	11.7500	
September 3, 1980	12.8750	12.3750	
September 4, 1980	13.0000	12.2500	
September 5, 1980	12.8750	12.2500	
September 8, 1980	13.0000	12.1250	
September 9, 1980	13.0000	11.8750	
September 10, 1980	13.2500	12.0000	
September 11, 1980	13.3750	11.8750	
September 12, 1980	13.2500	11.8750	
September 15, 1980	13.2500	11.7500	
September 16, 1980	13.3750	11.6250	
September 17, 1980	13.3750	11.6250	
September 18, 1980	13.5000	11.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 19, 1980	13.7500	11.6250	
September 22, 1980	13.8750	11.6250	
September 23, 1980	13.7500	11.2500	
September 24, 1980	13.6250	11.2500	
September 25, 1980	13.6250	11.1250	
September 26, 1980	13.6250	11.0000	
September 29, 1980	13.5000	10.7500	
September 30, 1980	13.6250	10.8750	
October 1, 1980	13.7500	10.8750	
October 2, 1980	13.6250	10.6250	
October 3, 1980	13.8750	10.8750	
October 6, 1980	13.2500	10.8750	
October 7, 1980	13.2500	10.8750	
October 8, 1980	13.2500	10.8750	
October 9, 1980	13.0000	10.7500	
October 10, 1980	13.0000	10.7500	
October 13, 1980	12.8750	10.8750	
October 14, 1980	12.8750	10.8750	
October 15, 1980	12.8750	10.8750	
October 16, 1980	12.7500	10.8750	
October 17, 1980	12.7500	10.8750	
October 20, 1980	13.1250	11.0000	
October 21, 1980	12.7500	11.2500	
October 22, 1980	12.7500	11.1250	
October 23, 1980	12.6250	11.0000	
October 24, 1980	12.7500	11.0000	
October 27, 1980	12.6250	11.0000	
October 28, 1980	12.5000	11.0000	
October 29, 1980	12.6250	11.0000	
October 30, 1980	12.5000	10.8750	
October 31, 1980	12.5000	11.1250	
November 3, 1980	12.1250	11.1250	
November 5, 1980	12.3750	11.2500	
November 6, 1980	12.1250	11.1250	
November 7, 1980	12.2500	10.7500	
November 10, 1980	12.1250	10.7500	
November 11, 1980	12.1250	10.7500	
November 12, 1980	12.3750	11.2500	
November 13, 1980	12.6250	11.1250	
November 14, 1980	12.7500	11.2500	
November 17, 1980	12.7500	11.2500	
November 18, 1980	12.8750	11.0000	
November 19, 1980	12.8750	11.1250	
November 20, 1980	13.0000	11.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 21, 1980	13.0000	11.2500	
November 24, 1980	12.8750	11.0000	
November 25, 1980	12.8750	11.0000	
November 26, 1980	13.5000	11.1250	
November 28, 1980	14.3750	11.1250	
December 1, 1980	13.8750	10.8750	
December 2, 1980	13.7500	10.7500	
December 3, 1980	14.0000	10.8750	
December 4, 1980	13.7500	10.7500	
December 5, 1980	13.8750	11.0000	
December 8, 1980	13.5000	10.8750	
December 9, 1980	12.8750	10.7500	
December 10, 1980	13.3750	10.7500	
December 11, 1980	13.0000	10.5000	
December 12, 1980	13.1250	10.8750	
December 15, 1980	12.8750	10.8750	
December 16, 1980	12.7500	10.8750	
December 17, 1980	13.5000	10.7500	
December 18, 1980	14.2500	10.8750	
December 19, 1980	14.3750	11.3750	
December 22, 1980	14.5000	11.3750	
December 23, 1980	14.5000	11.1250	
December 24, 1980	14.5000	11.3750	
December 26, 1980	14.6250	11.5000	
December 29, 1980	14.7500	11.3750	
December 30, 1980	14.6250	11.3750	
December 31, 1980	14.2500	11.2500	
January 2, 1981	14.3750	11.2500	
January 5, 1981	14.2500	11.6250	
January 6, 1981	14.7500	11.8750	
January 7, 1981	14.1250	11.7500	
January 8, 1981	14.2500	11.6250	
January 9, 1981	14.3750	11.2500	
January 12, 1981	14.3750	11.6250	
January 13, 1981	14.2500	11.6250	
January 14, 1981	14.5000	11.7500	
January 15, 1981	14.6250	11.6250	
January 16, 1981	14.6250	11.6250	
January 19, 1981	14.6250	11.7500	
January 20, 1981	14.6250	11.6250	
January 21, 1981	14.3750	11.5000	
January 22, 1981	14.6250	11.3750	
January 23, 1981	14.6250	11.5000	
January 26, 1981	14.3750	11.2500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 27, 1981	14.3750	11.5000	
January 28, 1981	14.6250	11.5000	
January 29, 1981	14.6250	11.6250	
January 30, 1981	14.6250	11.5000	
February 2, 1981	14.2500	11.2500	
February 3, 1981	14.5000	11.2500	
February 4, 1981	14.2500	11.3750	
February 5, 1981	14.5000	11.3750	
February 6, 1981	14.7500	11.1250	
February 9, 1981	14.2500	11.0000	
February 10, 1981	14.3750	11.0000	
February 11, 1981	14.1250	10.8750	
February 12, 1981	14.1250	11.0000	
February 13, 1981	14.3750	11.0000	
February 17, 1981	14.5000	10.7500	
February 18, 1981	14.5000	10.8750	
February 19, 1981	14.2500	10.7500	
February 20, 1981	14.2500	10.7500	
February 23, 1981	14.3750	10.7500	
February 24, 1981	14.5000	10.7500	
February 25, 1981	14.2500	10.7500	
February 26, 1981	14.2500	10.6250	
February 27, 1981	14.5000	10.6250	
March 2, 1981	14.2500	10.7500	
March 3, 1981	14.1250	10.6250	
March 4, 1981	14.2500	10.5000	
March 5, 1981	14.3750	10.5000	
March 6, 1981	14.3750	10.6250	
March 9, 1981	14.6250	10.7500	
March 10, 1981	14.5000	11.0000	
March 11, 1981	14.3750	11.1250	
March 12, 1981	14.3750	11.2500	
March 13, 1981	14.2500	11.3750	
March 16, 1981	14.5000	11.2500	
March 17, 1981	14.3750	11.3750	
March 18, 1981	14.5000	11.3750	
March 19, 1981	14.7500	11.6250	
March 20, 1981	14.7500	11.7500	
March 23, 1981	14.7500	11.6250	
March 24, 1981	14.5000	11.7500	
March 25, 1981	14.8750	11.7500	
March 26, 1981	14.6250	11.7500	
March 27, 1981	14.5000	11.6250	
March 30, 1981	14.3750	11.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 31, 1981	14.5000	11.3750	
April 1, 1981	14.7500	11.1250	
April 2, 1981	14.8750	11.6250	
April 3, 1981	14.7500	11.5000	
April 6, 1981	14.3750	11.5000	
April 7, 1981	14.3750	11.5000	
April 8, 1981	14.5000	11.5000	
April 9, 1981	14.2500	11.5000	
April 10, 1981	14.6250	11.6250	
April 13, 1981	14.7500	11.1250	
April 14, 1981	14.6250	11.2500	
April 15, 1981	14.7500	11.6250	
April 16, 1981	14.5000	11.7500	
April 20, 1981	14.5000	11.7500	
April 21, 1981	14.5000	11.7500	
April 22, 1981	14.5000	11.7500	
April 23, 1981	14.5000	11.8750	
April 24, 1981	14.5000	11.8750	
April 27, 1981	14.3750	11.7500	
April 28, 1981	14.1250	11.6250	
April 29, 1981	14.2500	11.8750	
April 30, 1981	13.7500	11.7500	
May 1, 1981	14.0000	11.8750	
May 4, 1981	13.7500	11.8750	
May 5, 1981	13.8750	11.7500	
May 6, 1981	13.6250	11.7500	
May 7, 1981	13.6250	11.8750	
May 8, 1981	14.0000	11.7500	
May 11, 1981	13.6250	11.6250	
May 12, 1981	13.8750	11.6250	
May 13, 1981	14.1250	11.7500	
May 14, 1981	14.3750	11.8750	
May 15, 1981	14.5000	11.7500	
May 18, 1981	14.2500	11.7500	
May 19, 1981	14.0000	11.7500	
May 20, 1981	13.8750	11.7500	
May 21, 1981	13.8750	11.6250	
May 22, 1981	14.0000	11.6250	
May 26, 1981	14.1250	11.5000	
May 27, 1981	14.0000	11.5000	
May 28, 1981	14.0000	11.7500	
May 29, 1981	13.8750	11.3750	
June 1, 1981	14.0000	11.7500	
June 2, 1981	13.8750	11.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 3, 1981	14.0000	11.7500	
June 4, 1981	13.7500	11.7500	
June 5, 1981	13.6250	11.7500	
June 8, 1981	13.7500	11.5000	
June 9, 1981	13.6250	11.5000	
June 10, 1981	14.0000	11.5000	
June 11, 1981	14.2500	11.6250	
June 12, 1981	14.0000	11.5000	
June 15, 1981	14.7500	11.8750	
June 16, 1981	14.6250	12.0000	
June 17, 1981	14.8750	12.1250	
June 18, 1981	15.0000	12.0000	
June 19, 1981	14.8750	11.8750	
June 22, 1981	14.7500	11.7500	
June 23, 1981	14.6250	11.6250	
June 24, 1981	14.6250	11.6250	
June 25, 1981	14.7500	11.6250	
June 26, 1981	14.7500	11.6250	
June 29, 1981	14.8750	11.5000	
June 30, 1981	14.5000	11.6250	
July 1, 1981	14.5000	11.5000	
July 2, 1981	14.7500	11.3750	
July 6, 1981	13.7500	11.2500	
July 7, 1981	13.3750	11.1250	
July 8, 1981	13.3750	11.2500	
July 9, 1981	13.5000	11.2500	
July 10, 1981	13.5000	11.5000	
July 13, 1981	13.5000	11.6250	
July 14, 1981	13.6250	11.6250	
July 15, 1981	13.5000	11.7500	
July 16, 1981	13.2500	11.6250	
July 17, 1981	13.2500	11.6250	
July 20, 1981	13.2500	11.3750	
July 21, 1981	13.2500	11.5000	
July 22, 1981	13.2500	11.6250	
July 23, 1981	13.2500	11.7500	
July 24, 1981	13.5000	11.7500	
July 27, 1981	13.6250	11.7500	
July 28, 1981	13.6250	12.0000	
July 29, 1981	13.7500	12.2500	
July 30, 1981	13.6250	12.1250	
July 31, 1981	13.7500	12.3750	
August 3, 1981	13.6250	12.2500	
August 4, 1981	13.6250	12.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 5, 1981	13.6250	12.2500	
August 6, 1981	13.5000	12.2500	
August 7, 1981	13.6250	12.5000	
August 10, 1981	13.7500	12.1250	
August 11, 1981	14.6250	12.1250	
August 12, 1981	14.6250	12.1250	
August 13, 1981	14.8750	12.2500	
August 14, 1981	14.7500	12.1250	
August 17, 1981	14.5000	12.0000	
August 18, 1981	14.6250	12.0000	
August 19, 1981	14.3750	12.0000	
August 20, 1981	14.3750	12.0000	
August 21, 1981	14.2500	12.0000	
August 24, 1981	14.0000	11.8750	
August 25, 1981	13.7500	11.5000	
August 26, 1981	13.6250	11.5000	
August 27, 1981	13.8750	11.6250	
August 28, 1981	14.0000	11.7500	
August 31, 1981	14.0000	11.6250	
September 1, 1981	13.8750	11.8750	
September 2, 1981	13.7500	11.8750	
September 3, 1981	13.6250	11.7500	
September 4, 1981	13.3750	11.7500	
September 8, 1981	13.3750	11.6250	
September 9, 1981	13.2500	11.6250	
September 10, 1981	13.3750	11.7500	
September 11, 1981	13.5000	11.6250	
September 14, 1981	13.2500	11.7500	
September 15, 1981	13.2500	11.5000	
September 16, 1981	13.2500	11.5000	
September 17, 1981	13.0000	11.5000	
September 18, 1981	13.2500	11.5000	
September 21, 1981	13.1250	11.5000	
September 22, 1981	13.1250	11.6250	
September 23, 1981	13.0000	11.5000	
September 24, 1981	13.0000	11.6250	
September 25, 1981	13.0000	11.2500	
September 28, 1981	12.8750	11.0000	
September 29, 1981	13.0000	11.0000	
September 30, 1981	13.1250	10.8750	
October 1, 1981	13.1250	11.0000	
October 2, 1981	13.2500	11.2500	
October 5, 1981	13.2500	11.3750	
October 6, 1981	13.0000	11.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 7, 1981	13.1250	11.3750	
October 8, 1981	12.8750	11.2500	
October 9, 1981	13.2500	11.5000	
October 12, 1981	13.3750	11.5000	
October 13, 1981	13.6250	11.5000	
October 14, 1981	13.6250	11.5000	
October 15, 1981	13.3750	11.5000	
October 16, 1981	13.1250	11.3750	
October 19, 1981	13.3750	11.5000	
October 20, 1981	13.1250	11.6250	
October 21, 1981	13.2500	11.6250	
October 22, 1981	13.2500	11.6250	
October 23, 1981	13.3750	11.6250	
October 26, 1981	13.1250	11.5000	
October 27, 1981	13.1250	11.8750	
October 28, 1981	13.3750	11.8750	
October 29, 1981	13.7500	12.0000	
October 30, 1981	14.0000	12.3750	
November 2, 1981	14.1250	12.7500	
November 3, 1981	14.3750	12.6250	
November 4, 1981	14.1250	12.6250	
November 5, 1981	14.3750	12.8750	
November 6, 1981	14.3750	13.0000	
November 9, 1981	14.5000	12.8750	
November 10, 1981	14.6250	13.0000	
November 11, 1981	14.6250	12.8750	
November 12, 1981	14.7500	13.0000	
November 13, 1981	14.7500	13.0000	
November 16, 1981	14.6250	13.0000	
November 17, 1981	14.6250	13.0000	
November 18, 1981	14.7500	12.7500	
November 19, 1981	14.8750	12.7500	
November 20, 1981	14.7500	12.6250	
November 23, 1981	14.3750	12.5000	
November 24, 1981	14.6250	12.8750	
November 25, 1981	14.5000	12.7500	
November 27, 1981	14.6250	12.7500	
November 30, 1981	14.6250	12.6250	
December 1, 1981	14.6250	12.5000	
December 2, 1981	14.7500	12.3750	
December 3, 1981	14.6250	12.6250	
December 4, 1981	14.8750	12.7500	
December 7, 1981	14.7500	12.7500	
December 8, 1981	14.5000	12.7500	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 9, 1981	14.6250	12.8750	
December 10, 1981	14.6250	12.7500	
December 11, 1981	14.6250	12.7500	
December 14, 1981	14.3750	12.5000	
December 15, 1981	14.5000	12.8750	
December 16, 1981	14.5000	12.7500	
December 17, 1981	14.2500	12.7500	
December 18, 1981	14.3750	12.8750	
December 21, 1981	14.3750	12.7500	
December 22, 1981	14.3750	12.7500	
December 23, 1981	14.5000	12.7500	
December 24, 1981	14.5000	12.7500	
December 28, 1981	14.2500	12.8750	
December 29, 1981	14.1250	12.8750	
December 30, 1981	14.1250	12.8750	
December 31, 1981	14.2500	13.0000	
January 4, 1982	13.7500	12.8750	
January 5, 1982	13.7500	12.8750	
January 6, 1982	13.7500	12.8750	
January 7, 1982	13.8750	12.8750	
January 8, 1982	14.0000	12.7500	
January 11, 1982	13.7500	12.6250	
January 12, 1982	13.7500	12.7500	
January 13, 1982	13.7500	12.7500	
January 14, 1982	13.7500	12.6250	
January 15, 1982	14.0000	12.6250	
January 18, 1982	13.8750	12.7500	
January 19, 1982	13.8750	12.6250	
January 20, 1982	13.7500	12.6250	
January 21, 1982	13.7500	12.6250	
January 22, 1982	13.7500	12.7500	
January 25, 1982	13.7500	12.7500	
January 26, 1982	13.7500	12.7500	
January 27, 1982	13.6250	12.8750	
January 28, 1982	13.8750	13.0000	
January 29, 1982	13.8750	13.2500	
February 1, 1982	13.7500	13.1250	
February 2, 1982	13.7500	13.0000	
February 3, 1982	13.8750	13.0000	
February 4, 1982	13.7500	13.1250	
February 5, 1982	13.7500	13.1250	
February 8, 1982	13.8750	12.7500	
February 9, 1982	13.7500	12.7500	
February 10, 1982	13.8750	12.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
February 11, 1982	14.0000	12.7500	
February 12, 1982	13.7500	12.8750	
February 16, 1982	13.8750	12.7500	
February 17, 1982	13.7500	12.7500	
February 18, 1982	13.7500	12.6250	
February 19, 1982	13.6250	12.6250	
February 22, 1982	13.7500	13.0000	
February 23, 1982	13.7500	13.0000	
February 24, 1982	14.1250	13.0000	
February 25, 1982	14.3750	12.7500	
February 26, 1982	14.2500	12.7500	
March 1, 1982	14.3750	12.8750	
March 2, 1982	14.6250	13.0000	
March 3, 1982	15.0000	13.0000	
March 4, 1982	14.7500	13.1250	
March 5, 1982	14.7500	13.2500	
March 8, 1982	15.0000	13.2500	
March 9, 1982	15.1250	13.2500	
March 10, 1982	15.1250	13.3750	
March 11, 1982	14.8750	13.1250	
March 12, 1982	14.7500	12.8750	
March 15, 1982	14.7500	13.0000	
March 16, 1982	15.0000	13.0000	
March 17, 1982	15.1250	13.1250	
March 18, 1982	15.1250	13.3750	
March 19, 1982	15.2500	13.3750	
March 22, 1982	15.2500	13.3750	
March 23, 1982	15.2500	13.6250	
March 24, 1982	15.2500	13.5000	
March 25, 1982	15.3750	13.6250	
March 26, 1982	15.1250	13.7500	
March 29, 1982	15.0000	13.7500	
March 30, 1982	15.2500	13.8750	
March 31, 1982	15.2500	13.8750	
April 1, 1982	15.2500	14.1250	
April 2, 1982	14.6250	13.8750	
April 5, 1982	14.6250	13.7500	
April 6, 1982	15.0000	13.7500	
April 7, 1982	15.0000	13.7500	
April 8, 1982	15.1250	13.7500	
April 12, 1982	15.1250	13.8750	
April 13, 1982	14.8750	13.6250	
April 14, 1982	14.8750	13.6250	
April 15, 1982	14.7500	13.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 16, 1982	14.8750	13.7500	
April 19, 1982	14.8750	14.1250	
April 20, 1982	14.8750	14.1250	
April 21, 1982	14.8750	14.1250	
April 22, 1982	15.1250	14.0000	
April 23, 1982	15.3750	14.1250	
April 26, 1982	15.5000	14.3750	
April 27, 1982	15.1250	14.5000	
April 28, 1982	15.2500	14.3750	
April 29, 1982	15.1250	14.3750	
April 30, 1982	15.0000	14.1250	
May 3, 1982	14.8750	14.0000	
May 4, 1982	15.1250	14.0000	
May 5, 1982	15.2500	13.8750	
May 6, 1982	15.2500	14.1250	
May 7, 1982	15.6250	14.1250	
May 10, 1982	15.3750	13.7500	
May 11, 1982	15.8750	13.8750	
May 12, 1982	15.8750	13.7500	
May 13, 1982	15.7500	13.7500	
May 14, 1982	15.8750	13.6250	
May 17, 1982	15.7500	13.5000	
May 18, 1982	15.5000	13.3750	
May 19, 1982	15.3750	13.5000	
May 20, 1982	15.5000	13.5000	
May 21, 1982	16.0000	13.6250	
May 24, 1982	15.7500	13.6250	
May 25, 1982	15.7500	13.7500	
May 26, 1982	15.5000	13.6250	
May 27, 1982	15.6250	13.6250	
May 28, 1982	15.7500	13.7500	
June 1, 1982	15.7500	13.8750	
June 2, 1982	15.8750	13.7500	
June 3, 1982	16.0000	13.8750	
June 4, 1982	15.8750	13.8750	
June 7, 1982	15.7500	13.7500	
June 8, 1982	15.7500	13.7500	
June 9, 1982	15.6250	13.7500	
June 10, 1982	15.5000	13.7500	
June 11, 1982	15.7500	13.8750	
June 14, 1982	15.3750	13.7500	
June 15, 1982	15.6250	13.7500	
June 16, 1982	15.2500	13.7500	
June 17, 1982	15.2500	13.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 18, 1982	15.2500	13.6250	
June 21, 1982	15.2500	13.7500	
June 22, 1982	15.2500	13.6250	
June 23, 1982	15.3750	13.6250	
June 24, 1982	15.3750	13.7500	
June 25, 1982	15.3750	13.5000	
June 28, 1982	15.2500	13.6250	
June 29, 1982	15.5000	13.6250	
June 30, 1982	15.5000	13.6250	
July 1, 1982	15.3750	13.6250	
July 2, 1982	15.1250	13.5000	
July 6, 1982	15.0000	13.5000	
July 7, 1982	14.7500	13.5000	
July 8, 1982	14.7500	13.7500	
July 9, 1982	14.8750	13.7500	
July 12, 1982	15.0000	13.6250	
July 13, 1982	14.8750	13.7500	
July 14, 1982	14.8750	13.7500	
July 15, 1982	14.8750	13.7500	
July 16, 1982	15.0000	13.7500	
July 19, 1982	14.8750	13.7500	
July 20, 1982	14.8750	13.8750	
July 21, 1982	14.8750	14.0000	
July 22, 1982	15.0000	13.8750	
July 23, 1982	14.8750	14.0000	
July 26, 1982	14.8750	13.7500	
July 27, 1982	15.0000	13.7500	
July 28, 1982	14.8750	13.7500	
July 29, 1982	14.6250	13.7500	
July 30, 1982	14.8750	13.7500	
August 2, 1982	14.8750	13.7500	
August 3, 1982	14.8750	13.8750	
August 4, 1982	14.8750	13.7500	
August 5, 1982	15.0000	13.7500	
August 6, 1982	14.7500	13.8750	
August 9, 1982	14.5000	13.8750	
August 10, 1982	14.8750	13.6250	
August 11, 1982	14.8750	13.5000	
August 12, 1982	14.7500	13.5000	
August 13, 1982	14.8750	13.5000	
August 16, 1982	15.2500	13.7500	
August 17, 1982	15.8750	14.0000	
August 18, 1982	16.2500	14.0000	
August 19, 1982	16.2500	14.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 20, 1982	16.3750	14.2500	
August 23, 1982	16.2500	14.5000	
August 24, 1982	16.1250	14.1250	
August 25, 1982	16.1250	14.2500	
August 26, 1982	16.0000	14.1250	
August 27, 1982	15.2500	14.1250	
August 30, 1982	15.5000	14.3750	
August 31, 1982	15.8750	14.3750	
September 1, 1982	15.5000	14.1250	
September 2, 1982	15.7500	14.3750	
September 3, 1982	16.1250	14.2500	
September 7, 1982	16.2500	14.3750	
September 8, 1982	16.0000	14.5000	
September 9, 1982	16.1250	14.2500	
September 10, 1982	16.0000	14.1250	
September 13, 1982	15.8750	14.3750	
September 14, 1982	15.7500	14.3750	
September 15, 1982	15.8750	14.3750	
September 16, 1982	16.0000	14.6250	
September 17, 1982	15.7500	14.6250	
September 20, 1982	15.7500	14.7500	
September 21, 1982	15.8750	14.6250	
September 22, 1982	16.0000	14.8750	
September 23, 1982	15.8750	14.7500	
September 24, 1982	15.7500	14.7500	
September 27, 1982	15.6250	14.7500	
September 28, 1982	15.6250	14.7500	
September 29, 1982	15.6250	14.8750	
September 30, 1982	15.6250	14.8750	
October 1, 1982	15.8750	15.1250	
October 4, 1982	15.3750	15.0000	
October 5, 1982	15.3750	15.0000	
October 6, 1982	15.6250	15.1250	
October 7, 1982	16.2500	15.0000	
October 8, 1982	16.2500	15.6250	
October 11, 1982	16.7500	16.0000	
October 12, 1982	16.6250	16.0000	
October 13, 1982	16.3750	15.8750	
October 14, 1982	16.3750	15.6250	
October 15, 1982	16.2500	15.3750	
October 18, 1982	16.1250	15.7500	
October 19, 1982	16.5000	15.7500	
October 20, 1982	16.3750	15.7500	
October 21, 1982	16.3750	15.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 22, 1982	16.0000	15.8750	
October 25, 1982	15.5000	15.6250	
October 26, 1982	15.1250	15.7500	
October 27, 1982	15.3750	15.5000	
October 28, 1982	15.3750	15.6250	
October 29, 1982	15.5000	15.7500	
November 1, 1982	15.7500	16.0000	
November 2, 1982	15.7500	16.1250	
November 3, 1982	16.5000	16.1250	
November 4, 1982	16.2500	16.2500	
November 5, 1982	16.2500	16.3750	
November 8, 1982	16.2500	15.8750	
November 9, 1982	16.0000	15.8750	
November 10, 1982	16.0000	15.7500	
November 11, 1982	16.0000	15.7500	
November 12, 1982	16.0000	15.8750	
November 15, 1982	15.7500	15.8750	
November 16, 1982	15.6250	15.8750	
November 17, 1982	16.0000	16.1250	
November 18, 1982	16.0000	16.1250	
November 19, 1982	16.0000	16.1250	
November 22, 1982	16.0000	15.8750	
November 23, 1982	15.8750	15.6250	
November 24, 1982	15.8750	15.5000	
November 26, 1982	15.8750	15.5000	
November 29, 1982	16.0000	15.1250	
November 30, 1982	16.0000	15.3750	
December 1, 1982	15.8750	15.7500	
December 2, 1982	16.0000	15.7500	
December 3, 1982	16.1250	15.2500	
December 6, 1982	16.2500	15.1250	
December 7, 1982	16.3750	14.8750	
December 8, 1982	16.2500	15.0000	
December 9, 1982	16.1250	15.5000	
December 10, 1982	16.5000	15.6250	
December 13, 1982	16.3750	16.0000	
December 14, 1982	16.6250	16.2500	
December 15, 1982	16.6250	16.2500	
December 16, 1982	16.5000	16.2500	
December 17, 1982	16.7500	16.0000	
December 20, 1982	16.6250	16.0000	
December 21, 1982	16.7500	16.3750	
December 22, 1982	17.0000	16.5000	
December 23, 1982	17.0000	16.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 27, 1982	17.1250	16.7500	
December 28, 1982	17.3750	16.7500	
December 29, 1982	17.3750	17.0000	
December 30, 1982	17.3750	17.0000	
December 31, 1982	17.3750	16.8750	
January 3, 1983	17.2500	17.0000	
January 4, 1983	17.3750	17.0000	
January 5, 1983	17.5000	16.8750	
January 6, 1983	17.6250	17.5000	
January 7, 1983	17.5000	16.8750	
January 10, 1983	16.8750	16.7500	
January 11, 1983	16.7500	16.7500	
January 12, 1983	17.0000	16.8750	
January 13, 1983	16.8750	16.8750	
January 14, 1983	17.0000	16.7500	
January 17, 1983	17.1250	16.6250	
January 18, 1983	17.0000	16.5000	
January 19, 1983	17.2500	16.5000	
January 20, 1983	17.1250	16.6250	
January 21, 1983	17.2500	16.5000	
January 24, 1983	16.7500	16.5000	
January 25, 1983	17.1250	16.5000	
January 26, 1983	17.0000	16.3750	
January 27, 1983	17.1250	16.1250	
January 28, 1983	17.3750	16.5000	
January 31, 1983	17.3750	16.5000	
February 1, 1983	17.1250	16.3750	
February 2, 1983	17.0000	16.5000	
February 3, 1983	17.0000	16.5000	
February 4, 1983	17.2500	16.5000	
February 7, 1983	17.2500	16.6250	
February 8, 1983	17.1250	16.6250	
February 9, 1983	17.1250	16.2500	
February 10, 1983	17.3750	16.1250	
February 11, 1983	17.1250	16.0000	
February 14, 1983	17.5000	16.0000	
February 15, 1983	17.3750	16.0000	
February 16, 1983	17.5000	16.0000	
February 17, 1983	17.2500	16.1250	
February 18, 1983	17.2500	16.3750	
February 22, 1983	17.1250	16.2500	
February 23, 1983	17.0000	16.3750	
February 24, 1983	17.0000	16.2500	
February 25, 1983	17.2500	16.2500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
February 28, 1983	17.3750	16.3750	
March 1, 1983	17.5000	16.3750	
March 2, 1983	17.5000	16.5000	
March 3, 1983	17.2500	16.5000	
March 4, 1983	17.5000	16.3750	
March 7, 1983	17.5000	16.5000	
March 8, 1983	17.1250	16.2500	
March 9, 1983	17.3750	16.5000	
March 10, 1983	17.1250	16.2500	
March 11, 1983	17.0000	16.5000	
March 14, 1983	17.1250	16.5000	
March 15, 1983	17.1250	16.5000	
March 16, 1983	17.2500	16.5000	
March 17, 1983	17.1250	16.5000	
March 18, 1983	17.1250	16.5000	
March 21, 1983	17.2500	16.5000	
March 22, 1983	17.5000	16.7500	
March 23, 1983	17.6250	16.8750	
March 24, 1983	17.6250	16.8750	
March 25, 1983	17.6250	16.8750	
March 28, 1983	17.5000	16.8750	
March 29, 1983	17.5000	16.8750	
March 30, 1983	17.6250	16.8750	
March 31, 1983	17.6250	16.7500	
April 4, 1983	16.8750	16.8750	
April 5, 1983	17.0000	17.0000	
April 6, 1983	17.0000	17.0000	
April 7, 1983	16.8750	17.0000	
April 8, 1983	17.0000	17.1250	
April 11, 1983	16.8750	17.1250	
April 12, 1983	17.1250	17.3750	
April 13, 1983	17.2500	17.3750	
April 14, 1983	17.0000	17.5000	
April 15, 1983	17.0000	17.7500	
April 18, 1983	17.1250	17.7500	
April 19, 1983	17.2500	17.6250	
April 20, 1983	17.3750	17.6250	
April 21, 1983	17.2500	17.7500	
April 22, 1983	17.1250	17.7500	
April 25, 1983	17.0000	17.6250	
April 26, 1983	17.3750	17.8750	
April 27, 1983	17.3750	17.7500	
April 28, 1983	17.5000	17.7500	
April 29, 1983	17.3750	18.0000	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 2, 1983	17.2500	18.0000	
May 3, 1983	17.1250	18.0000	
May 4, 1983	17.2500	18.2500	
May 5, 1983	17.2500	19.0000	
May 6, 1983	17.3750	19.1250	
May 9, 1983	17.3750	18.8750	
May 10, 1983	17.6250	18.5000	
May 11, 1983	17.7500	18.5000	
May 12, 1983	17.7500	18.6250	
May 13, 1983	17.7500	18.8750	
May 16, 1983	17.7500	18.6250	
May 17, 1983	17.7500	19.0000	
May 18, 1983	17.7500	19.1250	
May 19, 1983	17.7500	19.0000	
May 20, 1983	17.6250	18.7500	
May 23, 1983	17.5000	18.7500	
May 24, 1983	17.6250	18.7500	
May 25, 1983	17.5000	18.8750	
May 26, 1983	17.5000	18.8750	
May 27, 1983	17.6250	18.7500	
May 31, 1983	17.5000	18.6250	
June 1, 1983	17.2500	18.5000	
June 2, 1983	17.2500	18.5000	
June 3, 1983	17.2500	18.5000	
June 6, 1983	17.3750	18.3750	
June 7, 1983	17.3750	18.3750	
June 8, 1983	17.3750	18.2500	
June 9, 1983	17.3750	18.2500	
June 10, 1983	17.3750	18.0000	
June 13, 1983	17.3750	17.8750	
June 14, 1983	17.3750	18.1250	
June 15, 1983	17.5000	18.1250	
June 16, 1983	17.3750	18.1250	
June 17, 1983	17.2500	18.2500	
June 20, 1983	17.3750	18.1250	
June 21, 1983	17.3750	18.1250	
June 22, 1983	17.5000	18.2500	
June 23, 1983	17.3750	18.1250	
June 24, 1983	17.2500	18.0000	
June 27, 1983	17.1250	17.7500	
June 28, 1983	17.1250	17.8750	
June 29, 1983	17.2500	17.7500	
June 30, 1983	17.2500	17.8750	
July 1, 1983	16.7500	18.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 5, 1983	16.7500	18.0000	
July 6, 1983	16.6250	18.1250	
July 7, 1983	16.7500	18.1250	
July 8, 1983	16.7500	18.0000	
July 11, 1983	16.7500	18.0000	
July 12, 1983	16.6250	17.8750	
July 13, 1983	16.6250	17.8750	
July 14, 1983	16.6250	18.0000	
July 15, 1983	16.6250	17.7500	
July 18, 1983	16.5000	17.6250	
July 19, 1983	16.8750	17.6250	
July 20, 1983	17.1250	17.8750	
July 21, 1983	17.1250	17.8750	
July 22, 1983	16.8750	17.8750	
July 25, 1983	16.6250	17.7500	
July 26, 1983	16.7500	18.0000	
July 27, 1983	16.7500	17.8750	
July 28, 1983	16.7500	18.0000	
July 29, 1983	16.7500	17.8750	
August 1, 1983	16.6250	17.8750	
August 2, 1983	16.3750	17.5000	
August 3, 1983	16.6250	17.6250	
August 4, 1983	16.6250	17.6250	
August 5, 1983	16.5000	17.6250	
August 8, 1983	16.7500	17.6250	
August 9, 1983	16.7500	17.1250	
August 10, 1983	16.6250	17.0000	
August 11, 1983	16.6250	17.0000	
August 12, 1983	16.7500	17.2500	
August 15, 1983	16.6250	17.5000	
August 16, 1983	16.8750	17.5000	
August 17, 1983	16.8750	17.6250	
August 18, 1983	17.0000	17.5000	
August 19, 1983	17.0000	17.6250	
August 22, 1983	16.8750	17.6250	
August 23, 1983	16.7500	17.5000	
August 24, 1983	16.6250	17.6250	
August 25, 1983	16.7500	17.6250	
August 26, 1983	16.6250	17.5000	
August 29, 1983	16.7500	17.5000	
August 30, 1983	16.8750	17.3750	
August 31, 1983	17.0000	17.5000	
September 1, 1983	17.0000	17.5000	
September 2, 1983	17.1250	17.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 6, 1983	17.1250	17.5000	
September 7, 1983	17.1250	17.5000	
September 8, 1983	17.1250	17.5000	
September 9, 1983	17.2500	17.8750	
September 12, 1983	17.5000	18.0000	
September 13, 1983	17.3750	18.0000	
September 14, 1983	17.6250	18.0000	
September 15, 1983	17.6250	17.8750	
September 16, 1983	17.6250	17.8750	
September 19, 1983	17.8750	18.1250	
September 20, 1983	17.8750	18.1250	
September 21, 1983	17.7500	18.1250	
September 22, 1983	17.8750	18.3750	
September 23, 1983	17.6250	18.3750	
September 26, 1983	17.8750	18.5000	
September 27, 1983	17.8750	18.5000	
September 28, 1983	17.7500	18.5000	
September 29, 1983	17.7500	18.7500	
September 30, 1983	17.6250	18.8750	
October 3, 1983	18.0000	19.1250	
October 4, 1983	18.0000	19.1250	
October 5, 1983	18.5000	19.2500	
October 6, 1983	18.7500	19.3750	
October 7, 1983	18.2500	19.6250	
October 10, 1983	18.2500	19.6250	
October 11, 1983	17.7500	19.2500	
October 12, 1983	18.0000	19.2500	
October 13, 1983	17.8750	19.1250	
October 14, 1983	17.5000	19.2500	
October 17, 1983	17.5000	19.3750	
October 18, 1983	17.5000	19.1250	
October 19, 1983	17.3750	19.2500	
October 20, 1983	17.7500	19.3750	
October 21, 1983	18.1250	19.3750	
October 24, 1983	17.8750	19.0000	
October 25, 1983	17.7500	19.2500	
October 26, 1983	17.7500	19.6250	
October 27, 1983	17.7500	19.5000	
October 28, 1983	17.7500	19.5000	
October 31, 1983	17.6250	19.7500	
November 1, 1983	17.6250	19.6250	
November 2, 1983	18.0000	19.7500	
November 3, 1983	18.0000	19.6250	
November 4, 1983	17.8750	19.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 7, 1983	17.6250	18.6250	
November 8, 1983	17.6250	18.6250	
November 9, 1983	17.6250	18.6250	
November 10, 1983	17.5000	18.5000	
November 11, 1983	17.6250	18.5000	
November 14, 1983	17.8750	18.5000	
November 15, 1983	18.1250	18.6250	
November 16, 1983	18.2500	18.8750	
November 17, 1983	18.1250	18.8750	
November 18, 1983	18.3750	18.8750	
November 21, 1983	18.3750	19.0000	
November 22, 1983	18.3750	19.1250	
November 23, 1983	18.2500	19.2500	
November 25, 1983	18.2500	19.7500	
November 28, 1983	18.3750	19.6250	
November 29, 1983	18.3750	19.5000	
November 30, 1983	18.1250	19.3750	
December 1, 1983	18.3750	19.3750	
December 2, 1983	18.1250	19.6250	
December 5, 1983	18.2500	19.2500	
December 6, 1983	18.2500	19.2500	
December 7, 1983	18.1250	19.2500	
December 8, 1983	18.2500	19.2500	
December 9, 1983	18.5000	19.1250	
December 12, 1983	18.3750	19.2500	
December 13, 1983	18.5000	19.2500	
December 14, 1983	18.5000	19.2500	
December 15, 1983	18.3750	19.2500	
December 16, 1983	18.3750	19.3750	
December 19, 1983	18.3750	19.2500	
December 20, 1983	18.3750	19.3750	
December 21, 1983	18.3750	19.2500	
December 22, 1983	18.5000	19.2500	
December 23, 1983	18.2500	19.1250	
December 27, 1983	18.3750	19.2500	
December 28, 1983	18.3750	19.5000	
December 29, 1983	18.3750	19.3750	
December 30, 1983	18.5000	19.7500	
January 3, 1984	18.1250	19.8750	
January 4, 1984	18.3750	20.0000	
January 5, 1984	18.5000	19.8750	
January 6, 1984	18.3750	20.0000	
January 9, 1984	17.7500	20.1250	
January 10, 1984	17.8750	20.2500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 11, 1984	17.7500	20.3750	
January 12, 1984	17.3750	20.3750	
January 13, 1984	17.7500	20.2500	
January 16, 1984	17.6250	20.1250	
January 17, 1984	18.0000	20.2500	
January 18, 1984	18.0000	20.5000	
January 19, 1984	17.6250	20.2500	
January 20, 1984	17.7500	20.0000	
January 23, 1984	17.7500	20.0000	
January 24, 1984	17.7500	20.1250	
January 25, 1984	17.2500	20.1250	
January 26, 1984	17.5000	20.2500	
January 27, 1984	17.6250	20.5000	
January 30, 1984	17.7500	20.5000	
January 31, 1984	17.6250	20.3750	
February 1, 1984	17.5000	20.5000	
February 2, 1984	17.7500	20.3750	
February 3, 1984	17.8750	20.3750	
February 6, 1984	17.5000	20.5000	
February 7, 1984	17.6250	20.3750	
February 8, 1984	17.7500	19.7500	
February 9, 1984	17.7500	19.5000	
February 10, 1984	17.2500	19.1250	
February 13, 1984	17.0000	18.7500	
February 14, 1984	17.0000	18.7500	
February 15, 1984	17.0000	18.7500	
February 16, 1984	17.1250	18.5000	
February 17, 1984	17.0000	18.1250	
February 21, 1984	17.1250	18.0000	
February 22, 1984	17.2500	18.5000	
February 23, 1984	17.0000	18.5000	
February 24, 1984	17.0000	18.6250	
February 27, 1984	17.1250	18.8750	
February 28, 1984	17.1250	18.8750	
February 29, 1984	17.3750	18.8750	
March 1, 1984	17.6250	19.0000	
March 2, 1984	17.6250	19.2500	
March 5, 1984	17.6250	19.2500	
March 6, 1984	17.7500	19.3750	
March 7, 1984	17.6250	19.3750	
March 8, 1984	17.5000	19.3750	
March 9, 1984	17.3750	19.2500	
March 12, 1984	17.2500	19.7500	
March 13, 1984	17.5000	19.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 14, 1984	17.5000	19.1250	
March 15, 1984	17.7500	19.1250	
March 16, 1984	17.7500	19.5000	
March 19, 1984	17.6250	19.3750	
March 20, 1984	17.3750	19.2500	
March 21, 1984	17.3750	19.2500	
March 22, 1984	17.2500	19.1250	
March 23, 1984	17.3750	19.2500	
March 26, 1984	17.3750	19.3750	
March 27, 1984	17.5000	19.2500	
March 28, 1984	17.6250	19.3750	
March 29, 1984	17.6250	19.3750	
March 30, 1984	17.5000	19.3750	
April 2, 1984	17.5000	19.3750	
April 3, 1984	17.7500	19.3750	
April 4, 1984	17.6250	19.6250	
April 5, 1984	17.5000	19.3750	
April 6, 1984	17.5000	19.6250	
April 9, 1984	16.8750	19.7500	
April 10, 1984	16.6250	19.6250	
April 11, 1984	16.7500	19.5000	
April 12, 1984	16.8750	19.6250	
April 13, 1984	17.0000	19.5000	
April 16, 1984	16.7500	19.5000	
April 17, 1984	17.0000	19.5000	
April 18, 1984	17.0000	19.5000	
April 19, 1984	16.8750	19.5000	
April 23, 1984	16.7500	19.5000	
April 24, 1984	16.8750	19.2500	
April 25, 1984	17.0000	19.3750	
April 26, 1984	16.8750	19.3750	
April 27, 1984	16.7500	19.3750	
April 30, 1984	16.8750	19.1250	
May 1, 1984	16.6250	19.2500	
May 2, 1984	16.7500	19.2500	
May 3, 1984	16.7500	19.3750	
May 4, 1984	16.7500	19.3750	
May 7, 1984	16.8750	19.2500	
May 8, 1984	17.3750	19.0000	
May 9, 1984	17.1250	18.6250	
May 10, 1984	17.2500	18.5000	
May 11, 1984	17.3750	18.6250	
May 14, 1984	16.8750	18.6250	
May 15, 1984	17.0000	18.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 16, 1984	17.0000	18.5000	
May 17, 1984	17.0000	18.5000	
May 18, 1984	16.8750	18.3750	
May 21, 1984	16.8750	18.2500	
May 22, 1984	16.6250	18.3750	
May 23, 1984	16.8750	18.2500	
May 24, 1984	16.6250	18.0000	
May 25, 1984	16.7500	17.6250	
May 29, 1984	16.8750	17.5000	
May 30, 1984	16.6250	17.3750	
May 31, 1984	16.7500	17.2500	
June 1, 1984	17.0000	17.2500	
June 4, 1984	17.0000	17.6250	
June 5, 1984	17.0000	17.5000	
June 6, 1984	17.0000	17.7500	
June 7, 1984	17.1250	17.7500	
June 8, 1984	17.1250	17.8750	
June 11, 1984	17.0000	17.3750	
June 12, 1984	17.3750	17.2500	
June 13, 1984	17.3750	17.5000	
June 14, 1984	17.3750	17.6250	
June 15, 1984	17.3750	17.6250	
June 18, 1984	17.6250	17.8750	
June 19, 1984	18.0000	18.1250	
June 20, 1984	17.8750	18.2500	
June 21, 1984	17.7500	18.2500	
June 22, 1984	17.6250	18.2500	
June 25, 1984	17.7500	18.3750	
June 26, 1984	17.5000	18.6250	
June 27, 1984	17.5000	18.6250	
June 28, 1984	17.5000	18.6250	
June 29, 1984	17.5000	18.6250	
July 2, 1984	17.7500	18.6250	
July 3, 1984	17.5000	18.6250	
July 5, 1984	17.6250	18.6250	
July 6, 1984	17.6250	18.7500	
July 9, 1984	17.2500	18.7500	
July 10, 1984	17.0000	18.6250	
July 11, 1984	17.0000	18.7500	
July 12, 1984	17.0000	18.7500	
July 13, 1984	17.3750	18.6250	
July 16, 1984	17.3750	18.7500	
July 17, 1984	17.2500	18.7500	
July 18, 1984	17.2500	18.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 19, 1984	17.2500	18.7500	
July 20, 1984	17.2500	18.6250	
July 23, 1984	17.1250	18.6250	
July 24, 1984	17.1250	18.6250	
July 25, 1984	17.2500	18.7500	
July 26, 1984	17.3750	18.7500	
July 27, 1984	17.2500	18.6250	
July 30, 1984	17.2500	18.7500	
July 31, 1984	17.2500	18.7500	
August 1, 1984	17.2500	18.8750	
August 2, 1984	17.5000	19.1250	
August 3, 1984	17.7500	19.2500	
August 6, 1984	17.6250	19.0000	
August 7, 1984	17.5000	19.0000	
August 8, 1984	17.5000	19.0000	
August 9, 1984	17.6250	18.3750	
August 10, 1984	18.0000	18.8750	
August 13, 1984	17.3750	19.1250	
August 14, 1984	17.6250	19.0000	
August 15, 1984	17.7500	19.0000	
August 16, 1984	17.7500	19.0000	
August 17, 1984	17.6250	19.0000	
August 20, 1984	17.7500	18.5000	
August 21, 1984	18.0000	18.8750	
August 22, 1984	18.0000	18.8750	
August 23, 1984	17.7500	18.7500	
August 24, 1984	17.8750	18.8750	
August 27, 1984	17.7500	18.8750	
August 28, 1984	17.7500	19.0000	
August 29, 1984	17.7500	19.0000	
August 30, 1984	17.6250	19.0000	
August 31, 1984	17.6250	19.1250	
September 4, 1984	17.6250	19.1250	
September 5, 1984	17.5000	19.0000	
September 6, 1984	17.5000	19.1250	
September 7, 1984	17.5000	19.0000	
September 10, 1984	17.5000	19.1250	
September 11, 1984	17.5000	19.0000	
September 12, 1984	17.3750	18.8750	
September 13, 1984	17.3750	19.0000	
September 14, 1984	17.6250	18.8750	
September 17, 1984	17.6250	19.0000	
September 18, 1984	17.6250	19.0000	
September 19, 1984	17.8750	19.1250	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 20, 1984	18.2500	19.7500	
September 21, 1984	18.2500	19.8750	
September 24, 1984	18.1250	20.0000	
September 25, 1984	18.0000	19.7500	
September 26, 1984	18.3750	19.8750	
September 27, 1984	18.5000	19.8750	
September 28, 1984	18.2500	19.8750	
October 1, 1984	18.3750	20.0000	
October 2, 1984	18.2500	19.8750	
October 3, 1984	18.1250	19.7500	
October 4, 1984	18.3750	20.0000	
October 5, 1984	17.8750	20.0000	
October 8, 1984	17.7500	20.0000	
October 9, 1984	18.0000	20.2500	
October 10, 1984	17.8750	20.2500	
October 11, 1984	17.7500	20.5000	
October 12, 1984	17.7500	20.5000	
October 15, 1984	18.0000	21.2500	
October 16, 1984	18.1250	21.0000	
October 17, 1984	18.5000	20.8750	
October 18, 1984	19.1250	21.1250	
October 19, 1984	19.0000	20.7500	
October 22, 1984	18.6250	21.0000	
October 23, 1984	18.6250	21.1250	
October 24, 1984	18.6250	21.0000	
October 25, 1984	18.5000	20.7500	
October 26, 1984	18.3750	20.7500	
October 29, 1984	18.5000	21.1250	
October 30, 1984	18.5000	21.2500	
October 31, 1984	18.3750	21.1250	
November 1, 1984	18.1250	21.2500	
November 2, 1984	18.5000	21.5000	
November 5, 1984	18.3750	21.6250	
November 6, 1984	18.5000	21.7500	
November 7, 1984	18.5000	21.8750	
November 8, 1984	18.5000	21.2500	
November 9, 1984	18.6250	21.0000	
November 12, 1984	18.5000	20.8750	
November 13, 1984	18.3750	20.7500	
November 14, 1984	18.3750	20.5000	
November 15, 1984	18.3750	20.3750	
November 16, 1984	18.2500	20.3750	
November 19, 1984	18.2500	20.3750	
November 20, 1984	18.2500	20.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 21, 1984	18.2500	20.3750	
November 23, 1984	18.7500	21.2500	
November 26, 1984	18.6250	21.2500	
November 27, 1984	18.6250	21.2500	
November 28, 1984	18.6250	21.0000	
November 29, 1984	18.5000	20.7500	
November 30, 1984	18.3750	20.7500	
December 3, 1984	18.6250	20.6250	
December 4, 1984	18.5000	20.7500	
December 5, 1984	18.6250	20.7500	
December 6, 1984	18.6250	20.7500	
December 7, 1984	18.6250	20.7500	
December 10, 1984	18.6250	20.8750	
December 11, 1984	18.7500	20.8750	
December 12, 1984	18.7500	21.1250	
December 13, 1984	18.7500	21.0000	
December 14, 1984	18.6250	20.7500	
December 17, 1984	18.8750	20.8750	
December 18, 1984	19.2500	21.3750	
December 19, 1984	19.2500	21.3750	
December 20, 1984	19.3750	21.2500	
December 21, 1984	19.3750	21.3750	
December 24, 1984	19.3750	21.1250	
December 26, 1984	19.5000	21.1250	
December 27, 1984	19.1250	21.0000	
December 28, 1984	19.1250	21.1250	
December 31, 1984	19.3750	20.8750	
January 2, 1985	19.1250	20.8750	
January 3, 1985	19.1250	20.8750	
January 4, 1985	19.1250	20.7500	
January 7, 1985	18.3750	20.8750	
January 8, 1985	18.3750	21.0000	
January 9, 1985	18.3750	20.8750	
January 10, 1985	18.5000	21.1250	
January 11, 1985	18.5000	21.2500	
January 14, 1985	18.5000	21.5000	
January 15, 1985	18.6250	21.7500	
January 16, 1985	18.6250	21.7500	
January 17, 1985	18.6250	21.6250	
January 18, 1985	18.6250	21.3750	
January 21, 1985	19.0000	21.6250	
January 22, 1985	19.0000	21.6250	
January 23, 1985	19.0000	21.7500	
January 24, 1985	18.7500	21.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 25, 1985	18.8750	21.5000	
January 28, 1985	18.7500	21.5000	
January 29, 1985	19.0000	21.3750	
January 30, 1985	19.2500	21.1250	
January 31, 1985	19.1250	21.1250	
February 1, 1985	19.0000	21.2500	
February 4, 1985	19.1250	21.1250	
February 5, 1985	19.5000	21.1250	
February 6, 1985	19.5000	21.1250	
February 7, 1985	19.7500	21.1250	
February 8, 1985	19.6250	20.3750	
February 11, 1985	19.6250	20.5000	
February 12, 1985	19.7500	20.3750	
February 13, 1985	19.7500	20.2500	
February 14, 1985	19.7500	20.3750	
February 15, 1985	19.8750	20.5000	
February 19, 1985	19.7500	20.7500	
February 20, 1985	19.8750	20.8750	
February 21, 1985	19.7500	20.5000	
February 22, 1985	19.5000	20.5000	
February 25, 1985	19.3750	20.5000	
February 26, 1985	19.1250	20.7500	
February 27, 1985	19.1250	20.7500	
February 28, 1985	19.1250	20.6250	
March 1, 1985	19.3750	20.7500	
March 4, 1985	19.3750	20.7500	
March 5, 1985	19.3750	20.7500	
March 6, 1985	19.3750	20.6250	
March 7, 1985	19.3750	20.7500	
March 8, 1985	19.1250	20.6250	
March 11, 1985	19.1250	20.3750	
March 12, 1985	19.5000	20.3750	
March 13, 1985	19.2500	20.2500	
March 14, 1985	19.3750	20.2500	
March 15, 1985	19.5000	20.1250	
March 18, 1985	19.3750	20.2500	
March 19, 1985	19.6250	20.3750	
March 20, 1985	19.5000	20.5000	
March 21, 1985	19.7500	21.0000	
March 22, 1985	20.0000	21.1250	
March 25, 1985	20.2500	21.1250	
March 26, 1985	20.3750	21.3750	
March 27, 1985	20.2500	21.6250	
March 28, 1985	20.6250	22.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 29, 1985	20.7500	22.3750	
April 1, 1985	21.0000	23.0000	
April 2, 1985	21.2500	22.8750	
April 3, 1985	20.7500	22.7500	
April 4, 1985	20.7500	22.6250	
April 8, 1985	20.3750	22.7500	
April 9, 1985	20.5000	22.7500	
April 10, 1985	20.3750	22.8750	
April 11, 1985	20.6250	23.0000	
April 12, 1985	21.1250	22.8750	
April 15, 1985	21.1250	23.3750	
April 16, 1985	21.1250	23.5000	
April 17, 1985	21.5000	23.5000	
April 18, 1985	21.5000	23.6250	
April 19, 1985	21.3750	23.6250	
April 22, 1985	21.3750	23.7500	
April 23, 1985	21.2500	23.7500	
April 24, 1985	21.3750	23.7500	
April 25, 1985	21.2500	23.8750	
April 26, 1985	21.2500	23.8750	
April 29, 1985	21.2500	23.8750	
April 30, 1985	21.2500	23.7500	
May 1, 1985	21.2500	23.7500	
May 2, 1985	21.1250	23.6250	
May 3, 1985	21.1250	23.7500	
May 6, 1985	21.1250	23.7500	
May 7, 1985	21.2500	23.6250	
May 8, 1985	21.2500	23.7500	
May 9, 1985	21.3750	23.3750	
May 10, 1985	21.3750	23.3750	
May 13, 1985	21.3750	23.5000	
May 14, 1985	21.3750	23.5000	
May 15, 1985	21.5000	23.5000	
May 16, 1985	21.8750	23.6250	
May 17, 1985	22.2500	23.8750	
May 20, 1985	22.7500	24.1250	
May 21, 1985	22.2500	24.0000	
May 22, 1985	22.0000	23.8750	
May 23, 1985	21.8750	23.7500	
May 24, 1985	22.0000	23.6250	
May 28, 1985	22.1250	23.3750	
May 29, 1985	22.0000	23.2500	
May 30, 1985	22.0000	23.3750	
May 31, 1985	22.2500	23.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 3, 1985	22.3750	23.7500	
June 4, 1985	22.6250	23.8750	
June 5, 1985	22.7500	24.1250	
June 6, 1985	22.7500	24.3750	
June 7, 1985	22.5000	24.2500	
June 10, 1985	22.3750	24.2500	
June 11, 1985	22.6250	24.3750	
June 12, 1985	22.7500	24.6250	
June 13, 1985	22.7500	24.7500	
June 14, 1985	23.0000	25.1250	
June 17, 1985	23.1250	25.0000	
June 18, 1985	23.6250	25.6250	
June 19, 1985	23.7500	25.7500	
June 20, 1985	23.7500	26.1250	
June 21, 1985	24.0000	26.0000	
June 24, 1985	23.7500	25.8750	
June 25, 1985	24.0000	25.7500	
June 26, 1985	23.8750	25.5000	
June 27, 1985	23.7500	25.5000	
June 28, 1985	23.8750	25.7500	
July 1, 1985	24.0000	25.6250	
July 2, 1985	23.5000	25.6250	
July 3, 1985	23.3750	25.8750	
July 5, 1985	23.7500	26.0000	
July 8, 1985	23.0000	26.0000	
July 9, 1985	23.0000	26.0000	
July 10, 1985	22.8750	26.2500	
July 11, 1985	23.0000	26.3750	
July 12, 1985	23.0000	26.5000	
July 15, 1985	22.8750	26.5000	
July 16, 1985	22.7500	26.7500	
July 17, 1985	22.6250	26.6250	
July 18, 1985	22.5000	26.3750	
July 19, 1985	22.1250	26.0000	
July 22, 1985	21.7500	25.5000	
July 23, 1985	21.1250	25.0000	
July 24, 1985	21.1250	24.6250	
July 25, 1985	21.3750	24.5000	
July 26, 1985	21.2500	24.2500	
July 29, 1985	20.6250	23.7500	
July 30, 1985	21.3750	23.6250	
July 31, 1985	21.3750	23.7500	
August 1, 1985	21.2500	24.0000	
August 2, 1985	21.0000	23.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 5, 1985	21.0000	23.7500	
August 6, 1985	20.6250	23.3750	
August 7, 1985	20.6250	23.0000	
August 8, 1985	21.2500	23.5000	
August 9, 1985	21.1250	23.2500	
August 12, 1985	21.2500	23.3750	
August 13, 1985	21.2500	23.5000	
August 14, 1985	21.5000	23.6250	
August 15, 1985	22.0000	23.7500	
August 16, 1985	21.8750	23.6250	
August 19, 1985	22.1250	23.7500	
August 20, 1985	22.1250	23.8750	
August 21, 1985	22.2500	24.2500	
August 22, 1985	21.8750	23.7500	
August 23, 1985	21.7500	23.8750	
August 26, 1985	21.8750	23.5000	
August 27, 1985	22.0000	23.6250	
August 28, 1985	22.1250	23.7500	
August 29, 1985	22.1250	24.0000	
August 30, 1985	22.0000	24.1250	
September 3, 1985	21.8750	24.1250	
September 4, 1985	21.8750	24.2500	
September 5, 1985	22.0000	24.6250	
September 6, 1985	21.8750	24.2500	
September 9, 1985	21.6250	24.1250	
September 10, 1985	21.0000	23.7500	
September 11, 1985	20.8750	23.2500	
September 12, 1985	20.5000	22.7500	
September 13, 1985	20.6250	22.6250	
September 16, 1985	20.6250	22.3750	
September 17, 1985	20.6250	22.2500	
September 18, 1985	20.8750	22.2500	
September 19, 1985	21.1250	22.7500	
September 20, 1985	21.0000	22.8750	
September 23, 1985	21.1250	23.0000	
September 24, 1985	21.1250	22.8750	
September 25, 1985	20.7500	22.8750	
September 26, 1985	20.7500	22.7500	
September 30, 1985	20.6250	22.6250	
October 1, 1985	20.6250	22.8750	
October 2, 1985	21.0000	23.0000	
October 3, 1985	20.8750	23.2500	
October 4, 1985	20.5000	23.2500	
October 7, 1985	19.5000	23.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 8, 1985	19.2500	23.2500	
October 9, 1985	19.6250	23.3750	
October 10, 1985	19.8750	23.5000	
October 11, 1985	20.1250	23.7500	
October 14, 1985	20.1250	24.0000	
October 15, 1985	20.0000	23.8750	
October 16, 1985	20.1250	24.0000	
October 17, 1985	20.1250	24.0000	
October 18, 1985	20.0000	23.8750	
October 21, 1985	20.0000	24.0000	
October 22, 1985	20.0000	24.6250	
October 23, 1985	19.6250	24.6250	
October 24, 1985	19.3750	24.7500	
October 25, 1985	19.8750	24.8750	
October 28, 1985	20.1250	24.5000	
October 29, 1985	20.2500	24.6250	
October 30, 1985	20.7500	24.8750	
October 31, 1985	20.7500	24.8750	
November 1, 1985	20.7500	24.8750	
November 4, 1985	20.7500	25.2500	
November 5, 1985	20.1250	25.3750	
November 6, 1985	20.0000	25.3750	
November 7, 1985	20.2500	25.5000	
November 8, 1985	20.2500	24.7500	
November 11, 1985	20.5000	24.7500	
November 12, 1985	20.5000	24.6250	
November 13, 1985	20.5000	24.5000	
November 14, 1985	20.6250	24.6250	
November 15, 1985	20.5000	24.5000	
November 18, 1985	20.2500	24.6250	
November 19, 1985	20.3750	24.7500	
November 20, 1985	20.2500	24.7500	
November 21, 1985	20.3750	24.8750	
November 22, 1985	20.1250	24.6250	
November 25, 1985	20.2500	24.6250	
November 26, 1985	20.3750	25.0000	
November 27, 1985	20.3750	25.0000	
November 29, 1985	20.2500	24.8750	
December 2, 1985	20.2500	24.7500	
December 3, 1985	20.2500	25.2500	
December 4, 1985	20.3750	25.3750	
December 5, 1985	20.2500	25.5000	
December 6, 1985	20.2500	25.3750	
December 9, 1985	20.3750	25.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 10, 1985	20.5000	25.7500	
December 11, 1985	21.0000	25.7500	
December 12, 1985	21.3750	25.8750	
December 13, 1985	21.5000	25.8750	
December 16, 1985	21.3750	25.7500	
December 17, 1985	21.1250	26.0000	
December 18, 1985	21.2500	26.0000	
December 19, 1985	21.2500	25.7500	
December 20, 1985	21.2500	25.6250	
December 23, 1985	20.7500	25.1250	
December 24, 1985	20.6250	25.1250	
December 26, 1985	21.0000	25.2500	
December 27, 1985	21.1250	25.6250	
December 30, 1985	21.1250	25.7500	
December 31, 1985	21.1250	26.1250	
January 2, 1986	21.1250	25.8750	
January 3, 1986	21.0000	25.8750	
January 6, 1986	20.6250	26.2500	
January 7, 1986	21.1250	26.5000	
January 8, 1986	21.0000	26.6250	
January 9, 1986	20.7500	25.5000	
January 10, 1986	20.7500	25.3750	
January 13, 1986	20.7500	25.6250	
January 14, 1986	20.8750	25.8750	
January 15, 1986	20.7500	26.2500	
January 16, 1986	20.7500	26.3750	
January 17, 1986	20.7500	26.5000	
January 20, 1986	20.5000	26.3750	
January 21, 1986	20.5000	26.6250	
January 22, 1986	20.6250	26.6250	
January 23, 1986	20.3750	26.7500	
January 24, 1986	20.5000	26.7500	
January 27, 1986	20.5000	27.0000	
January 28, 1986	20.8750	27.2500	
January 29, 1986	20.8750	27.5000	
January 30, 1986	20.7500	27.6250	
January 31, 1986	21.0000	27.8750	
February 3, 1986	20.5000	28.2500	
February 4, 1986	20.3750	28.3750	
February 5, 1986	20.3750	28.5000	
February 6, 1986	20.5000	28.3750	
February 7, 1986	20.5000	28.1250	
February 10, 1986	20.5000	27.5000	
February 11, 1986	20.8750	27.8750	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
February 12, 1986	21.3750	27.8750	
February 13, 1986	21.5000	27.8750	
February 14, 1986	21.8750	28.0000	
February 18, 1986	22.1250	28.0000	
February 19, 1986	21.8750	28.0000	
February 20, 1986	21.7500	28.0000	
February 21, 1986	22.2500	28.6250	
February 24, 1986	22.1250	29.2500	
February 25, 1986	22.0000	28.5000	
February 26, 1986	21.8750	28.5000	
February 27, 1986	22.0000	28.7500	
February 28, 1986	22.1250	28.6250	
March 3, 1986	21.8750	29.0000	
March 4, 1986	22.0000	29.0000	
March 5, 1986	21.6250	29.1250	
March 6, 1986	21.6250	29.6250	
March 7, 1986	21.5000	29.6250	
March 10, 1986	21.5000	30.0000	
March 11, 1986	21.5000	30.5000	
March 12, 1986	21.3750	30.2500	
March 13, 1986	21.1250	30.1250	
March 14, 1986	21.3750	30.0000	
March 17, 1986	21.0000	29.0000	
March 18, 1986	21.1250	29.0000	
March 19, 1986	21.1250	28.7500	
March 20, 1986	21.2500	28.7500	
March 21, 1986	21.3750	28.7500	
March 24, 1986	21.2500	28.6250	
March 25, 1986	21.3750	28.5000	
March 26, 1986	21.3750	28.7500	
March 27, 1986	21.5000	29.1250	
March 31, 1986	21.8750	29.5000	
April 1, 1986	22.0000	29.3750	
April 2, 1986	22.1250	29.6250	
April 3, 1986	22.2500	29.6250	
April 4, 1986	22.0000	29.3750	
April 7, 1986	21.3750	28.8750	
April 8, 1986	21.3750	29.1250	
April 9, 1986	21.6250	29.2500	
April 10, 1986	21.5000	29.3750	
April 11, 1986	21.5000	29.5000	
April 14, 1986	21.7500	29.7500	
April 15, 1986	21.7500	29.7500	
April 16, 1986	22.0000	30.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 17, 1986	22.0000	30.1250	
April 18, 1986	21.8750	30.2500	
April 21, 1986	22.0000	30.3750	
April 22, 1986	21.8750	30.2500	
April 23, 1986	21.1250	30.0000	
April 24, 1986	20.3750	29.7500	
April 25, 1986	20.3750	30.0000	
April 28, 1986	19.7500	30.0000	
April 29, 1986	19.5000	29.8750	
April 30, 1986	19.2500	29.6250	
May 1, 1986	19.3750	29.7500	
May 2, 1986	19.0000	29.8750	
May 5, 1986	18.8750	29.8750	
May 6, 1986	19.1250	30.1250	
May 7, 1986	19.0000	30.1250	
May 8, 1986	18.8750	30.6250	
May 9, 1986	18.2500	29.8750	
May 12, 1986	18.2500	30.0000	
May 13, 1986	18.2500	30.0000	
May 14, 1986	18.8750	30.0000	
May 15, 1986	18.6250	30.0000	
May 16, 1986	18.2500	30.1250	
May 19, 1986	18.1250	30.2500	
May 20, 1986	18.2500	30.2500	
May 21, 1986	18.2500	30.1250	
May 22, 1986	18.8750	30.2500	
May 23, 1986	19.0000	30.2500	
May 27, 1986	19.3750	30.6250	
May 28, 1986	19.0000	31.1250	
May 29, 1986	19.1250	31.1250	
May 30, 1986	19.2500	31.2500	
June 2, 1986	19.0000	31.2500	
June 3, 1986	19.1250	31.1250	
June 4, 1986	19.0000	30.8750	
June 5, 1986	18.7500	31.0000	
June 6, 1986	18.8750	30.8750	
June 9, 1986	18.6250	30.6250	
June 10, 1986	18.5000	30.3750	
June 11, 1986	18.7500	30.3750	
June 12, 1986	19.0000	30.3750	
June 13, 1986	19.0000	30.2500	
June 16, 1986	18.8750	30.2500	
June 17, 1986	18.5000	30.6250	
June 18, 1986	18.7500	30.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 19, 1986	18.7500	30.8750	
June 20, 1986	18.7500	30.8750	
June 23, 1986	19.0000	31.0000	
June 24, 1986	19.6250	31.2500	
June 25, 1986	20.0000	31.6250	
June 26, 1986	19.8750	31.8750	
June 27, 1986	19.8750	32.2500	
June 30, 1986	20.0000	32.7500	
July 1, 1986	19.8750	32.8750	
July 2, 1986	20.1250	33.0000	
July 3, 1986	20.0000	32.8750	
July 7, 1986	19.1250	32.6250	
July 8, 1986	19.0000	32.2500	
July 9, 1986	19.5000	32.7500	
July 10, 1986	19.5000	32.8750	
July 11, 1986	20.0000	33.6250	
July 14, 1986	19.8750	34.0000	
July 15, 1986	19.7500	34.0000	
July 16, 1986	20.2500	34.0000	
July 17, 1986	20.0000	34.2500	
July 18, 1986	20.0000	34.5000	
July 21, 1986	20.0000	34.7500	
July 22, 1986	20.0000	36.5000	
July 23, 1986	19.7500	36.8750	
July 24, 1986	19.6250	36.2500	
July 25, 1986	19.8750	36.7500	
July 28, 1986	19.7500	36.2500	
July 29, 1986	20.0000	36.1250	
July 30, 1986	20.1250	35.8750	
July 31, 1986	19.7500	36.0000	
August 1, 1986	19.8750	36.1250	
August 4, 1986	19.8750	36.0000	
August 5, 1986	19.7500	35.7500	
August 6, 1986	19.7500	35.6250	
August 7, 1986	19.8750	36.3750	
August 8, 1986	19.7500	36.6250	
August 11, 1986	19.8750	35.5000	
August 12, 1986	20.0000	35.8750	
August 13, 1986	20.2500	36.2500	
August 14, 1986	20.1250	36.6250	
August 15, 1986	20.2500	36.5000	
August 18, 1986	20.3750	36.5000	
August 19, 1986	20.5000	37.1250	
August 20, 1986	21.1250	37.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 21, 1986	21.2500	37.2500	
August 22, 1986	21.2500	37.0000	
August 25, 1986	20.8750	36.6250	
August 26, 1986	20.8750	36.7500	
August 27, 1986	21.0000	37.0000	
August 28, 1986	21.1250	36.7500	
August 29, 1986	21.1250	36.7500	
September 2, 1986	21.2500	36.1250	
September 3, 1986	21.2500	36.0000	
September 4, 1986	21.2500	36.2500	
September 5, 1986	21.2500	34.7500	
September 8, 1986	21.2500	33.5000	
September 9, 1986	21.2500	33.8750	
September 10, 1986	20.3750	33.3750	
September 11, 1986	19.6250	31.5000	
September 12, 1986	20.2500	30.7500	
September 15, 1986	20.1250	31.2500	
September 16, 1986	19.7500	32.0000	
September 17, 1986	19.6250	32.0000	
September 18, 1986	19.2500	32.1250	
September 19, 1986	18.7500	31.5000	
September 22, 1986	17.2500	31.7500	
September 23, 1986	16.3750	32.0000	
September 24, 1986	17.8750	32.3750	
September 25, 1986	17.0000	32.2500	
September 26, 1986	17.2500	32.1250	
September 29, 1986	16.7500	31.8750	
September 30, 1986	17.0000	32.5000	
October 1, 1986	16.8750	32.6250	
October 2, 1986	16.8750	32.8750	
October 3, 1986	17.0000	33.3750	
October 6, 1986	16.5000	33.0000	
October 7, 1986	16.5000	32.6250	
October 8, 1986	16.6250	33.1250	
October 9, 1986	16.6250	32.8750	
October 10, 1986	16.7500	32.8750	
October 13, 1986	16.8750	33.0000	
October 14, 1986	17.0000	33.3750	
October 15, 1986	17.1250	33.6250	
October 16, 1986	17.6250	33.8750	
October 17, 1986	17.6250	33.6250	
October 20, 1986	17.7500	33.3750	
October 21, 1986	17.7500	33.6250	
October 22, 1986	18.0000	33.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 23, 1986	18.2500	34.0000	
October 24, 1986	17.8750	33.8750	
October 27, 1986	18.3750	34.2500	
October 28, 1986	18.5000	34.2500	
October 29, 1986	18.5000	34.1250	
October 30, 1986	19.2500	34.5000	
October 31, 1986	19.2500	34.3750	
November 3, 1986	19.2500	34.6250	
November 4, 1986	18.8750	34.7500	
November 5, 1986	18.5000	34.7500	
November 6, 1986	18.0000	34.8750	
November 7, 1986	18.2500	33.6250	
November 10, 1986	18.2500	33.3750	
November 11, 1986	18.0000	33.5000	
November 12, 1986	18.2500	33.7500	
November 13, 1986	17.8750	33.6250	
November 14, 1986	18.0000	33.3750	
November 17, 1986	17.5000	33.3750	
November 18, 1986	17.5000	32.5000	
November 19, 1986	17.6250	32.6250	
November 20, 1986	18.3750	33.0000	
November 21, 1986	18.2500	33.0000	
November 24, 1986	18.1250	32.7500	
November 25, 1986	17.8750	33.5000	
November 26, 1986	17.7500	33.6250	
November 28, 1986	17.8750	33.6250	
December 1, 1986	17.8750	33.5000	
December 2, 1986	18.2500	34.0000	
December 3, 1986	18.0000	33.8750	
December 4, 1986	18.1250	34.0000	
December 5, 1986	18.0000	33.8750	
December 8, 1986	18.2500	33.5000	
December 9, 1986	18.1250	33.1250	
December 10, 1986	18.2500	33.1250	
December 11, 1986	18.1250	32.5000	
December 12, 1986	18.2500	32.6250	
December 15, 1986	18.2500	32.3750	
December 16, 1986	18.3750	32.8750	
December 17, 1986	18.3750	32.7500	
December 18, 1986	18.3750	32.6250	
December 19, 1986	18.6250	32.6250	
December 22, 1986	18.5000	32.3750	
December 23, 1986	18.7500	32.3750	
December 24, 1986	18.7500	32.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 26, 1986	19.0000	32.3750	
December 29, 1986	19.0000	32.2500	
December 30, 1986	18.8750	31.6250	
December 31, 1986	18.7500	31.0000	
January 2, 1987	18.8750	32.1250	
January 5, 1987	18.2500	33.0000	
January 6, 1987	18.3750	32.8750	
January 7, 1987	18.6250	33.2500	
January 8, 1987	18.7500	33.2500	
January 9, 1987	18.6250	33.1250	
January 12, 1987	18.6250	32.8750	
January 13, 1987	18.5000	32.8750	
January 14, 1987	18.7500	32.8750	
January 15, 1987	18.7500	32.7500	
January 16, 1987	18.6250	32.6250	
January 19, 1987	18.6250	32.7500	
January 20, 1987	18.7500	33.0000	
January 21, 1987	18.7500	32.8750	
January 22, 1987	18.8750	33.5000	
January 23, 1987	19.0000	33.0000	
January 26, 1987	18.7500	33.0000	
January 27, 1987	19.0000	33.2500	
January 28, 1987	19.2500	33.2500	
January 29, 1987	19.3750	33.3750	
January 30, 1987	19.6250	33.5000	
February 2, 1987	19.7500	33.6250	
February 3, 1987	19.7500	33.3750	
February 4, 1987	19.8750	33.5000	
February 5, 1987	20.5000	33.6250	
February 6, 1987	20.6250	33.2500	
February 9, 1987	20.6250	31.8750	
February 10, 1987	20.6250	31.1250	
February 11, 1987	20.7500	31.2500	
February 12, 1987	20.8750	31.0000	
February 13, 1987	21.0000	31.1250	
February 17, 1987	21.2500	30.7500	
February 18, 1987	21.0000	30.7500	
February 19, 1987	21.1250	30.0000	
February 20, 1987	21.5000	30.2500	
February 23, 1987	21.5000	30.1250	
February 24, 1987	21.5000	30.5000	
February 25, 1987	21.3750	30.6250	
February 26, 1987	21.1250	30.2500	
February 27, 1987	21.3750	30.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 2, 1987	21.3750	30.0000	
March 3, 1987	21.0000	29.8750	
March 4, 1987	21.0000	30.7500	
March 5, 1987	20.8750	30.8750	
March 6, 1987	20.7500	30.6250	
March 9, 1987	20.5000	30.1250	
March 10, 1987	20.5000	30.2500	
March 11, 1987	20.2500	30.2500	
March 12, 1987	20.3750	30.5000	
March 13, 1987	20.2500	30.0000	
March 16, 1987	20.2500	29.8750	
March 17, 1987	20.5000	29.7500	
March 18, 1987	20.6250	29.3750	
March 19, 1987	21.1250	28.8750	
March 20, 1987	21.0000	29.0000	
March 23, 1987	21.0000	29.3750	
March 24, 1987	21.1250	29.7500	
March 25, 1987	21.5000	29.5000	
March 26, 1987	21.3750	29.5000	
March 27, 1987	21.3750	29.3750	
March 30, 1987	20.8750	28.2500	
March 31, 1987	21.1250	28.8750	
April 1, 1987	20.7500	28.5000	
April 2, 1987	20.3750	28.6250	
April 3, 1987	20.3750	28.7500	
April 6, 1987	20.0000	28.7500	
April 7, 1987	19.7500	28.2500	
April 8, 1987	20.0000	27.8750	
April 9, 1987	20.0000	27.2500	
April 10, 1987	20.0000	26.8750	
April 13, 1987	19.5000	27.2500	
April 14, 1987	18.7500	26.1250	
April 15, 1987	19.3750	27.1250	
April 16, 1987	19.8750	28.0000	
April 20, 1987	19.6250	27.5000	
April 21, 1987	19.7500	27.7500	
April 22, 1987	19.3750	27.5000	
April 23, 1987	19.7500	27.0000	
April 24, 1987	19.6250	26.6250	
April 27, 1987	20.3750	27.0000	
April 28, 1987	20.2500	27.0000	
April 29, 1987	20.7500	27.3750	
April 30, 1987	20.6250	28.1250	
May 1, 1987	20.5000	27.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 4, 1987	20.6250	27.5000	
May 5, 1987	21.0000	27.6250	
May 6, 1987	21.1250	27.5000	
May 7, 1987	21.1250	26.8750	
May 8, 1987	20.8750	27.0000	
May 11, 1987	20.8750	26.1250	
May 12, 1987	20.7500	26.3750	
May 13, 1987	21.0000	26.6250	
May 14, 1987	20.8750	26.3750	
May 15, 1987	20.3750	26.1250	
May 18, 1987	20.1250	26.0000	
May 19, 1987	20.0000	25.8750	
May 20, 1987	20.1250	26.1250	
May 21, 1987	20.6250	26.3750	
May 22, 1987	20.3750	26.2500	
May 26, 1987	21.2500	27.0000	
May 27, 1987	21.0000	26.8750	
May 28, 1987	21.2500	27.1250	
May 29, 1987	21.2500	27.5000	
June 1, 1987	21.3750	27.3750	
June 2, 1987	21.1250	27.5000	
June 3, 1987	20.6250	27.3750	
June 4, 1987	20.6250	27.6250	
June 5, 1987	20.6250	27.8750	
June 8, 1987	20.8750	28.5000	
June 9, 1987	21.0000	28.3750	
June 10, 1987	21.7500	28.3750	
June 11, 1987	22.0000	28.3750	
June 12, 1987	22.5000	28.5000	
June 15, 1987	21.8750	28.3750	
June 16, 1987	22.0000	28.3750	
June 17, 1987	22.0000	28.2500	
June 18, 1987	22.5000	28.0000	
June 19, 1987	22.5000	28.2500	
June 22, 1987	22.0000	28.1250	
June 23, 1987	22.2500	28.0000	
June 24, 1987	22.1250	28.1250	
June 25, 1987	22.3750	28.5000	
June 26, 1987	22.1250	28.6250	
June 29, 1987	22.6250	28.6250	
June 30, 1987	22.5000	28.2500	
July 1, 1987	22.6250	27.8750	
July 2, 1987	22.6250	28.0000	
July 6, 1987	21.8750	28.3750	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 7, 1987	21.7500	28.6250	
July 8, 1987	21.3750	28.1250	
July 9, 1987	21.5000	27.8750	
July 10, 1987	22.0000	28.1250	
July 13, 1987	21.7500	28.0000	
July 14, 1987	21.8750	28.0000	
July 15, 1987	21.7500	28.1250	
July 16, 1987	21.7500	28.0000	
July 17, 1987	21.8750	27.5000	
July 20, 1987	21.8750	27.5000	
July 21, 1987	21.7500	27.5000	
July 22, 1987	22.0000	27.1250	
July 23, 1987	21.8750	27.2500	
July 24, 1987	21.8750	27.0000	
July 27, 1987	22.0000	27.1250	
July 28, 1987	22.1250	27.0000	
July 29, 1987	22.6250	27.2500	
July 30, 1987	22.5000	27.2500	
July 31, 1987	22.5000	27.2500	
August 3, 1987	22.0000	27.1250	
August 4, 1987	21.0000	27.0000	
August 5, 1987	21.5000	27.2500	
August 6, 1987	21.3750	27.3750	
August 7, 1987	21.3750	27.3750	
August 10, 1987	21.7500	26.6250	
August 11, 1987	21.8750	27.3750	
August 12, 1987	21.7500	27.2500	
August 13, 1987	22.2500	27.8750	
August 14, 1987	22.2500	28.8750	
August 17, 1987	22.0000	28.2500	
August 18, 1987	21.8750	28.3750	
August 19, 1987	21.6250	28.1250	
August 20, 1987	21.7500	28.1250	
August 21, 1987	21.5000	28.0000	
August 24, 1987	21.5000	27.5000	
August 25, 1987	21.7500	27.6250	
August 26, 1987	21.7500	27.6250	
August 27, 1987	21.6250	27.3750	
August 28, 1987	21.7500	27.6250	
August 31, 1987	21.7500	28.0000	
September 1, 1987	21.2500	27.6250	
September 2, 1987	20.8750	27.0000	
September 3, 1987	20.6250	27.0000	
September 4, 1987	20.3750	27.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 8, 1987	20.3750	26.3750	
September 9, 1987	20.6250	26.2500	
September 10, 1987	20.7500	26.2500	
September 11, 1987	20.7500	26.6250	
September 14, 1987	20.5000	26.5000	
September 15, 1987	20.2500	26.1250	
September 16, 1987	20.3750	26.2500	
September 17, 1987	20.2500	26.0000	
September 18, 1987	20.5000	25.8750	
September 21, 1987	20.5000	25.7500	
September 22, 1987	20.6250	26.5000	
September 23, 1987	21.0000	26.6250	
September 24, 1987	20.7500	26.3750	
September 25, 1987	21.0000	26.3750	
September 28, 1987	21.1250	26.2500	
September 29, 1987	21.1250	26.0000	
September 30, 1987	21.3750	26.2500	
October 1, 1987	21.1250	26.5000	
October 2, 1987	21.2500	26.6250	
October 5, 1987	20.1250	26.8750	
October 6, 1987	19.8750	26.7500	
October 7, 1987	20.0000	26.8750	
October 8, 1987	20.1250	26.8750	
October 9, 1987	20.1250	26.7500	
October 12, 1987	20.0000	26.6250	
October 13, 1987	20.5000	27.1250	
October 14, 1987	20.3750	26.7500	
October 15, 1987	20.5000	26.7500	
October 16, 1987	20.3750	25.6250	
October 19, 1987	18.0000	23.5000	
October 20, 1987	18.1250	23.5000	
October 21, 1987	19.2500	25.0000	
October 22, 1987	19.0000	25.2500	
October 23, 1987	19.0000	25.6250	
October 26, 1987	18.0000	25.5000	
October 27, 1987	18.1250	25.8750	
October 28, 1987	18.7500	25.2500	
October 29, 1987	19.1250	26.0000	
October 30, 1987	19.3750	25.7500	
November 2, 1987	19.3750	25.8750	
November 3, 1987	19.1250	26.1250	
November 4, 1987	19.2500	26.1250	
November 5, 1987	19.2500	26.3750	
November 6, 1987	19.5000	26.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 9, 1987	19.3750	25.3750	
November 10, 1987	19.2500	24.8750	
November 11, 1987	19.3750	24.7500	
November 12, 1987	20.1250	25.1250	
November 13, 1987	20.3750	25.0000	
November 16, 1987	20.5000	24.6250	
November 17, 1987	20.5000	24.5000	
November 18, 1987	20.5000	24.8750	
November 19, 1987	20.3750	24.7500	
November 20, 1987	20.2500	24.6250	
November 23, 1987	20.2500	24.5000	
November 24, 1987	20.2500	24.6250	
November 25, 1987	20.2500	24.6250	
November 27, 1987	20.2500	24.5000	
November 30, 1987	19.8750	23.6250	
December 1, 1987	19.6250	23.6250	
December 2, 1987	19.6250	23.7500	
December 3, 1987	19.2500	24.0000	
December 4, 1987	19.0000	23.6250	
December 7, 1987	19.5000	23.8750	
December 8, 1987	19.8750	24.1250	
December 9, 1987	19.7500	24.2500	
December 10, 1987	19.7500	23.6250	
December 11, 1987	19.7500	23.6250	
December 14, 1987	20.1250	23.7500	
December 15, 1987	20.1250	23.8750	
December 16, 1987	20.1250	23.6250	
December 17, 1987	20.1250	23.3750	
December 18, 1987	20.5000	23.8750	
December 21, 1987	20.3750	23.6250	
December 22, 1987	20.5000	23.2500	
December 23, 1987	20.8750	23.8750	
December 24, 1987	21.0000	23.8750	
December 28, 1987	21.1250	23.3750	
December 29, 1987	20.2500	23.5000	
December 30, 1987	20.5000	23.6250	
December 31, 1987	20.3750	23.6250	
January 4, 1988	20.3750	24.5000	
January 5, 1988	20.3750	25.0000	
January 6, 1988	20.3750	25.0000	
January 7, 1988	20.2500	25.1250	
January 8, 1988	20.1250	25.0000	
January 11, 1988	20.0000	25.1250	
January 12, 1988	20.1250	24.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 13, 1988	20.1250	25.0000	
January 14, 1988	20.2500	25.1250	
January 15, 1988	20.5000	25.3750	
January 18, 1988	20.3750	25.3750	
January 19, 1988	20.1250	25.3750	
January 20, 1988	20.1250	25.3750	
January 21, 1988	20.3750	25.5000	
January 22, 1988	20.5000	25.8750	
January 25, 1988	21.2500	26.5000	
January 26, 1988	21.2500	26.3750	
January 27, 1988	21.1250	26.8750	
January 28, 1988	21.5000	27.2500	
January 29, 1988	21.5000	27.3750	
February 1, 1988	21.3750	27.8750	
February 2, 1988	21.3750	27.7500	
February 3, 1988	21.3750	27.6250	
February 4, 1988	21.5000	26.8750	
February 5, 1988	21.7500	26.7500	
February 8, 1988	21.6250	26.6250	
February 9, 1988	21.5000	27.0000	
February 10, 1988	21.6250	27.0000	
February 11, 1988	21.6250	26.5000	
February 12, 1988	21.6250	26.2500	
February 16, 1988	21.7500	26.5000	
February 17, 1988	21.8750	26.3750	
February 18, 1988	21.7500	26.3750	
February 19, 1988	21.7500	26.5000	
February 22, 1988	21.8750	26.1250	
February 23, 1988	22.0000	26.2500	
February 24, 1988	22.1250	26.2500	
February 25, 1988	21.8750	26.1250	
February 26, 1988	21.7500	26.5000	
February 29, 1988	21.7500	26.5000	
March 1, 1988	21.7500	26.0000	
March 2, 1988	21.7500	26.5000	
March 3, 1988	21.5000	26.3750	
March 4, 1988	21.3750	26.1250	
March 7, 1988	21.1250	25.8750	
March 8, 1988	21.2500	25.6250	
March 9, 1988	21.0000	25.8750	
March 10, 1988	20.7500	25.7500	
March 11, 1988	21.0000	25.7500	
March 14, 1988	21.5000	25.6250	
March 15, 1988	21.6250	25.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 16, 1988	21.8750	25.6250	
March 17, 1988	21.8750	25.5000	
March 18, 1988	21.6250	25.3750	
March 21, 1988	21.6250	25.2500	
March 22, 1988	21.6250	25.1250	
March 23, 1988	21.7500	25.1250	
March 24, 1988	21.3750	24.8750	
March 25, 1988	21.5000	24.7500	
March 28, 1988	21.3750	24.7500	
March 29, 1988	21.6250	24.7500	
March 30, 1988	21.6250	24.7500	
March 31, 1988	21.6250	24.6250	
April 4, 1988	21.3750	24.7500	
April 5, 1988	21.0000	25.0000	
April 6, 1988	21.2500	25.6250	
April 7, 1988	21.1250	25.6250	
April 8, 1988	21.3750	25.7500	
April 11, 1988	21.2500	25.7500	
April 12, 1988	21.5000	25.7500	
April 13, 1988	21.6250	25.6250	
April 14, 1988	20.8750	24.8750	
April 15, 1988	20.8750	25.1250	
April 18, 1988	20.7500	24.8750	
April 19, 1988	20.8750	24.1250	
April 20, 1988	20.8750	24.1250	
April 21, 1988	20.7500	24.0000	
April 22, 1988	20.7500	24.0000	
April 25, 1988	20.8750	24.5000	
April 26, 1988	21.3750	24.6250	
April 27, 1988	21.3750	24.7500	
April 28, 1988	21.5000	24.6250	
April 29, 1988	21.5000	24.7500	
May 2, 1988	21.5000	24.8750	
May 3, 1988	21.8750	25.2500	
May 4, 1988	21.7500	25.2500	
May 5, 1988	21.6250	25.2500	
May 6, 1988	21.6250	25.2500	
May 9, 1988	21.5000	25.2500	
May 10, 1988	21.3750	25.5000	
May 11, 1988	21.2500	24.7500	
May 12, 1988	21.5000	24.7500	
May 13, 1988	21.7500	25.1250	
May 16, 1988	21.8750	25.1250	
May 17, 1988	21.5000	25.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 18, 1988	21.3750	25.1250	
May 19, 1988	21.5000	25.0000	
May 20, 1988	21.5000	25.2500	
May 23, 1988	21.6250	25.2500	
May 24, 1988	21.5000	25.7500	
May 25, 1988	21.5000	26.1250	
May 26, 1988	21.7500	26.2500	
May 27, 1988	21.5000	26.3750	
May 31, 1988	21.7500	26.6250	
June 1, 1988	21.7500	27.5000	
June 2, 1988	21.8750	27.3750	
June 3, 1988	22.1250	27.5000	
June 6, 1988	22.0000	27.5000	
June 7, 1988	22.0000	26.8750	
June 8, 1988	22.5000	27.3750	
June 9, 1988	22.3750	27.1250	
June 10, 1988	22.5000	27.2500	
June 13, 1988	22.2500	26.8750	
June 14, 1988	22.3750	27.2500	
June 15, 1988	22.1250	27.0000	
June 16, 1988	22.2500	26.7500	
June 17, 1988	22.2500	26.8750	
June 20, 1988	22.3750	26.7500	
June 21, 1988	22.7500	26.8750	
June 22, 1988	22.7500	26.7500	
June 23, 1988	22.8750	26.8750	
June 24, 1988	22.7500	27.1250	
June 27, 1988	22.6250	27.0000	
June 28, 1988	22.6250	27.0000	
June 29, 1988	22.6250	26.0000	
June 30, 1988	22.6250	26.0000	
July 1, 1988	22.0000	26.3750	
July 5, 1988	22.1250	26.5000	
July 6, 1988	22.1250	26.2500	
July 7, 1988	22.0000	26.2500	
July 8, 1988	22.0000	26.2500	
July 11, 1988	22.0000	26.0000	
July 12, 1988	22.0000	25.8750	
July 13, 1988	21.7500	25.7500	
July 14, 1988	21.8750	26.0000	
July 15, 1988	21.8750	26.0000	
July 18, 1988	21.7500	26.0000	
July 19, 1988	21.7500	26.0000	
July 20, 1988	21.7500	25.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 21, 1988	21.5000	25.6250	
July 22, 1988	21.6250	25.6250	
July 25, 1988	21.5000	25.5000	
July 26, 1988	21.6250	25.7500	
July 27, 1988	21.3750	25.7500	
July 28, 1988	21.6250	25.7500	
July 29, 1988	21.7500	26.0000	
August 1, 1988	21.8750	26.1250	
August 2, 1988	21.7500	26.1250	
August 3, 1988	21.7500	26.3750	
August 4, 1988	21.6250	26.5000	
August 5, 1988	21.1250	26.5000	
August 8, 1988	21.2500	26.3750	
August 9, 1988	21.0000	25.3750	
August 10, 1988	20.7500	25.1250	
August 11, 1988	20.8750	25.0000	
August 12, 1988	20.3750	25.0000	
August 15, 1988	20.0000	24.8750	
August 16, 1988	20.0000	25.0000	
August 17, 1988	20.5000	25.2500	
August 18, 1988	20.7500	25.2500	
August 19, 1988	20.8750	25.2500	
August 22, 1988	20.7500	25.2500	
August 23, 1988	21.0000	25.1250	
August 24, 1988	21.1250	25.1250	
August 25, 1988	21.0000	24.8750	
August 26, 1988	21.0000	24.8750	
August 29, 1988	21.2500	25.2500	
August 30, 1988	21.0000	25.2500	
August 31, 1988	21.0000	25.1250	
September 1, 1988	21.0000	25.2500	
September 2, 1988	21.3750	25.5000	
September 6, 1988	21.3750	25.7500	
September 7, 1988	21.8750	26.1250	
September 8, 1988	21.8750	25.6250	
September 9, 1988	21.8750	25.8750	
September 12, 1988	21.7500	25.6250	
September 13, 1988	21.7500	25.7500	
September 14, 1988	21.8750	25.8750	
September 15, 1988	21.7500	26.0000	
September 16, 1988	21.7500	26.2500	
September 19, 1988	21.7500	26.0000	
September 20, 1988	21.7500	26.1250	
September 21, 1988	21.7500	26.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 22, 1988	21.6250	25.8750	
September 23, 1988	21.5000	26.0000	
September 26, 1988	21.1250	25.8750	
September 27, 1988	21.0000	26.0000	
September 28, 1988	21.5000	25.8750	
September 29, 1988	21.5000	26.1250	
September 30, 1988	21.5000	26.3750	
October 3, 1988	21.5000	26.3750	
October 4, 1988	21.3750	26.7500	
October 5, 1988	21.2500	26.7500	
October 6, 1988	21.2500	26.7500	
October 7, 1988	21.0000	26.8750	
October 10, 1988	20.8750	26.8750	
October 11, 1988	20.8750	26.7500	
October 12, 1988	20.8750	26.3750	
October 13, 1988	20.8750	26.5000	
October 14, 1988	20.7500	26.7500	
October 17, 1988	20.3750	26.7500	
October 18, 1988	20.5000	27.0000	
October 19, 1988	20.6250	27.0000	
October 20, 1988	20.7500	27.1250	
October 21, 1988	20.7500	27.3750	
October 24, 1988	20.7500	27.3750	
October 25, 1988	20.8750	27.5000	
October 26, 1988	21.0000	27.6250	
October 27, 1988	20.8750	27.6250	
October 28, 1988	20.6250	27.7500	
October 31, 1988	20.5000	27.8750	
November 1, 1988	20.3750	27.7500	
November 2, 1988	20.3750	28.0000	
November 3, 1988	20.3750	28.2500	
November 4, 1988	20.2500	28.1250	
November 7, 1988	20.2500	27.8750	
November 8, 1988	20.1250	27.0000	
November 9, 1988	20.1250	27.0000	
November 10, 1988	20.0000	27.0000	
November 11, 1988	19.8750	26.8750	
November 14, 1988	20.0000	27.0000	
November 15, 1988	20.1250	27.2500	
November 16, 1988	20.1250	27.1250	
November 17, 1988	20.2500	27.1250	
November 18, 1988	20.5000	27.1250	
November 21, 1988	20.6250	27.0000	
November 22, 1988	20.3750	27.0000	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 23, 1988	20.5000	27.0000	
November 25, 1988	20.5000	26.7500	
November 28, 1988	20.5000	26.7500	
November 29, 1988	20.6250	27.1250	
November 30, 1988	20.8750	27.0000	
December 1, 1988	21.0000	27.2500	
December 2, 1988	21.1250	27.2500	
December 5, 1988	21.1250	27.6250	
December 6, 1988	21.2500	27.6250	
December 7, 1988	21.1250	27.5000	
December 8, 1988	21.3750	27.2500	
December 9, 1988	21.5000	27.1250	
December 12, 1988	21.5000	27.5000	
December 13, 1988	21.3750	27.3750	
December 14, 1988	21.2500	27.5000	
December 15, 1988	21.3750	27.6250	
December 16, 1988	21.7500	27.7500	
December 19, 1988	21.6250	27.7500	
December 20, 1988	21.6250	27.3750	
December 21, 1988	21.5000	27.2500	
December 22, 1988	21.6250	27.6250	
December 23, 1988	21.6250	27.2500	
December 27, 1988	21.7500	27.2500	
December 28, 1988	21.7500	27.3750	
December 29, 1988	21.6250	27.5000	
December 30, 1988	21.5000	26.7500	
January 3, 1989	21.2500	27.0000	
January 4, 1989	21.3750	27.1250	
January 5, 1989	21.3750	27.0000	
January 6, 1989	21.2500	27.0000	
January 9, 1989	20.6250	27.2500	
January 10, 1989	20.3750	27.3750	
January 11, 1989	20.8750	27.3750	
January 12, 1989	20.8750	27.3750	
January 13, 1989	21.0000	26.8750	
January 16, 1989	21.0000	27.0000	
January 17, 1989	20.8750	27.0000	
January 18, 1989	20.8750	27.1250	
January 19, 1989	21.1250	27.1250	
January 20, 1989	21.0000	26.6250	
January 23, 1989	21.1250	26.5000	
January 24, 1989	21.1250	26.5000	
January 25, 1989	21.1250	26.7500	
January 26, 1989	21.0000	26.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 27, 1989	21.1250	26.8750	
January 30, 1989	21.0000	26.8750	
January 31, 1989	20.8750	26.8750	
February 1, 1989	20.8750	26.8750	
February 2, 1989	20.8750	26.8750	
February 3, 1989	20.6250	26.5000	
February 6, 1989	20.5000	26.6250	
February 7, 1989	20.2500	26.8750	
February 8, 1989	20.6250	26.8750	
February 9, 1989	20.3750	26.3750	
February 10, 1989	20.1250	26.2500	
February 13, 1989	20.1250	26.2500	
February 14, 1989	20.2500	26.3750	
February 15, 1989	20.2500	26.3750	
February 16, 1989	20.3750	26.3750	
February 17, 1989	20.6250	26.3750	
February 21, 1989	20.6250	26.3750	
February 22, 1989	20.6250	26.2500	
February 23, 1989	20.6250	26.3750	
February 24, 1989	20.3750	26.3750	
February 27, 1989	20.2500	26.2500	
February 28, 1989	20.5000	26.3750	
March 1, 1989	20.7500	26.6250	
March 2, 1989	20.7500	26.6250	
March 3, 1989	20.6250	26.7500	
March 6, 1989	20.7500	26.7500	
March 7, 1989	20.6250	26.7500	
March 8, 1989	20.7500	27.0000	
March 9, 1989	20.7500	26.7500	
March 10, 1989	20.6250	26.7500	
March 13, 1989	20.6250	26.5000	
March 14, 1989	20.7500	26.6250	
March 15, 1989	20.6250	26.5000	
March 16, 1989	20.6250	26.5000	
March 17, 1989	20.3750	26.2500	
March 20, 1989	20.1250	26.2500	
March 21, 1989	20.1250	26.0000	
March 22, 1989	20.1250	26.2500	
March 23, 1989	20.1250	26.1250	
March 27, 1989	20.3750	26.1250	
March 28, 1989	20.3750	26.0000	
March 29, 1989	20.3750	25.8750	
March 30, 1989	20.2500	25.8750	
March 31, 1989	20.2500	25.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 3, 1989	20.2500	25.7500	
April 4, 1989	20.2500	25.8750	
April 5, 1989	20.5000	25.8750	
April 6, 1989	20.5000	25.7500	
April 7, 1989	20.6250	26.1250	
April 10, 1989	20.2500	25.8750	
April 11, 1989	20.3750	25.7500	
April 12, 1989	20.2500	25.8750	
April 13, 1989	20.2500	26.0000	
April 14, 1989	20.6250	26.0000	
April 17, 1989	20.5000	26.1250	
April 18, 1989	20.6250	26.0000	
April 19, 1989	20.6250	26.0000	
April 20, 1989	21.0000	25.8750	
April 21, 1989	21.1250	26.0000	
April 24, 1989	21.2500	26.0000	
April 25, 1989	21.2500	25.8750	
April 26, 1989	21.5000	26.0000	
April 27, 1989	21.2500	26.1250	
April 28, 1989	21.3750	26.0000	
May 1, 1989	21.0000	26.0000	
May 2, 1989	21.0000	26.0000	
May 3, 1989	20.7500	26.0000	
May 4, 1989	20.5000	25.7500	
May 5, 1989	20.7500	26.0000	
May 8, 1989	20.8750	26.0000	
May 9, 1989	20.8750	25.3750	
May 10, 1989	20.7500	25.3750	
May 11, 1989	21.0000	25.5000	
May 12, 1989	21.2500	26.0000	
May 15, 1989	21.5000	26.1250	
May 16, 1989	21.3750	26.2500	
May 17, 1989	21.7500	26.3750	
May 18, 1989	22.0000	26.3750	
May 19, 1989	22.2500	26.7500	
May 22, 1989	22.2500	27.7500	
May 23, 1989	22.0000	27.6250	
May 24, 1989	21.7500	27.6250	
May 25, 1989	21.8750	27.6250	
May 26, 1989	21.8750	27.7500	
May 30, 1989	21.6250	27.7500	
May 31, 1989	21.7500	27.8750	
June 1, 1989	21.8750	27.8750	
June 2, 1989	22.1250	28.2500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 5, 1989	22.3750	28.3750	
June 6, 1989	22.5000	28.3750	
June 7, 1989	22.5000	28.5000	
June 8, 1989	22.5000	28.1250	
June 9, 1989	22.5000	28.0000	
June 12, 1989	22.6250	27.8750	
June 13, 1989	22.5000	28.0000	
June 14, 1989	22.7500	28.1250	
June 15, 1989	22.6250	28.0000	
June 16, 1989	22.7500	28.0000	
June 19, 1989	22.5000	28.0000	
June 20, 1989	22.6250	28.0000	
June 21, 1989	22.8750	27.8750	
June 22, 1989	23.0000	27.8750	
June 23, 1989	23.2500	28.0000	
June 26, 1989	23.0000	28.0000	
June 27, 1989	23.0000	28.0000	
June 28, 1989	22.8750	28.0000	
June 29, 1989	22.8750	28.0000	
June 30, 1989	22.7500	28.0000	
July 3, 1989	22.8750	27.6250	
July 5, 1989	23.2500	27.8750	
July 6, 1989	23.5000	28.2500	
July 7, 1989	23.7500	28.5000	
July 10, 1989	24.0000	28.7500	
July 11, 1989	24.0000	28.8750	
July 12, 1989	24.3750	28.7500	
July 13, 1989	24.2500	29.0000	
July 14, 1989	23.8750	29.0000	
July 17, 1989	23.8750	29.0000	
July 18, 1989	23.8750	28.8750	
July 19, 1989	24.2500	29.1250	
July 20, 1989	24.2500	29.0000	
July 21, 1989	24.0000	28.8750	
July 24, 1989	24.0000	28.8750	
July 25, 1989	24.2500	28.8750	
July 26, 1989	24.3750	29.0000	
July 27, 1989	24.3750	29.0000	
July 28, 1989	24.6250	29.0000	
July 31, 1989	25.0000	29.3750	
August 1, 1989	24.7500	29.6250	
August 2, 1989	24.8750	29.7500	
August 3, 1989	24.7500	29.7500	
August 4, 1989	24.5000	29.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 7, 1989	24.5000	29.6250	
August 8, 1989	24.7500	29.7500	
August 9, 1989	24.8750	29.8750	
August 10, 1989	24.7500	29.5000	
August 11, 1989	24.7500	29.7500	
August 14, 1989	24.6250	29.2500	
August 15, 1989	24.5000	29.3750	
August 16, 1989	24.5000	29.3750	
August 17, 1989	24.3750	29.1250	
August 18, 1989	24.5000	29.2500	
August 21, 1989	24.3750	28.8750	
August 22, 1989	24.3750	28.7500	
August 23, 1989	24.3750	28.6250	
August 24, 1989	24.3750	28.7500	
August 25, 1989	24.2500	28.3750	
August 28, 1989	24.2500	28.5000	
August 29, 1989	24.3750	28.5000	
August 30, 1989	24.7500	28.3750	
August 31, 1989	24.8750	28.0000	
September 1, 1989	24.8750	28.3750	
September 5, 1989	25.1250	28.5000	
September 6, 1989	25.1250	28.6250	
September 7, 1989	25.1250	28.7500	
September 8, 1989	25.1250	28.8750	
September 11, 1989	25.2500	28.7500	
September 12, 1989	25.3750	28.7500	
September 13, 1989	25.0000	28.6250	
September 14, 1989	25.0000	28.5000	
September 15, 1989	24.8750	28.5000	
September 18, 1989	25.1250	28.6250	
September 19, 1989	24.8750	28.6250	
September 20, 1989	25.0000	28.6250	
September 21, 1989	25.0000	28.3750	
September 22, 1989	25.0000	28.3750	
September 25, 1989	25.1250	28.3750	
September 26, 1989	25.1250	28.5000	
September 27, 1989	25.0000	28.2500	
September 28, 1989	25.0000	28.5000	
September 29, 1989	25.0000	28.3750	
October 2, 1989	25.2500	28.3750	
October 3, 1989	25.3750	28.6250	
October 4, 1989	25.3750	28.7500	
October 5, 1989	25.0000	28.5000	
October 6, 1989	24.7500	28.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 9, 1989	24.7500	28.7500	
October 10, 1989	24.8750	28.7500	
October 11, 1989	24.6250	28.6250	
October 12, 1989	24.5000	28.6250	
October 13, 1989	24.0000	28.0000	
October 16, 1989	24.3750	28.3750	
October 17, 1989	24.1250	28.2500	
October 18, 1989	24.1250	28.2500	
October 19, 1989	24.6250	28.5000	
October 20, 1989	24.5000	28.5000	
October 23, 1989	24.6250	28.5000	
October 24, 1989	24.5000	28.2500	
October 25, 1989	24.5000	28.1250	
October 26, 1989	24.8750	28.2500	
October 27, 1989	24.7500	28.3750	
October 30, 1989	25.0000	28.3750	
October 31, 1989	25.1250	28.7500	
November 1, 1989	25.8750	29.2500	
November 2, 1989	25.7500	29.2500	
November 3, 1989	25.5000	29.2500	
November 6, 1989	25.3750	29.0000	
November 7, 1989	25.3750	29.1250	
November 8, 1989	25.6250	29.6250	
November 9, 1989	25.6250	29.0000	
November 10, 1989	25.8750	29.0000	
November 13, 1989	26.0000	28.8750	
November 14, 1989	25.7500	29.1250	
November 15, 1989	26.0000	29.2500	
November 16, 1989	25.8750	29.3750	
November 17, 1989	25.8750	29.5000	
November 20, 1989	25.8750	29.5000	
November 21, 1989	25.8750	29.6250	
November 22, 1989	25.8750	29.8750	
November 24, 1989	26.1250	30.0000	
November 27, 1989	26.2500	30.0000	
November 28, 1989	26.1250	30.0000	
November 29, 1989	26.2500	29.8750	
November 30, 1989	26.2500	30.1250	
December 1, 1989	26.2500	30.6250	
December 4, 1989	26.3750	30.8750	
December 5, 1989	26.5000	31.1250	
December 6, 1989	26.7500	31.1250	
December 7, 1989	26.7500	31.0000	
December 8, 1989	26.6250	31.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 11, 1989	26.5000	31.1250	
December 12, 1989	26.5000	31.3750	
December 13, 1989	26.8750	31.2500	
December 14, 1989	26.7500	31.2500	
December 15, 1989	26.5000	30.6250	
December 18, 1989	26.5000	30.7500	
December 19, 1989	26.5000	30.5000	
December 20, 1989	26.3750	30.1250	
December 21, 1989	26.5000	30.1250	
December 22, 1989	26.6250	30.6250	
December 26, 1989	26.2500	30.5000	
December 27, 1989	26.2500	30.3750	
December 28, 1989	26.3750	30.5000	
December 29, 1989	26.2500	30.1250	
January 2, 1990	26.1250	30.5000	
January 3, 1990	26.5000	30.8750	
January 4, 1990	26.2500	30.5000	
January 5, 1990	26.0000	30.1250	
January 8, 1990	25.6250	30.0000	
January 9, 1990	25.0000	29.8750	
January 10, 1990	25.0000	29.7500	
January 11, 1990	25.0000	30.0000	
January 12, 1990	24.3750	29.2500	
January 15, 1990	24.3750	29.2500	
January 16, 1990	24.7500	29.5000	
January 17, 1990	24.8750	29.5000	
January 18, 1990	24.6250	29.5000	
January 19, 1990	24.6250	29.6250	
January 22, 1990	24.3750	29.5000	
January 23, 1990	25.0000	29.7500	
January 24, 1990	24.7500	29.5000	
January 25, 1990	24.3750	29.1250	
January 26, 1990	24.7500	29.1250	
January 29, 1990	24.5000	28.7500	
January 30, 1990	24.6250	28.7500	
January 31, 1990	25.1250	29.2500	
February 1, 1990	25.1250	29.2500	
February 2, 1990	25.1250	29.3750	
February 5, 1990	25.5000	29.6250	
February 6, 1990	25.3750	29.5000	
February 7, 1990	25.3750	29.6250	
February 8, 1990	25.5000	29.7500	
February 9, 1990	25.5000	29.8750	
February 12, 1990	25.5000	29.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
February 13, 1990	25.5000	29.0000	
February 14, 1990	25.7500	29.2500	
February 15, 1990	25.6250	29.3750	
February 16, 1990	25.6250	29.5000	
February 20, 1990	25.2500	29.2500	
February 21, 1990	24.8750	29.2500	
February 22, 1990	24.8750	29.2500	
February 23, 1990	24.8750	29.2500	
February 26, 1990	24.8750	29.1250	
February 27, 1990	24.8750	29.2500	
February 28, 1990	24.7500	29.3750	
March 1, 1990	24.8750	29.5000	
March 2, 1990	24.8750	29.6250	
March 5, 1990	24.7500	30.0000	
March 6, 1990	24.5000	29.7500	
March 7, 1990	24.1250	29.6250	
March 8, 1990	24.5000	29.5000	
March 9, 1990	24.2500	29.6250	
March 12, 1990	24.2500	29.7500	
March 13, 1990	24.2500	29.6250	
March 14, 1990	24.1250	29.6250	
March 15, 1990	24.0000	29.5000	
March 16, 1990	23.8750	29.6250	
March 19, 1990	23.8750	29.6250	
March 20, 1990	24.0000	29.3750	
March 21, 1990	24.1250	29.5000	
March 22, 1990	24.0000	29.3750	
March 23, 1990	23.8750	29.3750	
March 26, 1990	23.8750	29.3750	
March 27, 1990	24.1250	29.2500	
March 28, 1990	23.8750	29.2500	
March 29, 1990	23.0000	29.0000	
March 30, 1990	23.3750	29.2500	
April 2, 1990	23.0000	29.2500	
April 3, 1990	23.1250	29.2500	
April 4, 1990	23.0000	29.1250	
April 5, 1990	22.8750	28.8750	
April 6, 1990	22.2500	29.1250	
April 9, 1990	22.1250	29.2500	
April 10, 1990	21.8750	29.1250	
April 11, 1990	21.0000	29.2500	
April 12, 1990	21.3750	29.2500	
April 16, 1990	21.0000	29.1250	
April 17, 1990	21.2500	28.8750	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 18, 1990	21.1250	28.7500	
April 19, 1990	20.8750	28.7500	
April 20, 1990	20.8750	28.3750	
April 23, 1990	20.6250	28.1250	
April 24, 1990	20.6250	27.8750	
April 25, 1990	20.8750	28.0000	
April 26, 1990	20.8750	28.0000	
April 27, 1990	20.8750	27.6250	
April 30, 1990	21.0000	27.8750	
May 1, 1990	20.8750	28.1250	
May 2, 1990	21.2500	28.1250	
May 3, 1990	21.1250	28.5000	
May 4, 1990	21.3750	28.6250	
May 7, 1990	21.5000	28.3750	
May 8, 1990	21.2500	28.7500	
May 9, 1990	21.2500	28.0000	
May 10, 1990	21.5000	28.1250	
May 11, 1990	21.5000	28.5000	
May 14, 1990	21.6250	28.8750	
May 15, 1990	21.5000	28.7500	
May 16, 1990	21.5000	28.8750	
May 17, 1990	22.0000	28.8750	
May 18, 1990	21.6250	28.5000	
May 21, 1990	21.6250	28.6250	
May 22, 1990	21.1250	28.6250	
May 23, 1990	21.1250	28.1250	
May 24, 1990	21.0000	28.3750	
May 25, 1990	20.8750	28.5000	
May 29, 1990	20.8750	28.6250	
May 30, 1990	21.1250	28.5000	
May 31, 1990	20.8750	28.3750	
June 1, 1990	20.8750	28.8750	
June 4, 1990	21.3750	29.0000	
June 5, 1990	21.6250	29.1250	
June 6, 1990	21.3750	29.2500	
June 7, 1990	21.3750	29.1250	
June 8, 1990	21.3750	28.7500	
June 11, 1990	21.6250	28.7500	
June 12, 1990	21.8750	29.0000	
June 13, 1990	21.8750	28.7500	
June 14, 1990	21.8750	28.7500	
June 15, 1990	21.6250	28.3750	
June 18, 1990	21.2500	28.3750	
June 19, 1990	21.6250	28.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 20, 1990	21.7500	28.5000	
June 21, 1990	21.3750	28.3750	
June 22, 1990	21.1250	28.1250	
June 25, 1990	21.0000	27.6250	
June 26, 1990	20.8750	27.5000	
June 27, 1990	21.2500	27.2500	
June 28, 1990	21.1250	27.6250	
June 29, 1990	21.1250	27.6250	
July 2, 1990	21.1250	27.8750	
July 3, 1990	21.2500	28.1250	
July 5, 1990	21.2500	27.8750	
July 6, 1990	21.5000	28.0000	
July 9, 1990	20.7500	27.7500	
July 10, 1990	20.8750	27.7500	
July 11, 1990	20.7500	27.8750	
July 12, 1990	20.8750	27.7500	
July 13, 1990	20.8750	27.8750	
July 16, 1990	21.0000	28.0000	
July 17, 1990	21.0000	27.5000	
July 18, 1990	20.8750	27.2500	
July 19, 1990	20.7500	27.5000	
July 20, 1990	20.6250	27.7500	
July 23, 1990	20.6250	27.1250	
July 24, 1990	20.7500	27.1250	
July 25, 1990	20.8750	27.6250	
July 26, 1990	20.7500	27.7500	
July 27, 1990	20.6250	27.7500	
July 30, 1990	20.8750	28.0000	
July 31, 1990	21.0000	28.5000	
August 1, 1990	21.2500	28.6250	
August 2, 1990	21.0000	28.2500	
August 3, 1990	20.6250	28.2500	
August 6, 1990	20.2500	27.5000	
August 7, 1990	20.5000	27.6250	
August 8, 1990	21.0000	27.8750	
August 9, 1990	21.2500	27.1250	
August 10, 1990	21.1250	27.0000	
August 13, 1990	21.1250	27.1250	
August 14, 1990	21.1250	27.0000	
August 15, 1990	21.0000	27.1250	
August 16, 1990	21.0000	26.7500	
August 17, 1990	20.8750	26.3750	
August 20, 1990	20.7500	26.5000	
August 21, 1990	20.7500	26.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 22, 1990	20.7500	25.8750	
August 23, 1990	20.3750	25.5000	
August 24, 1990	20.1250	25.3750	
August 27, 1990	20.3750	25.8750	
August 28, 1990	20.3750	25.6250	
August 29, 1990	20.6250	26.1250	
August 30, 1990	20.6250	25.8750	
August 31, 1990	20.6250	25.7500	
September 4, 1990	20.7500	25.7500	
September 5, 1990	20.8750	25.8750	
September 6, 1990	20.8750	26.2500	
September 7, 1990	20.8750	26.2500	
September 10, 1990	20.8750	26.3750	
September 11, 1990	20.5000	26.3750	
September 12, 1990	20.8750	26.5000	
September 13, 1990	20.7500	26.2500	
September 14, 1990	20.3750	26.2500	
September 17, 1990	20.7500	26.1250	
September 18, 1990	20.6250	26.2500	
September 19, 1990	20.7500	26.2500	
September 20, 1990	20.7500	26.0000	
September 21, 1990	20.8750	25.8750	
September 24, 1990	20.6250	25.7500	
September 25, 1990	20.6250	25.8750	
September 26, 1990	20.5000	25.7500	
September 27, 1990	20.6250	25.7500	
September 28, 1990	20.7500	25.8750	
October 1, 1990	21.0000	25.7500	
October 2, 1990	21.1250	26.1250	
October 3, 1990	20.8750	26.3750	
October 4, 1990	20.8750	26.6250	
October 5, 1990	20.5000	26.7500	
October 8, 1990	20.7500	27.2500	
October 9, 1990	20.6250	27.1250	
October 10, 1990	20.7500	27.0000	
October 11, 1990	20.7500	27.2500	
October 12, 1990	21.0000	28.0000	
October 15, 1990	20.8750	27.8750	
October 16, 1990	21.0000	27.8750	
October 17, 1990	21.3750	27.7500	
October 18, 1990	21.8750	27.8750	
October 19, 1990	22.1250	28.1250	
October 22, 1990	22.1250	28.1250	
October 23, 1990	21.7500	28.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 24, 1990	21.7500	28.2500	
October 25, 1990	21.6250	28.2500	
October 26, 1990	21.2500	28.2500	
October 29, 1990	21.1250	28.1250	
October 30, 1990	20.7500	28.3750	
October 31, 1990	21.0000	28.2500	
November 1, 1990	21.1250	28.8750	
November 2, 1990	21.6250	29.2500	
November 5, 1990	21.7500	29.2500	
November 6, 1990	21.8750	29.7500	
November 7, 1990	21.6250	29.5000	
November 8, 1990	21.5000	28.3750	
November 9, 1990	21.7500	28.7500	
November 12, 1990	22.1250	28.8750	
November 13, 1990	21.8750	29.1250	
November 14, 1990	21.8750	29.1250	
November 15, 1990	21.7500	29.0000	
November 16, 1990	22.0000	28.7500	
November 19, 1990	22.0000	28.7500	
November 20, 1990	21.8750	28.6250	
November 21, 1990	22.0000	28.6250	
November 23, 1990	21.7500	28.3750	
November 26, 1990	21.7500	28.2500	
November 27, 1990	21.8750	28.1250	
November 28, 1990	21.8750	27.8750	
November 29, 1990	21.8750	27.8750	
November 30, 1990	22.0000	28.2500	
December 3, 1990	22.3750	28.5000	
December 4, 1990	22.7500	28.6250	
December 5, 1990	22.7500	29.2500	
December 6, 1990	22.8750	29.0000	
December 7, 1990	22.8750	29.0000	
December 10, 1990	22.8750	28.8750	
December 11, 1990	22.7500	28.7500	
December 12, 1990	22.8750	29.0000	
December 13, 1990	22.8750	29.0000	
December 14, 1990	22.7500	29.3750	
December 17, 1990	22.8750	29.3750	
December 18, 1990	22.8750	29.1250	
December 19, 1990	23.2500	29.1250	
December 20, 1990	23.0000	28.7500	
December 21, 1990	23.0000	29.0000	
December 24, 1990	23.1250	28.7500	
December 26, 1990	23.0000	28.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 27, 1990	23.1250	28.7500	
December 28, 1990	23.2500	28.6250	
December 31, 1990	23.2500	28.5000	
January 2, 1991	23.2500	28.7500	
January 3, 1991	23.2500	28.5000	
January 4, 1991	23.0000	28.6250	
January 7, 1991	22.3750	28.2500	
January 8, 1991	22.1250	28.0000	
January 9, 1991	22.0000	28.0000	
January 10, 1991	21.7500	27.8750	
January 11, 1991	21.7500	27.7500	
January 14, 1991	21.3750	27.5000	
January 15, 1991	21.5000	27.2500	
January 16, 1991	21.6250	27.5000	
January 17, 1991	22.0000	28.2500	
January 18, 1991	22.0000	27.7500	
January 21, 1991	21.6250	27.7500	
January 22, 1991	21.8750	27.5000	
January 23, 1991	21.6250	27.5000	
January 24, 1991	21.5000	27.6250	
January 25, 1991	21.6250	27.8750	
January 28, 1991	21.6250	27.8750	
January 29, 1991	21.7500	27.7500	
January 30, 1991	21.5000	27.5000	
January 31, 1991	21.5000	27.5000	
February 1, 1991	21.6250	27.5000	
February 4, 1991	21.7500	27.7500	
February 5, 1991	22.1250	27.6250	
February 6, 1991	22.8750	27.6250	
February 7, 1991	22.8750	28.0000	
February 8, 1991	22.8750	28.1250	
February 11, 1991	23.1250	28.6250	
February 12, 1991	22.5000	28.8750	
February 13, 1991	22.5000	28.8750	
February 14, 1991	22.2500	28.7500	
February 15, 1991	22.3750	28.6250	
February 19, 1991	22.2500	28.7500	
February 20, 1991	22.2500	28.6250	
February 21, 1991	22.1250	28.6250	
February 22, 1991	22.6250	28.6250	
February 25, 1991	22.7500	28.3750	
February 26, 1991	22.7500	27.7500	
February 27, 1991	22.7500	28.1250	
February 28, 1991	22.6250	28.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 1, 1991	22.3750	28.5000	
March 4, 1991	22.2500	28.3750	
March 5, 1991	22.3750	28.5000	
March 6, 1991	22.2500	28.0000	
March 7, 1991	22.5000	27.8750	
March 8, 1991	22.6250	27.3750	
March 11, 1991	22.7500	27.5000	
March 12, 1991	22.7500	27.8750	
March 13, 1991	22.7500	28.1250	
March 14, 1991	22.7500	27.8750	
March 15, 1991	22.5000	27.8750	
March 18, 1991	22.2500	27.8750	
March 19, 1991	22.6250	27.7500	
March 20, 1991	22.7500	27.8750	
March 21, 1991	22.7500	28.7500	
March 22, 1991	22.7500	28.6250	
March 25, 1991	23.1250	28.5000	
March 26, 1991	23.3750	28.6250	
March 27, 1991	23.2500	28.5000	
March 28, 1991	23.2500	28.6250	
April 1, 1991	23.6250	28.2500	
April 2, 1991	23.8750	28.8750	
April 3, 1991	23.6250	28.8750	
April 4, 1991	23.5000	29.0000	
April 5, 1991	23.7500	28.8750	
April 8, 1991	23.5000	28.8750	
April 9, 1991	22.8750	28.6250	
April 10, 1991	22.8750	28.7500	
April 11, 1991	23.1250	29.2500	
April 12, 1991	23.0000	29.5000	
April 15, 1991	23.1250	30.0000	
April 16, 1991	23.1250	30.5000	
April 17, 1991	23.1250	30.2500	
April 18, 1991	23.2500	29.6250	
April 19, 1991	23.2500	29.6250	
April 22, 1991	23.1250	29.7500	
April 23, 1991	23.2500	29.7500	
April 24, 1991	23.1250	29.5000	
April 25, 1991	23.0000	29.1250	
April 26, 1991	22.8750	29.2500	
April 29, 1991	22.7500	29.2500	
April 30, 1991	23.0000	29.5000	
May 1, 1991	22.8750	29.6250	
May 2, 1991	23.1250	29.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 3, 1991	23.1250	30.1250	
May 6, 1991	23.1250	30.2500	
May 7, 1991	23.2500	30.2500	
May 8, 1991	23.2500	30.2500	
May 9, 1991	23.5000	29.7500	
May 10, 1991	23.2500	29.5000	
May 13, 1991	23.3750	29.2500	
May 14, 1991	23.3750	29.2500	
May 15, 1991	23.5000	29.1250	
May 16, 1991	23.8750	29.1250	
May 17, 1991	23.8750	29.2500	
May 20, 1991	24.0000	29.1250	
May 21, 1991	24.0000	29.1250	
May 22, 1991	23.7500	29.0000	
May 23, 1991	22.0000	28.8750	
May 24, 1991	21.8750	28.6250	
May 28, 1991	21.1250	28.8750	
May 29, 1991	21.1250	28.8750	
May 30, 1991	21.3750	28.6250	
May 31, 1991	21.2500	28.6250	
June 3, 1991	21.0000	28.6250	
June 4, 1991	21.1250	28.5000	
June 5, 1991	21.0000	29.0000	
June 6, 1991	22.5000	28.8750	
June 7, 1991	22.3750	29.0000	
June 10, 1991	22.5000	29.0000	
June 11, 1991	22.7500	29.1250	
June 12, 1991	22.5000	28.8750	
June 13, 1991	22.3750	29.0000	
June 14, 1991	22.5000	29.2500	
June 17, 1991	22.6250	29.2500	
June 18, 1991	22.6250	28.8750	
June 19, 1991	22.5000	28.7500	
June 20, 1991	22.3750	28.8750	
June 21, 1991	22.5000	29.0000	
June 24, 1991	22.2500	28.7500	
June 25, 1991	22.2500	28.7500	
June 26, 1991	22.5000	28.7500	
June 27, 1991	22.5000	28.5000	
June 28, 1991	22.6250	28.6250	
July 1, 1991	22.7500	29.0000	
July 2, 1991	22.8750	29.1250	
July 3, 1991	22.8750	28.7500	
July 5, 1991	23.0000	28.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 8, 1991	22.5000	28.6250	
July 9, 1991	22.5000	28.8750	
July 10, 1991	22.6250	29.1250	
July 11, 1991	22.5000	29.1250	
July 12, 1991	22.7500	29.2500	
July 15, 1991	22.7500	29.3750	
July 16, 1991	22.8750	29.2500	
July 17, 1991	23.0000	29.2500	
July 18, 1991	23.1250	29.2500	
July 19, 1991	22.8750	29.2500	
July 22, 1991	23.1250	29.3750	
July 23, 1991	22.7500	29.3750	
July 24, 1991	22.8750	29.5000	
July 25, 1991	23.1250	29.5000	
July 26, 1991	23.2500	29.5000	
July 29, 1991	23.2500	29.8750	
July 30, 1991	23.3750	30.3750	
July 31, 1991	23.1250	30.2500	
August 1, 1991	22.8750	30.1250	
August 2, 1991	23.0000	30.1250	
August 5, 1991	23.1250	30.3750	
August 6, 1991	23.1250	30.5000	
August 7, 1991	23.2500	30.6250	
August 8, 1991	23.3750	30.6250	
August 9, 1991	23.2500	29.7500	
August 12, 1991	23.3750	29.7500	
August 13, 1991	23.5000	30.0000	
August 14, 1991	23.3750	30.5000	
August 15, 1991	23.3750	30.5000	
August 16, 1991	23.2500	30.2500	
August 19, 1991	23.2500	30.0000	
August 20, 1991	23.2500	30.1250	
August 21, 1991	23.6250	31.0000	
August 22, 1991	23.7500	31.0000	
August 23, 1991	23.7500	31.1250	
August 26, 1991	23.6250	31.2500	
August 27, 1991	23.7500	31.1250	
August 28, 1991	23.8750	31.3750	
August 29, 1991	23.5000	31.5000	
August 30, 1991	23.5000	31.3750	
September 3, 1991	23.0000	31.5000	
September 4, 1991	23.3750	31.3750	
September 5, 1991	23.5000	31.6250	
September 6, 1991	23.5000	31.8750	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 9, 1991	23.6250	31.8750	
September 10, 1991	23.3750	31.7500	
September 11, 1991	23.3750	31.7500	
September 12, 1991	23.5000	31.8750	
September 13, 1991	23.5000	32.0000	
September 16, 1991	23.8750	32.0000	
September 17, 1991	23.8750	32.0000	
September 18, 1991	23.7500	31.6250	
September 19, 1991	23.7500	31.6250	
September 20, 1991	23.8750	31.2500	
September 23, 1991	23.8750	31.2500	
September 24, 1991	24.1250	31.2500	
September 25, 1991	24.3750	31.3750	
September 26, 1991	24.3750	31.6250	
September 27, 1991	24.5000	31.8750	
September 30, 1991	24.8750	32.1250	
October 1, 1991	25.1250	32.1250	
October 2, 1991	25.2500	32.2500	
October 3, 1991	25.2500	32.2500	
October 4, 1991	25.3750	32.3750	
October 7, 1991	24.2500	32.3750	
October 8, 1991	24.3750	32.1250	
October 9, 1991	24.3750	32.0000	
October 10, 1991	24.5000	32.1250	
October 11, 1991	24.3750	32.1250	
October 14, 1991	24.6250	32.2500	
October 15, 1991	24.5000	32.5000	
October 16, 1991	24.5000	32.6250	
October 17, 1991	24.0000	32.7500	
October 18, 1991	24.2500	32.8750	
October 21, 1991	24.2500	32.8750	
October 22, 1991	24.3750	32.7500	
October 23, 1991	24.3750	32.5000	
October 24, 1991	24.3750	32.5000	
October 25, 1991	24.5000	32.3750	
October 28, 1991	24.6250	32.5000	
October 29, 1991	24.7500	32.8750	
October 30, 1991	24.8750	33.1250	
October 31, 1991	24.6250	33.0000	
November 1, 1991	24.3750	33.0000	
November 4, 1991	24.5000	33.0000	
November 5, 1991	24.6250	33.0000	
November 6, 1991	24.5000	33.1250	
November 7, 1991	24.7500	33.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 8, 1991	24.8750	33.2500	
November 11, 1991	25.1250	33.0000	
November 12, 1991	25.2500	32.8750	
November 13, 1991	25.2500	32.7500	
November 14, 1991	25.6250	32.7500	
November 15, 1991	25.5000	32.6250	
November 18, 1991	25.5000	32.5000	
November 19, 1991	25.2500	32.3750	
November 20, 1991	25.2500	32.3750	
November 21, 1991	25.6250	32.3750	
November 22, 1991	25.3750	32.1250	
November 25, 1991	25.3750	32.2500	
November 26, 1991	25.3750	32.1250	
November 27, 1991	26.0000	32.5000	
November 29, 1991	26.1250	32.2500	
December 2, 1991	26.1250	32.3750	
December 3, 1991	26.0000	32.6250	
December 4, 1991	25.8750	33.1250	
December 5, 1991	25.8750	33.2500	
December 6, 1991	25.8750	33.5000	
December 9, 1991	25.7500	33.5000	
December 10, 1991	25.7500	33.5000	
December 11, 1991	25.6250	33.5000	
December 12, 1991	25.8750	33.3750	
December 13, 1991	25.7500	33.5000	
December 16, 1991	25.7500	33.5000	
December 17, 1991	25.5000	33.2500	
December 18, 1991	25.6250	33.1250	
December 19, 1991	25.6250	33.1250	
December 20, 1991	26.0000	33.5000	
December 23, 1991	26.7500	34.0000	
December 24, 1991	26.6250	34.2500	
December 26, 1991	26.8750	34.3750	
December 27, 1991	27.0000	34.1250	
December 30, 1991	26.8750	34.0000	
December 31, 1991	27.0000	34.1250	
January 2, 1992	27.0000	34.0000	
January 3, 1992	26.8750	33.8750	
January 6, 1992	26.7500	33.7500	
January 7, 1992	26.5000	33.7500	
January 8, 1992	26.6250	33.8750	
January 9, 1992	26.6250	33.7500	
January 10, 1992	26.5000	33.5000	
January 13, 1992	25.3750	33.2500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 14, 1992	26.1250	33.2500	
January 15, 1992	25.7500	33.0000	
January 16, 1992	24.7500	32.8750	
January 17, 1992	25.2500	32.3750	
January 20, 1992	25.1250	32.1250	
January 21, 1992	25.5000	32.1250	
January 22, 1992	25.7500	32.2500	
January 23, 1992	25.8750	32.3750	
January 24, 1992	26.1250	32.3750	
January 27, 1992	26.1250	32.3750	
January 28, 1992	26.2500	32.5000	
January 29, 1992	26.3750	32.3750	
January 30, 1992	26.3750	32.3750	
January 31, 1992	25.7500	32.0000	
February 3, 1992	25.7500	31.8750	
February 4, 1992	26.1250	32.3750	
February 5, 1992	26.0000	32.3750	
February 6, 1992	26.1250	32.7500	
February 7, 1992	25.7500	32.8750	
February 10, 1992	26.3750	32.1250	
February 11, 1992	26.3750	32.0000	
February 12, 1992	26.3750	32.0000	
February 13, 1992	26.3750	31.8750	
February 14, 1992	26.0000	31.8750	
February 18, 1992	25.8750	31.7500	
February 19, 1992	25.8750	31.7500	
February 20, 1992	26.2500	31.7500	
February 21, 1992	26.1250	31.2500	
February 24, 1992	26.2500	31.1250	
February 25, 1992	26.3750	31.0000	
February 26, 1992	26.6250	31.0000	
February 27, 1992	26.5000	30.8750	
February 28, 1992	26.6250	30.8750	
March 2, 1992	26.6250	30.8750	
March 3, 1992	26.6250	31.3750	
March 4, 1992	26.3750	31.2500	
March 5, 1992	26.2500	31.2500	
March 6, 1992	26.2500	31.0000	
March 9, 1992	26.6250	31.1250	
March 10, 1992	26.6250	31.1250	
March 11, 1992	26.6250	31.1250	
March 12, 1992	26.6250	31.1250	
March 13, 1992	26.6250	31.1250	
March 16, 1992	26.5000	30.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 17, 1992	26.5000	30.7500	
March 18, 1992	26.3750	30.7500	
March 19, 1992	26.2500	30.7500	
March 20, 1992	26.2500	30.8750	
March 23, 1992	26.2500	31.0000	
March 24, 1992	26.3750	30.8750	
March 25, 1992	26.5000	30.8750	
March 26, 1992	26.2500	30.7500	
March 27, 1992	26.2500	30.6250	
March 30, 1992	26.2500	30.8750	
March 31, 1992	26.2500	31.0000	
April 1, 1992	26.0000	31.0000	
April 2, 1992	26.1250	31.1250	
April 3, 1992	26.2500	31.2500	
April 6, 1992	25.8750	31.2500	
April 7, 1992	25.6250	31.0000	
April 8, 1992	25.7500	30.8750	
April 9, 1992	26.2500	31.0000	
April 10, 1992	26.6250	31.3750	
April 13, 1992	26.7500	31.3750	
April 14, 1992	26.6250	31.3750	
April 15, 1992	26.7500	31.3750	
April 16, 1992	26.7500	31.5000	
April 20, 1992	26.5000	31.1250	
April 21, 1992	26.6250	31.3750	
April 22, 1992	26.6250	31.3750	
April 23, 1992	26.6250	31.3750	
April 24, 1992	26.5000	31.3750	
April 27, 1992	25.8750	31.2500	
April 28, 1992	26.1250	31.3750	
April 29, 1992	26.0000	31.6250	
April 30, 1992	26.0000	31.6250	
May 1, 1992	25.7500	31.7500	
May 4, 1992	25.7500	31.8750	
May 5, 1992	26.3750	32.0000	
May 6, 1992	26.2500	32.0000	
May 7, 1992	26.2500	32.0000	
May 8, 1992	26.2500	31.8750	
May 11, 1992	26.3750	31.5000	
May 12, 1992	26.3750	31.5000	
May 13, 1992	26.6250	31.5000	
May 14, 1992	26.6250	31.3750	
May 15, 1992	26.6250	31.3750	
May 18, 1992	26.5000	31.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 19, 1992	26.6250	31.6250	
May 20, 1992	26.5000	31.5000	
May 21, 1992	26.2500	31.1250	
May 22, 1992	26.2500	31.3750	
May 26, 1992	26.2500	31.2500	
May 27, 1992	26.1250	31.1250	
May 28, 1992	26.2500	31.1250	
May 29, 1992	26.5000	31.0000	
June 1, 1992	26.3750	31.1250	
June 2, 1992	26.0000	31.3750	
June 3, 1992	26.2500	31.3750	
June 4, 1992	26.1250	31.3750	
June 5, 1992	26.1250	31.5000	
June 8, 1992	26.5000	31.7500	
June 9, 1992	26.5000	31.7500	
June 10, 1992	26.3750	31.6250	
June 11, 1992	26.5000	31.6250	
June 12, 1992	26.2500	31.7500	
June 15, 1992	26.2500	31.6250	
June 16, 1992	26.6250	31.6250	
June 17, 1992	26.5000	31.6250	
June 18, 1992	26.3750	31.6250	
June 19, 1992	26.3750	31.6250	
June 22, 1992	26.1250	31.5000	
June 23, 1992	26.1250	31.2500	
June 24, 1992	26.2500	31.3750	
June 25, 1992	26.5000	31.5000	
June 26, 1992	26.5000	31.7500	
June 29, 1992	26.7500	31.7500	
June 30, 1992	26.8750	31.7500	
July 1, 1992	26.8750	32.0000	
July 2, 1992	27.0000	32.5000	
July 6, 1992	26.7500	32.2500	
July 7, 1992	26.8750	32.3750	
July 8, 1992	26.8750	32.3750	
July 9, 1992	27.0000	32.3750	
July 10, 1992	27.1250	32.5000	
July 13, 1992	26.8750	32.8750	
July 14, 1992	26.8750	32.8750	
July 15, 1992	26.8750	32.6250	
July 16, 1992	26.8750	32.6250	
July 17, 1992	26.8750	32.3750	
July 20, 1992	26.7500	32.2500	
July 21, 1992	27.1250	32.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 22, 1992	27.1250	32.3750	
July 23, 1992	27.2500	32.5000	
July 24, 1992	27.5000	32.3750	
July 27, 1992	27.7500	32.3750	
July 28, 1992	27.7500	32.7500	
July 29, 1992	28.2500	33.1250	
July 30, 1992	28.2500	33.2500	
July 31, 1992	28.2500	33.1250	
August 3, 1992	28.2500	33.3750	
August 4, 1992	28.2500	33.2500	
August 5, 1992	28.1250	33.2500	
August 6, 1992	27.8750	33.0000	
August 7, 1992	27.8750	33.0000	
August 10, 1992	28.1250	32.1250	
August 11, 1992	28.0000	32.5000	
August 12, 1992	28.2500	32.3750	
August 13, 1992	28.2500	32.7500	
August 14, 1992	28.2500	33.0000	
August 17, 1992	28.1250	33.1250	
August 18, 1992	28.2500	33.1250	
August 19, 1992	28.1250	33.0000	
August 20, 1992	28.2500	33.0000	
August 21, 1992	28.3750	33.2500	
August 24, 1992	28.2500	32.5000	
August 25, 1992	28.3750	32.2500	
August 26, 1992	28.3750	32.6250	
August 27, 1992	28.6250	32.7500	
August 28, 1992	28.6250	32.7500	
August 31, 1992	28.3750	32.6250	
September 1, 1992	28.5000	32.5000	
September 2, 1992	28.5000	32.3750	
September 3, 1992	28.3750	32.7500	
September 4, 1992	28.5000	33.0000	
September 8, 1992	28.7500	32.7500	
September 9, 1992	28.8750	32.6250	
September 10, 1992	28.8750	32.7500	
September 11, 1992	29.0000	32.6250	
September 14, 1992	28.8750	32.5000	
September 15, 1992	28.5000	32.2500	
September 16, 1992	28.3750	32.1250	
September 17, 1992	28.2500	32.0000	
September 18, 1992	28.3750	32.1250	
September 21, 1992	28.5000	32.0000	
September 22, 1992	28.3750	31.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 23, 1992	28.5000	31.2500	
September 24, 1992	28.6250	31.6250	
September 25, 1992	28.5000	31.7500	
September 28, 1992	28.7500	32.0000	
September 29, 1992	28.7500	32.1250	
September 30, 1992	29.1250	32.1250	
October 1, 1992	29.1250	32.0000	
October 2, 1992	28.8750	32.1250	
October 5, 1992	28.1250	31.7500	
October 6, 1992	28.2500	32.1250	
October 7, 1992	28.2500	32.1250	
October 8, 1992	28.3750	31.8750	
October 9, 1992	28.0000	32.0000	
October 12, 1992	28.1250	32.0000	
October 13, 1992	28.3750	31.8750	
October 14, 1992	28.6250	31.5000	
October 15, 1992	28.5000	31.3750	
October 16, 1992	28.3750	31.2500	
October 19, 1992	28.0000	31.3750	
October 20, 1992	28.2500	31.2500	
October 21, 1992	28.1250	31.2500	
October 22, 1992	27.7500	31.0000	
October 23, 1992	28.0000	30.7500	
October 26, 1992	27.8750	30.7500	
October 27, 1992	27.6250	31.0000	
October 28, 1992	27.5000	31.0000	
October 29, 1992	27.6250	31.2500	
October 30, 1992	27.2500	31.2500	
November 2, 1992	27.6250	31.3750	
November 3, 1992	27.7500	31.3750	
November 4, 1992	27.8750	31.2500	
November 5, 1992	27.7500	31.2500	
November 6, 1992	27.3750	31.2500	
November 9, 1992	27.1250	30.3750	
November 10, 1992	27.6250	30.1250	
November 11, 1992	27.7500	30.1250	
November 12, 1992	27.2500	30.5000	
November 13, 1992	27.2500	30.3750	
November 16, 1992	27.2500	30.3750	
November 17, 1992	27.2500	30.5000	
November 18, 1992	27.3750	30.6250	
November 19, 1992	27.5000	30.6250	
November 20, 1992	27.6250	30.5000	
November 23, 1992	27.7500	30.2500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 24, 1992	27.7500	30.0000	
November 25, 1992	27.7500	30.3750	
November 27, 1992	27.7500	30.2500	
November 30, 1992	27.7500	30.2500	
December 1, 1992	27.7500	30.2500	
December 2, 1992	27.7500	30.6250	
December 3, 1992	27.7500	30.6250	
December 4, 1992	27.8750	30.7500	
December 7, 1992	27.7500	31.2500	
December 8, 1992	27.8750	31.2500	
December 9, 1992	27.8750	31.1250	
December 10, 1992	27.8750	31.1250	
December 11, 1992	27.7500	31.2500	
December 14, 1992	27.8750	31.1250	
December 15, 1992	28.2500	31.2500	
December 16, 1992	28.3750	31.1250	
December 17, 1992	28.3750	31.5000	
December 18, 1992	28.7500	31.8750	
December 21, 1992	28.7500	31.8750	
December 22, 1992	29.2500	31.8750	
December 23, 1992	29.2500	31.8750	
December 24, 1992	29.1250	31.6250	
December 28, 1992	28.8750	31.7500	
December 29, 1992	28.8750	31.7500	
December 30, 1992	28.6250	31.6250	
December 31, 1992	28.6250	31.5000	
January 4, 1993	28.1250	31.5000	
January 5, 1993	28.0000	31.6250	
January 6, 1993	28.0000	31.5000	
January 7, 1993	27.8750	31.2500	
January 8, 1993	27.6250	31.0000	
January 11, 1993	27.8750	31.0000	
January 12, 1993	27.8750	31.1250	
January 13, 1993	28.2500	31.3750	
January 14, 1993	28.2500	31.6250	
January 15, 1993	28.2500	31.6250	
January 18, 1993	27.7500	31.5000	
January 19, 1993	28.0000	31.5000	
January 20, 1993	27.7500	31.3750	
January 21, 1993	28.0000	31.5000	
January 22, 1993	28.2500	31.5000	
January 25, 1993	27.8750	31.6250	
January 26, 1993	27.7500	31.5000	
January 27, 1993	27.6250	31.5000	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 28, 1993	27.8750	31.5000	
January 29, 1993	28.2500	31.7500	
February 1, 1993	28.0000	32.0000	
February 2, 1993	28.2500	31.8750	
February 3, 1993	28.7500	32.2500	
February 4, 1993	29.0000	32.5000	
February 5, 1993	28.5000	32.1250	
February 8, 1993	28.3750	32.2500	
February 9, 1993	28.5000	31.6250	
February 10, 1993	28.6250	31.6250	
February 11, 1993	28.3750	31.7500	
February 12, 1993	28.5000	31.6250	
February 16, 1993	28.1250	31.6250	
February 17, 1993	28.2500	31.7500	
February 18, 1993	28.3750	31.8750	
February 19, 1993	28.3750	32.3750	
February 22, 1993	29.0000	33.1250	
February 23, 1993	28.8750	32.6250	
February 24, 1993	29.0000	33.2500	
February 25, 1993	29.2500	33.1250	
February 26, 1993	29.3750	33.2500	
March 1, 1993	29.2500	33.2500	
March 2, 1993	29.3750	33.2500	
March 3, 1993	29.2500	33.2500	
March 4, 1993	29.6250	33.3750	
March 5, 1993	29.5000	33.1250	
March 8, 1993	29.5000	33.1250	
March 9, 1993	29.5000	32.7500	
March 10, 1993	29.3750	33.1250	
March 11, 1993	29.3750	33.0000	
March 12, 1993	29.2500	32.6250	
March 15, 1993	29.3750	32.6250	
March 16, 1993	29.3750	32.5000	
March 17, 1993	29.2500	32.3750	
March 18, 1993	29.7500	32.2500	
March 19, 1993	29.8750	32.2500	
March 22, 1993	29.7500	32.0000	
March 23, 1993	29.6250	32.0000	
March 24, 1993	29.8750	32.0000	
March 25, 1993	29.8750	32.1250	
March 26, 1993	30.1250	32.1250	
March 29, 1993	30.2500	32.0000	
March 30, 1993	30.0000	32.1250	
March 31, 1993	30.2500	31.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 1, 1993	30.3750	31.8750	
April 2, 1993	29.5000	31.7500	
April 5, 1993	29.3750	31.6250	
April 6, 1993	29.2500	31.7500	
April 7, 1993	29.2500	31.6250	
April 8, 1993	29.7500	31.7500	
April 12, 1993	29.6250	31.8750	
April 13, 1993	30.0000	32.3750	
April 14, 1993	30.2500	32.3750	
April 15, 1993	30.3750	32.3750	
April 16, 1993	30.7500	32.2500	
April 19, 1993	30.7500	32.0000	
April 20, 1993	30.2500	31.7500	
April 21, 1993	30.1250	31.6250	
April 22, 1993	29.7500	31.6250	
April 23, 1993	29.5000	31.7500	
April 26, 1993	29.2500	31.6250	
April 27, 1993	29.3750	32.0000	
April 28, 1993	29.3750	32.0000	
April 29, 1993	29.5000	32.2500	
April 30, 1993	29.3750	32.2500	
May 3, 1993	29.6250	32.2500	
May 4, 1993	29.8750	32.5000	
May 5, 1993	29.8750	32.7500	
May 6, 1993	29.8750	32.7500	
May 7, 1993	29.8750	32.8750	
May 10, 1993	30.0000	32.1250	
May 11, 1993	29.8750	32.0000	
May 12, 1993	30.0000	31.8750	
May 13, 1993	29.6250	31.7500	
May 14, 1993	29.2500	31.5000	
May 17, 1993	29.3750	31.6250	
May 18, 1993	29.1250	31.3750	
May 19, 1993	29.3750	31.7500	
May 20, 1993	29.5000	31.6250	
May 21, 1993	29.6250	31.8750	
May 24, 1993	29.7500	31.8750	
May 25, 1993	29.8750	32.0000	
May 26, 1993	30.3750	32.7500	
May 27, 1993	30.3750	32.3750	
May 28, 1993	30.5000	32.1250	
June 1, 1993	30.6250	32.3750	
June 2, 1993	31.0000	32.3750	
June 3, 1993	31.0000	32.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 4, 1993	30.5000	32.2500	
June 7, 1993	30.8750	32.5000	
June 8, 1993	31.0000	32.1250	
June 9, 1993	31.0000	32.1250	
June 10, 1993	31.0000	32.1250	
June 11, 1993	31.2500	31.8750	
June 14, 1993	31.0000	31.8750	
June 15, 1993	31.0000	32.0000	
June 16, 1993	31.0000	32.0000	
June 17, 1993	31.2500	32.2500	
June 18, 1993	30.6250	32.2500	
June 21, 1993	30.5000	31.8750	
June 22, 1993	30.8750	31.7500	
June 23, 1993	31.2500	32.0000	
June 24, 1993	31.7500	32.2500	
June 25, 1993	32.0000	32.2500	
June 28, 1993	33.0000	32.6250	
June 29, 1993	32.8750	32.3750	
June 30, 1993	32.8750	32.5000	
July 1, 1993	33.1250	32.6250	
July 2, 1993	32.3750	32.5000	
July 6, 1993	32.0000	32.3750	
July 7, 1993	32.3750	32.8750	
July 8, 1993	32.3750	33.0000	
July 9, 1993	32.3750	33.0000	
July 12, 1993	32.6250	33.2500	
July 13, 1993	32.6250	33.3750	
July 14, 1993	32.5000	33.5000	
July 15, 1993	32.5000	33.1250	
July 16, 1993	32.6250	33.1250	
July 19, 1993	32.0000	33.1250	
July 20, 1993	32.1250	33.3750	
July 21, 1993	32.1250	33.2500	
July 22, 1993	31.8750	33.3750	
July 23, 1993	31.7500	33.3750	
July 26, 1993	31.6250	33.3750	
July 27, 1993	31.6250	33.3750	
July 28, 1993	31.6250	33.2500	
July 29, 1993	31.7500	33.1250	
July 30, 1993	31.7500	32.0000	
August 2, 1993	31.2500	32.2500	
August 3, 1993	31.3750	32.0000	
August 4, 1993	31.5000	32.0000	
August 5, 1993	31.8750	32.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 6, 1993	32.0000	32.0000	
August 9, 1993	31.8750	31.7500	
August 10, 1993	32.0000	30.6250	
August 11, 1993	31.8750	30.3750	
August 12, 1993	31.8750	30.7500	
August 13, 1993	31.6250	31.0000	
August 16, 1993	31.8750	31.1250	
August 17, 1993	32.0000	31.1250	
August 18, 1993	31.8750	31.0000	
August 19, 1993	31.7500	31.0000	
August 20, 1993	31.2500	31.0000	
August 23, 1993	31.5000	30.8750	
August 24, 1993	31.7500	30.7500	
August 25, 1993	32.0000	30.8750	
August 26, 1993	32.0000	30.8750	
August 27, 1993	32.1250	30.7500	
August 30, 1993	32.5000	30.5000	
August 31, 1993	32.3750	30.6250	
September 1, 1993	32.2500	30.6250	
September 2, 1993	32.0000	30.3750	
September 3, 1993	32.2500	30.7500	
September 7, 1993	32.2500	31.0000	
September 8, 1993	32.2500	31.1250	
September 9, 1993	32.1250	31.2500	
September 10, 1993	32.0000	31.2500	
September 13, 1993	32.1250	31.3750	
September 14, 1993	31.7500	31.2500	
September 15, 1993	31.8750	31.6250	
September 16, 1993	32.0000	31.7500	
September 17, 1993	32.0000	31.8750	
September 20, 1993	32.2500	31.8750	
September 21, 1993	32.0000	31.6250	
September 22, 1993	32.0000	32.2500	
September 23, 1993	32.3750	32.1250	
September 24, 1993	32.0000	32.1250	
September 27, 1993	31.5000	32.3750	
September 28, 1993	31.6250	32.2500	
September 29, 1993	31.8750	32.2500	
September 30, 1993	31.7500	32.0000	
October 1, 1993	31.5000	31.8750	
October 4, 1993	30.6250	31.7500	
October 5, 1993	30.0000	31.5000	
October 6, 1993	30.0000	31.6250	
October 7, 1993	29.6250	31.3750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 8, 1993	30.0000	31.5000	
October 11, 1993	29.8750	31.6250	
October 12, 1993	29.5000	31.5000	
October 13, 1993	29.3750	31.3750	
October 14, 1993	30.5000	31.8750	
October 15, 1993	30.3750	32.0000	
October 18, 1993	30.0000	32.0000	
October 19, 1993	30.0000	31.8750	
October 20, 1993	30.0000	32.0000	
October 21, 1993	30.0000	32.0000	
October 22, 1993	29.7500	31.7500	
October 25, 1993	29.1250	31.6250	
October 26, 1993	29.1250	31.3750	
October 27, 1993	29.6250	31.5000	
October 28, 1993	29.8750	31.6250	
October 29, 1993	30.1250	31.8750	
November 1, 1993	29.5000	32.0000	
November 2, 1993	29.2500	32.0000	
November 3, 1993	28.2500	31.6250	
November 4, 1993	28.3750	31.1250	
November 5, 1993	28.8750	30.8750	
November 8, 1993	28.7500	30.1250	
November 9, 1993	28.8750	30.1250	
November 10, 1993	29.0000	30.2500	
November 11, 1993	28.8750	29.8750	
November 12, 1993	29.2500	30.1250	
November 15, 1993	28.6250	30.1250	
November 16, 1993	29.1250	30.6250	
November 17, 1993	28.8750	30.5000	
November 18, 1993	28.8750	30.1250	
November 19, 1993	28.8750	30.0000	
November 22, 1993	28.6250	30.1250	
November 23, 1993	29.1250	30.2500	
November 24, 1993	29.5000	30.1250	
November 26, 1993	29.7500	30.2500	
November 29, 1993	30.0000	30.3750	
November 30, 1993	29.8750	30.2500	
December 1, 1993	30.5000	30.0000	
December 2, 1993	30.7500	30.1250	
December 3, 1993	30.8750	30.1250	
December 6, 1993	31.1250	30.5000	
December 7, 1993	31.0000	30.6250	
December 8, 1993	31.0000	30.7500	
December 9, 1993	31.3750	30.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 10, 1993	31.2500	30.5000	
December 13, 1993	31.3750	30.6250	
December 14, 1993	31.0000	30.3750	
December 15, 1993	31.0000	30.3750	
December 16, 1993	31.0000	30.5000	
December 17, 1993	31.1250	30.6250	
December 20, 1993	31.2500	30.7500	
December 21, 1993	31.6250	30.5000	
December 22, 1993	32.5000	30.3750	
December 23, 1993	32.2500	30.3750	
December 27, 1993	32.3750	30.6250	
December 28, 1993	32.7500	30.8750	
December 29, 1993	32.6250	30.8750	
December 30, 1993	32.6250	30.7500	
December 31, 1993	32.1250	30.5000	
January 3, 1994	31.8750	30.6250	
January 4, 1994	31.8750	30.5000	
January 5, 1994	31.7500	30.5000	
January 6, 1994	31.6250	30.6250	
January 7, 1994	31.7500	30.7500	
January 10, 1994	31.2500	30.7500	
January 11, 1994	31.3750	30.0000	
January 12, 1994	31.2500	29.8750	
January 13, 1994	31.0000	29.7500	
January 14, 1994	31.2500	29.6250	
January 17, 1994	31.0000	29.3750	
January 18, 1994	30.8750	29.2500	
January 19, 1994	30.6250	29.1250	
January 20, 1994	30.6250	29.2500	
January 21, 1994	30.7500	29.2500	
January 24, 1994	30.0000	29.2500	
January 25, 1994	29.8750	29.3750	
January 26, 1994	31.3750	29.6250	
January 27, 1994	31.6250	30.5000	
January 28, 1994	31.2500	30.5000	
January 31, 1994	31.3750	30.0000	
February 1, 1994	31.0000	29.7500	
February 2, 1994	31.0000	29.6250	
February 3, 1994	31.0000	29.7500	
February 4, 1994	30.6250	29.5000	
February 7, 1994	30.5000	29.6250	
February 8, 1994	30.2500	29.6250	
February 9, 1994	30.2500	28.7500	
February 10, 1994	30.1250	28.6250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
February 11, 1994	29.8750	28.8750	
February 14, 1994	29.8750	29.1250	
February 15, 1994	30.1250	29.0000	
February 16, 1994	29.6250	28.5000	
February 17, 1994	29.3750	28.5000	
February 18, 1994	28.8750	28.5000	
February 22, 1994	29.0000	28.0000	
February 23, 1994	29.5000	28.0000	
February 24, 1994	29.2500	27.8750	
February 25, 1994	29.5000	28.1250	
February 28, 1994	29.8750	28.1250	
March 1, 1994	29.7500	28.2500	
March 2, 1994	30.1250	28.5000	
March 3, 1994	30.2500	28.5000	
March 4, 1994	30.6250	28.6250	
March 7, 1994	30.7500	29.0000	
March 8, 1994	30.7500	28.7500	
March 9, 1994	30.5000	28.6250	
March 10, 1994	30.0000	28.3750	
March 11, 1994	30.5000	28.6250	
March 14, 1994	30.1250	28.7500	
March 15, 1994	30.0000	28.5000	
March 16, 1994	30.2500	28.5000	
March 17, 1994	30.5000	28.6250	
March 18, 1994	30.5000	28.8750	
March 21, 1994	30.5000	28.7500	
March 22, 1994	30.6250	29.0000	
March 23, 1994	30.2500	29.1250	
March 24, 1994	29.6250	28.5000	
March 25, 1994	29.5000	28.6250	
March 28, 1994	29.6250	29.0000	
March 29, 1994	29.3750	28.8750	
March 30, 1994	29.0000	28.2500	
March 31, 1994	29.1250	28.2500	
April 4, 1994	28.2500	28.1250	
April 5, 1994	28.5000	28.3750	
April 6, 1994	28.5000	28.3750	
April 7, 1994	28.8750	28.0000	
April 8, 1994	28.8750	28.1250	
April 11, 1994	28.3750	28.0000	
April 12, 1994	28.0000	27.7500	
April 13, 1994	27.8750	27.5000	
April 14, 1994	28.1250	27.7500	
April 15, 1994	28.5000	27.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 18, 1994	28.3750	28.0000	
April 19, 1994	28.8750	27.7500	
April 20, 1994	29.1250	28.2500	
April 21, 1994	29.6250	29.0000	
April 22, 1994	29.5000	28.5000	
April 25, 1994	29.6250	28.6250	
April 26, 1994	29.6250	28.5000	
April 28, 1994	29.6250	28.1250	
April 29, 1994	29.5000	28.6250	
May 2, 1994	29.2500	28.7500	
May 3, 1994	28.7500	28.5000	
May 4, 1994	28.8750	28.2500	
May 5, 1994	29.0000	28.1250	
May 6, 1994	28.5000	27.7500	
May 9, 1994	27.0000	27.2500	
May 10, 1994	26.6250	25.8750	
May 11, 1994	25.7500	25.3750	
May 12, 1994	25.8750	24.6250	
May 13, 1994	26.1250	25.2500	
May 16, 1994	25.8750	24.6250	
May 17, 1994	26.1250	24.6250	
May 18, 1994	26.2500	24.5000	
May 19, 1994	26.3750	24.2500	
May 20, 1994	26.2500	24.0000	
May 23, 1994	26.1250	24.1250	
May 24, 1994	26.2500	24.1250	
May 25, 1994	26.2500	24.2500	
May 26, 1994	26.2500	24.3750	
May 27, 1994	26.1250	24.5000	
May 31, 1994	26.0000	24.5000	
June 1, 1994	26.3750	24.6250	
June 2, 1994	26.1250	25.1250	
June 3, 1994	26.2500	25.5000	
June 6, 1994	26.6250	25.6250	
June 7, 1994	26.5000	26.0000	
June 8, 1994	26.3750	26.0000	
June 9, 1994	26.2500	26.0000	
June 10, 1994	26.6250	25.8750	
June 13, 1994	26.6250	25.8750	
June 14, 1994	26.6250	25.8750	
June 15, 1994	26.5000	26.1250	
June 16, 1994	26.5000	26.0000	
June 17, 1994	26.5000	25.7500	
June 20, 1994	26.3750	25.2500	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 21, 1994	26.2500	24.5000	
June 22, 1994	26.3750	24.8750	
June 23, 1994	26.2500	24.8750	
June 24, 1994	25.8750	24.6250	
June 27, 1994	25.8750	24.7500	
June 28, 1994	25.6250	24.6250	
June 29, 1994	26.0000	24.8750	
June 30, 1994	26.1250	24.8750	
July 1, 1994	26.0000	25.2500	
July 5, 1994	26.0000	25.2500	
July 6, 1994	26.0000	25.6250	
July 7, 1994	25.8750	25.6250	
July 8, 1994	26.0000	25.6250	
July 11, 1994	25.6250	25.2500	
July 12, 1994	25.8750	25.2500	
July 13, 1994	26.1250	25.1250	
July 14, 1994	26.5000	25.6250	
July 15, 1994	26.7500	25.6250	
July 18, 1994	26.6250	25.7500	
July 19, 1994	26.8750	25.6250	
July 20, 1994	26.7500	25.6250	
July 21, 1994	26.5000	25.6250	
July 22, 1994	26.3750	25.8750	
July 25, 1994	26.2500	25.6250	
July 26, 1994	26.1250	25.7500	
July 27, 1994	26.2500	25.6250	
July 28, 1994	26.2500	26.0000	
July 29, 1994	27.0000	26.5000	
August 1, 1994	27.2500	26.7500	
August 2, 1994	27.6250	26.8750	
August 3, 1994	27.2500	26.7500	
August 4, 1994	27.2500	26.6250	
August 5, 1994	27.2500	26.5000	
August 8, 1994	27.0000	26.6250	
August 9, 1994	27.0000	26.2500	
August 10, 1994	26.7500	26.3750	
August 11, 1994	26.6250	26.1250	
August 12, 1994	26.7500	26.1250	
August 15, 1994	27.0000	26.0000	
August 16, 1994	27.2500	26.0000	
August 17, 1994	27.0000	26.0000	
August 18, 1994	27.0000	26.1250	
August 19, 1994	26.7500	26.2500	
August 22, 1994	26.6250	26.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 23, 1994	26.8750	26.2500	
August 24, 1994	26.7500	26.2500	
August 25, 1994	26.7500	26.1250	
August 26, 1994	27.2500	26.1250	
August 29, 1994	27.5000	26.2500	
August 30, 1994	27.1250	26.5000	
August 31, 1994	27.1250	26.7500	
September 1, 1994	26.7500	26.8750	
September 2, 1994	26.7500	26.8750	
September 6, 1994	26.5000	26.3750	
September 7, 1994	26.6250	26.3750	
September 8, 1994	26.2500	26.5000	
September 9, 1994	25.8750	26.1250	
September 12, 1994	25.7500	26.1250	
September 13, 1994	25.7500	25.7500	
September 14, 1994	25.6250	25.7500	
September 15, 1994	25.7500	26.1250	
September 16, 1994	25.6250	25.8750	
September 19, 1994	25.5000	25.7500	
September 20, 1994	25.2500	25.7500	
September 21, 1994	25.2500	25.8750	
September 22, 1994	25.3750	25.8750	
September 23, 1994	25.2500	25.8750	
September 26, 1994	25.7500	25.8750	
September 27, 1994	26.1250	25.8750	
September 28, 1994	26.0000	26.2500	
September 29, 1994	26.6250	26.2500	
September 30, 1994	27.0000	26.2500	
October 3, 1994	27.1250	26.2500	
October 4, 1994	26.8750	26.2500	
October 5, 1994	26.5000	26.1250	
October 6, 1994	26.5000	26.1250	
October 7, 1994	26.1250	26.2500	
October 10, 1994	26.6250	26.1250	
October 11, 1994	26.6250	26.5000	
October 12, 1994	26.7500	26.3750	
October 13, 1994	26.7500	26.5000	
October 14, 1994	27.0000	26.3750	
October 17, 1994	26.8750	26.3750	
October 18, 1994	26.7500	26.2500	
October 19, 1994	26.8750	26.2500	
October 20, 1994	26.7500	26.0000	
October 21, 1994	26.8750	26.2500	
October 24, 1994	26.1250	26.1250	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 25, 1994	26.5000	26.1250	
October 26, 1994	26.6250	26.1250	
October 27, 1994	26.8750	26.0000	
October 28, 1994	27.2500	26.2500	
October 31, 1994	27.2500	26.1250	
November 1, 1994	27.2500	26.1250	
November 2, 1994	27.1250	26.2500	
November 3, 1994	27.1250	26.5000	
November 4, 1994	27.1250	26.3750	
November 7, 1994	27.1250	26.3750	
November 8, 1994	27.6250	25.6250	
November 9, 1994	27.3750	25.7500	
November 10, 1994	27.3750	26.1250	
November 11, 1994	27.0000	25.7500	
November 14, 1994	27.6250	25.7500	
November 15, 1994	27.3750	25.7500	
November 16, 1994	27.2500	25.7500	
November 17, 1994	27.2500	25.8750	
November 18, 1994	27.1250	25.7500	
November 21, 1994	27.1250	25.7500	
November 22, 1994	27.6250	25.6250	
November 23, 1994	28.3750	26.1250	
November 25, 1994	28.5000	26.3750	
November 28, 1994	28.2500	26.2500	
November 29, 1994	28.6250	26.1250	
November 30, 1994	28.5000	26.3750	
December 1, 1994	28.2500	26.0000	
December 2, 1994	28.6250	26.8750	
December 5, 1994	28.7500	27.0000	
December 6, 1994	28.8750	27.0000	
December 7, 1994	28.6250	27.1250	
December 8, 1994	28.8750	26.8750	
December 9, 1994	28.8750	26.6250	
December 12, 1994	29.1250	26.5000	
December 13, 1994	29.5000	28.0000	
December 14, 1994	30.0000	27.6250	
December 15, 1994	29.7500	27.2500	
December 16, 1994	29.7500	27.1250	
December 19, 1994	29.7500	26.8750	
December 20, 1994	29.8750	27.0000	
December 21, 1994	29.7500	27.2500	
December 22, 1994	29.5000	26.8750	
December 23, 1994	29.5000	26.8750	
December 27, 1994	29.7500	26.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 28, 1994	29.8750	26.6250	
December 29, 1994	29.6250	26.7500	
December 30, 1994	29.3750	26.5000	
January 3, 1995	29.5000	26.7500	
January 4, 1995	29.8750	27.0000	
January 5, 1995	29.7500	26.8750	
January 6, 1995	30.0000	27.0000	
January 9, 1995	29.3750	26.7500	
January 10, 1995	29.3750	26.7500	
January 11, 1995	29.5000	27.1250	
January 12, 1995	29.2500	27.2500	
January 13, 1995	29.7500	27.6250	
January 16, 1995	30.0000	27.8750	
January 17, 1995	29.8750	28.2500	
January 18, 1995	30.0000	27.8750	
January 19, 1995	29.6250	27.5000	
January 20, 1995	29.7500	27.5000	
January 23, 1995	29.7500	27.3750	
January 24, 1995	30.1250	27.6250	
January 25, 1995	30.1250	27.8750	
January 26, 1995	30.0000	27.8750	
January 27, 1995	29.8750	27.8750	
January 30, 1995	29.8750	28.0000	
January 31, 1995	30.2500	28.0000	
February 1, 1995	30.6250	28.1250	
February 2, 1995	30.8750	27.8750	
February 3, 1995	31.3750	28.1250	
February 6, 1995	31.3750	28.6250	
February 7, 1995	31.3750	29.2500	
February 8, 1995	31.5000	29.3750	
February 9, 1995	31.0000	28.6250	
February 10, 1995	31.0000	28.8750	
February 13, 1995	30.8750	28.3750	
February 14, 1995	30.6250	28.3750	
February 15, 1995	30.6250	28.8750	
February 16, 1995	30.6250	29.0000	
February 17, 1995	30.3750	29.1250	
February 21, 1995	30.2500	29.0000	
February 22, 1995	30.3750	28.7500	
February 23, 1995	30.3750	28.5000	
February 24, 1995	30.1250	28.2500	
February 27, 1995	30.1250	28.3750	
February 28, 1995	30.6250	29.1250	
March 1, 1995	30.5000	28.8750	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 2, 1995	30.0000	28.6250	
March 3, 1995	30.0000	28.2500	
March 6, 1995	30.1250	28.0000	
March 7, 1995	29.6250	27.6250	
March 8, 1995	29.7500	27.8750	
March 9, 1995	29.7500	28.0000	
March 10, 1995	30.0000	28.1250	
March 13, 1995	29.8750	28.0000	
March 14, 1995	30.1250	28.0000	
March 15, 1995	30.1250	27.8750	
March 16, 1995	30.5000	27.8750	
March 17, 1995	30.2500	27.6250	
March 20, 1995	29.8750	27.6250	
March 21, 1995	29.8750	27.8750	
March 22, 1995	30.0000	27.7500	
March 23, 1995	29.8750	28.0000	
March 24, 1995	30.2500	28.1250	
March 27, 1995	30.3750	27.8750	
March 28, 1995	30.2500	27.7500	
March 29, 1995	30.5000	27.7500	
March 30, 1995	30.7500	27.8750	
March 31, 1995	30.7500	27.8750	
April 3, 1995	30.5000	27.7500	
April 4, 1995	31.0000	28.2500	
April 5, 1995	31.1250	28.6250	
April 6, 1995	31.1250	28.6250	
April 7, 1995	30.6250	28.6250	
April 10, 1995	30.6250	28.5000	
April 11, 1995	30.2500	28.6250	
April 12, 1995	30.1250	28.5000	
April 13, 1995	30.3750	28.5000	
April 17, 1995	30.0000	28.0000	
April 18, 1995	29.8750	28.2500	
April 19, 1995	30.0000	28.7500	
April 20, 1995	29.7500	28.3750	
April 21, 1995	29.5000	28.1250	
April 24, 1995	29.5000	28.3750	
April 25, 1995	29.6250	28.3750	
April 26, 1995	30.1250	28.5000	
April 27, 1995	30.2500	28.3750	
April 28, 1995	30.1250	28.5000	
May 1, 1995	30.0000	28.3750	
May 2, 1995	30.0000	28.5000	
May 3, 1995	30.0000	28.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 4, 1995	30.1250	28.5000	
May 5, 1995	30.5000	28.7500	
May 8, 1995	30.3750	28.8750	
May 9, 1995	30.3750	28.1250	
May 10, 1995	30.7500	28.5000	
May 11, 1995	30.7500	28.3750	
May 12, 1995	30.8750	28.3750	
May 15, 1995	30.8750	28.5000	
May 16, 1995	31.0000	28.5000	
May 17, 1995	31.0000	28.3750	
May 18, 1995	30.7500	28.2500	
May 19, 1995	30.7500	28.1250	
May 22, 1995	30.8750	28.0000	
May 23, 1995	31.0000	27.8750	
May 24, 1995	31.0000	27.8750	
May 25, 1995	31.5000	28.6250	
May 26, 1995	31.5000	28.6250	
May 30, 1995	32.1250	28.7500	
May 31, 1995	32.7500	28.8750	
June 1, 1995	32.5000	28.8750	
June 2, 1995	32.6250	29.2500	
June 5, 1995	32.7500	29.3750	
June 6, 1995	32.7500	29.2500	
June 7, 1995	32.3750	29.3750	
June 8, 1995	32.1250	29.5000	
June 9, 1995	31.8750	28.8750	
June 12, 1995	32.0000	28.8750	
June 13, 1995	32.2500	29.0000	
June 14, 1995	32.0000	29.0000	
June 15, 1995	31.7500	28.8750	
June 16, 1995	31.5000	28.7500	
June 19, 1995	31.6250	28.8750	
June 20, 1995	31.6250	29.0000	
June 21, 1995	32.0000	29.2500	
June 22, 1995	32.3750	29.6250	
June 23, 1995	32.6250	29.3750	
June 26, 1995	32.2500	29.3750	
June 27, 1995	32.1250	29.6250	
June 28, 1995	32.5000	29.7500	
June 29, 1995	32.5000	29.7500	
June 30, 1995	32.5000	29.5000	
July 3, 1995	32.5000	29.2500	
July 5, 1995	32.1250	29.6250	
July 6, 1995	32.3750	29.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 7, 1995	32.2500	29.6250	
July 10, 1995	32.1250	29.6250	
July 11, 1995	31.7500	29.3750	
July 12, 1995	31.2500	29.2500	
July 13, 1995	31.1250	29.2500	
July 14, 1995	31.1250	29.1250	
July 17, 1995	31.0000	29.1250	
July 18, 1995	31.1250	29.1250	
July 19, 1995	31.0000	29.0000	
July 20, 1995	31.1250	29.0000	
July 21, 1995	30.8750	29.1250	
July 24, 1995	31.2500	29.2500	
July 25, 1995	31.3750	29.1250	
July 26, 1995	31.3750	29.0000	
July 27, 1995	31.6250	29.3750	
July 28, 1995	31.5000	29.1250	
July 31, 1995	31.6250	29.3750	
August 1, 1995	31.1250	29.2500	
August 2, 1995	31.3750	29.5000	
August 3, 1995	31.2500	29.5000	
August 4, 1995	31.5000	29.5000	
August 7, 1995	31.2500	29.6250	
August 8, 1995	31.2500	29.6250	
August 9, 1995	31.0000	29.7500	
August 10, 1995	31.0000	29.6250	
August 11, 1995	30.7500	28.8750	
August 14, 1995	31.0000	28.8750	
August 15, 1995	31.1250	28.7500	
August 16, 1995	31.3750	29.2500	
August 17, 1995	31.5000	29.2500	
August 18, 1995	31.1250	29.1250	
August 21, 1995	31.3750	29.1250	
August 22, 1995	31.5000	29.3750	
August 23, 1995	32.3750	30.3750	
August 24, 1995	32.5000	30.3750	
August 25, 1995	32.8750	30.3750	
August 28, 1995	32.6250	30.3750	
August 29, 1995	32.5000	30.3750	
August 30, 1995	32.3750	30.3750	
August 31, 1995	32.3750	30.0000	
September 1, 1995	32.1250	30.2500	
September 5, 1995	32.1250	30.5000	
September 6, 1995	32.0000	30.8750	
September 7, 1995	32.2500	31.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 8, 1995	32.3750	31.1250	
September 11, 1995	32.1250	31.2500	
September 12, 1995	32.2500	31.3750	
September 13, 1995	32.1250	31.2500	
September 14, 1995	32.5000	31.2500	
September 15, 1995	32.6250	31.0000	
September 18, 1995	32.3750	31.1250	
September 19, 1995	32.5000	31.2500	
September 20, 1995	32.6250	31.3750	
September 21, 1995	33.0000	31.5000	
September 22, 1995	33.1250	31.6250	
September 25, 1995	33.2500	31.3750	
September 26, 1995	33.7500	31.8750	
September 27, 1995	34.0000	32.3750	
September 28, 1995	34.2500	32.6250	
September 29, 1995	34.2500	32.6250	
October 2, 1995	34.5000	32.6250	
October 3, 1995	34.7500	32.8750	
October 4, 1995	34.7500	32.6250	
October 5, 1995	34.8750	33.0000	
October 6, 1995	34.6250	33.0000	
October 9, 1995	34.5000	33.0000	
October 10, 1995	34.6250	33.0000	
October 11, 1995	33.8750	33.0000	
October 12, 1995	34.1250	33.0000	
October 13, 1995	34.1250	33.1250	
October 16, 1995	33.7500	33.2500	
October 17, 1995	33.7500	33.3750	
October 18, 1995	34.2500	33.3750	
October 19, 1995	34.1250	33.2500	
October 20, 1995	34.1250	33.3750	
October 23, 1995	33.8750	33.5000	
October 24, 1995	34.0000	33.3750	
October 25, 1995	34.1250	33.3750	
October 26, 1995	34.1250	33.2500	
October 27, 1995	34.0000	32.8750	
October 30, 1995	33.8750	33.1250	
October 31, 1995	34.1250	32.8750	
November 1, 1995	34.2500	33.3750	
November 2, 1995	34.3750	33.6250	
November 3, 1995	34.3750	33.5000	
November 6, 1995	34.5000	33.3750	
November 7, 1995	34.1250	33.0000	
November 8, 1995	34.1250	33.5000	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 9, 1995	33.8750	33.3750	
November 10, 1995	33.8750	33.2500	
November 13, 1995	33.8750	32.7500	
November 14, 1995	33.6250	32.5000	
November 15, 1995	33.3750	32.5000	
November 16, 1995	33.7500	32.8750	
November 17, 1995	34.1250	32.7500	
November 20, 1995	33.6250	32.6250	
November 21, 1995	34.1250	32.5000	
November 22, 1995	34.0000	32.3750	
November 24, 1995	34.3750	32.2500	
November 27, 1995	34.1250	32.3750	
November 28, 1995	34.2500	32.5000	
November 29, 1995	34.5000	32.7500	
November 30, 1995	34.5000	32.6250	
December 1, 1995	34.5000	32.5000	
December 4, 1995	34.7500	32.8750	
December 5, 1995	34.6250	33.3750	
December 6, 1995	34.8750	33.1250	
December 7, 1995	34.5000	32.7500	
December 8, 1995	34.2500	32.5000	
December 11, 1995	34.2500	32.5000	
December 12, 1995	34.0000	32.1250	
December 13, 1995	34.8750	32.7500	
December 14, 1995	35.1250	32.7500	
December 15, 1995	35.2500	32.6250	
December 18, 1995	35.5000	32.8750	
December 19, 1995	35.3750	33.2500	
December 20, 1995	35.6250	32.7500	
December 21, 1995	35.1250	32.7500	
December 22, 1995	35.2500	32.7500	
December 26, 1995	35.2500	32.6250	
December 27, 1995	35.3750	32.6250	
December 28, 1995	35.5000	32.6250	
December 29, 1995	35.3750	32.7500	
January 2, 1996	35.3750	32.8750	
January 3, 1996	35.7500	33.0000	
January 4, 1996	35.6250	32.7500	
January 5, 1996	35.7500	32.7500	
January 8, 1996	35.7500	33.0000	
January 9, 1996	35.8750	33.2500	
January 10, 1996	35.2500	32.7500	
January 11, 1996	35.2500	33.0000	
January 12, 1996	35.3750	32.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 15, 1996	35.2500	32.8750	
January 16, 1996	35.8750	33.1250	
January 17, 1996	35.7500	33.1250	
January 18, 1996	35.8750	33.1250	
January 19, 1996	36.1250	33.6250	
January 22, 1996	35.7500	33.0000	
January 23, 1996	35.5000	33.0000	
January 24, 1996	35.6250	33.5000	
January 25, 1996	35.6250	33.0000	
January 26, 1996	35.7500	32.7500	
January 29, 1996	35.5000	32.8750	
January 30, 1996	35.6250	32.8750	
January 31, 1996	36.0000	32.8750	
February 1, 1996	36.0000	32.8750	
February 2, 1996	36.0000	32.7500	
February 5, 1996	36.0000	33.1250	
February 6, 1996	35.8750	33.1250	
February 7, 1996	35.8750	33.2500	
February 8, 1996	35.8750	33.2500	
February 9, 1996	36.0000	33.6250	
February 12, 1996	36.2500	33.7500	
February 13, 1996	36.2500	33.1250	
February 14, 1996	36.1250	33.1250	
February 15, 1996	36.2500	33.2500	
February 16, 1996	36.1250	33.0000	
February 20, 1996	35.5000	32.6250	
February 21, 1996	35.2500	32.7500	
February 22, 1996	35.5000	33.0000	
February 23, 1996	35.2500	32.7500	
February 26, 1996	35.2500	32.6250	
February 27, 1996	35.1250	32.5000	
February 28, 1996	35.3750	32.3750	
February 29, 1996	35.2500	32.1250	
March 1, 1996	35.2500	32.3750	
March 4, 1996	35.6250	32.8750	
March 5, 1996	35.3750	32.6250	
March 6, 1996	35.3750	33.0000	
March 7, 1996	35.2500	33.0000	
March 8, 1996	34.6250	32.5000	
March 11, 1996	34.6250	32.5000	
March 12, 1996	34.0000	32.5000	
March 13, 1996	34.0000	32.3750	
March 14, 1996	34.1250	32.0000	
March 15, 1996	34.0000	32.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 18, 1996	34.7500	32.6250	
March 19, 1996	34.8750	32.3750	
March 20, 1996	34.7500	32.2500	
March 21, 1996	34.3750	32.6250	
March 22, 1996	34.2500	32.6250	
March 25, 1996	34.6250	32.7500	
March 26, 1996	35.0000	33.0000	
March 27, 1996	35.0000	33.0000	
March 28, 1996	34.8750	33.1250	
March 29, 1996	35.1250	33.2500	
April 1, 1996	35.1250	34.0000	
April 2, 1996	35.0000	33.8750	
April 3, 1996	35.2500	33.7500	
April 4, 1996	35.0000	33.5000	
April 8, 1996	34.1250	32.5000	
April 9, 1996	34.3750	32.7500	
April 10, 1996	32.8750	32.1250	
April 11, 1996	32.6250	31.8750	
April 12, 1996	33.2500	32.0000	
April 15, 1996	33.3750	32.0000	
April 16, 1996	33.3750	32.2500	
April 17, 1996	33.2500	32.1250	
April 18, 1996	33.1250	32.0000	
April 19, 1996	32.8750	32.0000	
April 22, 1996	32.7500	32.0000	
April 23, 1996	32.6250	31.8750	
April 24, 1996	32.3750	31.7500	
April 25, 1996	32.6250	31.7500	
April 26, 1996	32.8750	31.7500	
April 29, 1996	32.8750	32.0000	
April 30, 1996	33.1250	31.8750	
May 1, 1996	33.1250	32.0000	
May 2, 1996	33.1250	31.7500	
May 3, 1996	33.1250	31.6250	
May 6, 1996	33.2500	31.6250	
May 7, 1996	33.1250	31.6250	
May 8, 1996	33.6250	31.7500	
May 9, 1996	33.7500	32.0000	
May 10, 1996	34.1250	32.3750	
May 13, 1996	34.1250	31.8750	
May 14, 1996	34.2500	31.8750	
May 15, 1996	33.7500	31.5000	
May 16, 1996	33.7500	31.6250	
May 17, 1996	33.7500	31.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 20, 1996	33.7500	31.2500	
May 21, 1996	33.5000	31.1250	
May 22, 1996	33.5000	31.3750	
May 23, 1996	33.6250	31.5000	
May 24, 1996	33.6250	31.6250	
May 28, 1996	33.7500	31.2500	
May 29, 1996	33.3750	31.2500	
May 30, 1996	33.6250	30.8750	
May 31, 1996	33.1250	30.6250	
June 3, 1996	33.3750	30.7500	
June 4, 1996	33.7500	31.2500	
June 5, 1996	33.7500	31.1250	
June 6, 1996	33.3750	31.1250	
June 7, 1996	33.1250	30.8750	
June 10, 1996	33.2500	30.7500	
June 11, 1996	33.5000	31.0000	
June 12, 1996	33.1250	30.8750	
June 13, 1996	33.3750	30.5000	
June 14, 1996	33.1250	30.3750	
June 17, 1996	33.5000	30.3750	
June 18, 1996	33.8750	30.5000	
June 19, 1996	33.8750	30.7500	
June 20, 1996	33.8750	30.7500	
June 21, 1996	33.8750	31.1250	
June 24, 1996	34.1250	31.3750	
June 25, 1996	34.2500	31.6250	
June 26, 1996	34.7500	31.5000	
June 27, 1996	35.0000	31.5000	
June 28, 1996	36.7500	32.6250	
July 1, 1996	36.1250	32.1250	
July 2, 1996	36.3750	32.3750	
July 3, 1996	36.2500	31.8750	
July 5, 1996	35.2500	31.2500	
July 8, 1996	35.1250	31.6250	
July 9, 1996	35.3750	31.8750	
July 10, 1996	35.5000	32.2500	
July 11, 1996	35.1250	32.0000	
July 12, 1996	35.3750	32.1250	
July 15, 1996	35.1250	32.0000	
July 16, 1996	34.7500	31.6250	
July 17, 1996	34.7500	31.6250	
July 18, 1996	35.0000	31.7500	
July 19, 1996	35.0000	31.8750	
July 22, 1996	35.1250	31.7500	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 23, 1996	35.2500	31.6250	
July 24, 1996	35.1250	31.7500	
July 25, 1996	35.2500	31.8750	
July 26, 1996	35.0000	31.8750	
July 29, 1996	35.0000	31.7500	
July 30, 1996	35.2500	31.7500	
July 31, 1996	35.2500	31.7500	
August 1, 1996	36.0000	32.2500	
August 2, 1996	35.8750	32.2500	
August 5, 1996	35.5000	32.5000	
August 6, 1996	35.3750	32.3750	
August 7, 1996	35.2500	32.5000	
August 8, 1996	35.3750	32.7500	
August 9, 1996	35.5000	32.7500	
August 12, 1996	35.5000	33.0000	
August 13, 1996	35.7500	32.5000	
August 14, 1996	35.8750	32.5000	
August 15, 1996	36.0000	32.5000	
August 16, 1996	36.2500	33.0000	
August 19, 1996	36.5000	33.0000	
August 20, 1996	36.5000	32.8750	
August 21, 1996	36.7500	33.2500	
August 22, 1996	36.7500	33.1250	
August 23, 1996	36.6250	33.0000	
August 26, 1996	36.2500	33.0000	
August 27, 1996	36.1250	33.0000	
August 28, 1996	36.0000	33.0000	
August 29, 1996	35.7500	32.7500	
August 30, 1996	35.6250	32.7500	
September 3, 1996	35.5000	32.3750	
September 4, 1996	35.1250	32.5000	
September 5, 1996	35.2500	32.3750	
September 6, 1996	35.2500	32.2500	
September 9, 1996	35.3750	32.2500	
September 10, 1996	35.5000	32.3750	
September 11, 1996	35.3750	32.2500	
September 12, 1996	35.6250	32.3750	
September 13, 1996	35.8750	32.7500	
September 16, 1996	35.8750	32.8750	
September 17, 1996	35.5000	32.5000	
September 18, 1996	35.3750	32.3750	
September 19, 1996	35.1250	32.3750	
September 20, 1996	35.3750	32.1250	
September 23, 1996	35.1250	32.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 24, 1996	35.6250	32.2500	
September 25, 1996	35.2500	32.0000	
September 26, 1996	35.6250	32.2500	
September 27, 1996	35.5000	32.3750	
September 30, 1996	35.5000	32.5000	
October 1, 1996	35.8750	32.3750	
October 2, 1996	36.0000	32.6250	
October 3, 1996	36.2500	33.1250	
October 4, 1996	36.7500	33.3750	
October 7, 1996	36.6250	33.0000	
October 8, 1996	36.3750	33.0000	
October 9, 1996	35.5000	32.7500	
October 10, 1996	35.5000	33.0000	
October 11, 1996	36.0000	33.0000	
October 14, 1996	36.1250	33.2500	
October 15, 1996	35.8750	33.0000	
October 16, 1996	35.8750	32.8750	
October 17, 1996	36.1250	33.5000	
October 18, 1996	36.0000	33.2500	
October 21, 1996	36.0000	32.8750	
October 22, 1996	35.6250	32.7500	
October 23, 1996	36.0000	33.1250	
October 24, 1996	36.0000	33.5000	
October 25, 1996	36.2500	33.8750	
October 28, 1996	36.5000	34.0000	
October 29, 1996	36.6250	34.2500	
October 30, 1996	36.8750	34.1250	
October 31, 1996	37.0000	34.0000	
November 1, 1996	37.1250	34.2500	
November 4, 1996	37.2500	34.5000	
November 5, 1996	37.7500	34.8750	
November 6, 1996	38.7500	35.5000	
November 7, 1996	38.6250	35.7500	
November 8, 1996	38.7500	35.7500	
November 11, 1996	38.7500	36.0000	
November 12, 1996	39.1250	36.3750	
November 13, 1996	39.0000	35.6250	
November 14, 1996	38.8750	35.6250	
November 15, 1996	39.0000	35.7500	
November 18, 1996	38.8750	35.6250	
November 19, 1996	39.0000	35.8750	
November 20, 1996	38.8750	35.6250	
November 21, 1996	39.0000	35.6250	
November 22, 1996	39.2500	36.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 25, 1996	39.2500	35.6250	
November 26, 1996	38.8750	35.3750	
November 27, 1996	39.1250	35.3750	
November 29, 1996	39.0000	35.2500	
December 2, 1996	39.0000	35.1250	
December 3, 1996	39.2500	35.6250	
December 4, 1996	39.1250	35.5000	
December 5, 1996	39.2500	35.2500	
December 6, 1996	38.7500	35.0000	
December 9, 1996	38.7500	35.2500	
December 10, 1996	38.8750	35.6250	
December 11, 1996	38.6250	35.5000	
December 12, 1996	38.5000	34.8750	
December 13, 1996	38.3750	34.8750	
December 16, 1996	38.2500	34.7500	
December 17, 1996	38.0000	34.5000	
December 18, 1996	38.0000	34.5000	
December 19, 1996	38.2500	35.0000	
December 20, 1996	38.3750	35.3750	
December 23, 1996	38.1250	35.0000	
December 24, 1996	38.1250	34.8750	
December 26, 1996	37.8750	35.1250	
December 27, 1996	38.7500	35.5000	
December 30, 1996	39.0000	35.7500	
December 31, 1996	38.8750	35.3750	
January 2, 1997	38.5000	34.8750	
January 3, 1997	38.5000	35.3750	
January 6, 1997	38.7500	35.1250	
January 7, 1997	38.7500	35.1250	
January 8, 1997	38.3750	35.5000	
January 9, 1997	38.6250	35.5000	
January 10, 1997	38.6250	35.5000	
January 13, 1997	38.5000	35.2500	
January 14, 1997	38.7500	35.5000	
January 15, 1997	39.0000	35.7500	
January 16, 1997	38.7500	36.0000	
January 17, 1997	39.0000	36.0000	
January 20, 1997	39.0000	36.0000	
January 21, 1997	39.0000	35.8750	
January 22, 1997	39.2500	36.1250	
January 23, 1997	39.5000	36.5000	
January 24, 1997	39.0000	36.1250	
January 27, 1997	38.8750	35.8750	
January 28, 1997	38.8750	36.0000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 29, 1997	38.8750	35.7500	
January 30, 1997	38.8750	35.7500	
January 31, 1997	39.0000	36.0000	
February 3, 1997	39.1250	35.8750	
February 4, 1997	39.0000	35.8750	
February 5, 1997	38.2500	35.7500	
February 6, 1997	38.3750	35.6250	
February 7, 1997	38.6250	35.6250	
February 10, 1997	38.7500	36.0000	
February 11, 1997	38.6250	36.1250	
February 12, 1997	38.8750	35.7500	
February 13, 1997	38.8750	35.8750	
February 14, 1997	38.6250	35.7500	
February 18, 1997	39.0000	35.7500	
February 19, 1997	38.8750	35.3750	
February 20, 1997	38.8750	35.6250	
February 21, 1997	38.8750	35.6250	
February 24, 1997	39.8750	36.8750	
February 25, 1997	39.8750	36.7500	
February 26, 1997	39.3750	36.2500	
February 27, 1997	39.0000	36.1250	
February 28, 1997	39.0000	36.1250	
March 3, 1997	39.1250	36.3750	
March 4, 1997	39.2500	36.5000	
March 5, 1997	39.3750	36.5000	
March 6, 1997	39.7500	36.7500	
March 7, 1997	39.6250	36.7500	
March 10, 1997	39.8750	36.6250	
March 11, 1997	39.6250	36.5000	
March 12, 1997	39.5000	36.7500	
March 13, 1997	39.0000	36.2500	
March 14, 1997	39.3750	36.6250	
March 17, 1997	39.2500	36.5000	
March 18, 1997	39.3750	36.6250	
March 19, 1997	39.5000	36.6250	
March 20, 1997	39.2500	36.1250	
March 21, 1997	39.0000	36.2500	
March 24, 1997	39.1250	36.3750	
March 25, 1997	39.6250	36.7500	
March 26, 1997	39.7500	37.1250	
March 27, 1997	39.1250	36.3750	
March 31, 1997	38.7500	35.8750	
April 1, 1997	38.7500	36.1250	
April 2, 1997	39.0000	36.3750	



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 3, 1997	38.7500	35.8750	
April 4, 1997	38.7500	36.1250	
April 7, 1997	38.8750	35.8750	
April 8, 1997	38.6250	36.0000	
April 9, 1997	38.1250	35.8750	
April 10, 1997	38.3750	36.2500	
April 11, 1997	38.3750	35.8750	
April 14, 1997	38.2500	36.0000	
April 15, 1997	38.5000	36.2500	
April 16, 1997	38.5000	36.1250	
April 17, 1997	38.3750	36.1250	
April 18, 1997	38.6250	36.2500	
April 21, 1997	38.1250	36.1250	
April 22, 1997	38.2500	36.2500	
April 23, 1997	38.2500	36.1250	
April 24, 1997	38.2500	36.2500	
April 25, 1997	38.3750	36.2500	
April 28, 1997	38.7500	36.3750	
April 29, 1997	38.8750	36.8750	
April 30, 1997	38.7500	36.6250	
May 1, 1997	38.6250	36.6250	
May 2, 1997	39.3750	37.3750	
May 5, 1997	40.0000	37.8750	
May 6, 1997	40.2500	38.2500	
May 7, 1997	40.0000	38.1250	
May 8, 1997	40.2500	37.7500	
May 9, 1997	40.0000	37.8750	
May 12, 1997	40.3750	38.1250	
May 13, 1997	40.0000	37.5000	
May 14, 1997	40.0000	37.5000	
May 15, 1997	40.1250	37.6250	
May 16, 1997	39.7500	37.2500	
May 19, 1997	40.0000	37.0000	
May 20, 1997	40.3750	37.5000	
May 21, 1997	40.1250	37.3750	
May 22, 1997	39.7500	37.1250	
May 23, 1997	40.1250	37.5000	
May 27, 1997	40.0000	37.1250	
May 28, 1997	39.8750	37.5000	
May 29, 1997	39.7500	37.1250	
May 30, 1997	40.3750	37.5000	
June 2, 1997	40.3750	37.7500	
June 3, 1997	40.2500	37.7500	
June 4, 1997	40.0000	37.5000	

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 5, 1997	40.1250	37.6250	
June 6, 1997	40.1250	37.7500	
June 9, 1997	40.0000	37.6250	
June 10, 1997	40.0000	37.7500	
June 11, 1997	39.8750	37.6250	
June 12, 1997	40.5000	38.2500	
June 13, 1997	41.1250	38.6250	
June 16, 1997	40.8750	38.2500	
June 17, 1997	40.7500	38.3750	
June 18, 1997	41.0000	38.5000	
June 19, 1997	41.3750	38.8750	
June 20, 1997	41.6250	38.8750	
June 23, 1997	41.7500	39.3750	
June 24, 1997	41.5000	39.0000	
June 25, 1997	41.5000	39.1875	
June 26, 1997	41.3750	38.7500	
June 27, 1997	41.6250	39.0000	
June 30, 1997	41.5625	39.3125	
July 1, 1997	41.6875	39.2500	
July 2, 1997	41.5625	38.8125	
July 3, 1997	41.6250	39.2500	
July 7, 1997	41.4375	38.9375	
July 8, 1997	41.8750	39.0000	
July 9, 1997	41.3125	39.1250	
July 10, 1997	41.5000	39.3125	
July 11, 1997	41.4375	39.3125	
July 14, 1997	41.3750	39.2500	
July 15, 1997	41.5000	39.4375	
July 16, 1997	41.9375	40.0625	
July 17, 1997	41.9375	39.8750	
July 18, 1997	41.8750	39.5000	
July 21, 1997	41.5625	39.3125	
July 22, 1997	41.2500	39.1250	
July 23, 1997	41.3125	38.8750	
July 24, 1997	40.8750	38.2500	
July 25, 1997	40.3750	37.7500	
July 28, 1997	40.6875	38.1875	
July 29, 1997	41.2500	39.2500	
July 30, 1997	41.5000	39.5625	
July 31, 1997	41.6250	39.7500	
August 1, 1997	41.4375	39.5625	
August 4, 1997			42.8750
August 5, 1997			41.3750
August 6, 1997			41.6250

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 7, 1997			41.3750
August 8, 1997			41.2500
August 11, 1997			41.4375
August 12, 1997			41.3750
August 13, 1997			40.7500
August 14, 1997			40.6250
August 15, 1997			39.6875
August 18, 1997			40.7500
August 19, 1997			41.0000
August 20, 1997			40.3125
August 21, 1997			40.0000
August 22, 1997			41.0000
August 25, 1997			40.8750
August 26, 1997			40.5625
August 27, 1997			40.5000
August 28, 1997			40.5000
August 29, 1997			40.3750
September 2, 1997			40.5625
September 3, 1997			40.3125
September 4, 1997			40.3125
September 5, 1997			40.3750
September 8, 1997			40.6875
September 9, 1997			40.8750
September 10, 1997			41.1250
September 11, 1997			41.5000
September 12, 1997			41.9375
September 15, 1997			41.8125
September 16, 1997			41.8750
September 17, 1997			41.9375
September 18, 1997			41.3750
September 19, 1997			41.4375
September 22, 1997			41.0000
September 23, 1997			40.9375
September 24, 1997			40.7500
September 25, 1997			40.8125
September 26, 1997			41.2500
September 29, 1997			41.5625
September 30, 1997			41.5625
October 1, 1997			41.3125
October 2, 1997			41.9375
October 3, 1997			42.0625
October 6, 1997			42.1875
October 7, 1997			42.2500
October 8, 1997			41.4375

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 9, 1997			41.3750
October 10, 1997			41.5000
October 13, 1997			41.5625
October 14, 1997			41.6250
October 15, 1997			41.6250
October 16, 1997			41.4375
October 17, 1997			41.1250
October 20, 1997			41.5000
October 21, 1997			41.4375
October 22, 1997			40.9375
October 23, 1997			41.1250
October 24, 1997			41.4375
October 27, 1997			40.8750
October 28, 1997			41.0000
October 29, 1997			41.3750
October 30, 1997			41.2500
October 31, 1997			41.6875
November 3, 1997			41.6250
November 4, 1997			41.7500
November 5, 1997			42.0000
November 6, 1997			41.8750
November 7, 1997			41.8125
November 10, 1997			42.3750
November 11, 1997			42.8750
November 12, 1997			42.5625
November 13, 1997			43.1250
November 14, 1997			43.0625
November 17, 1997			43.3750
November 18, 1997			43.0625
November 19, 1997			42.8750
November 20, 1997			43.5000
November 21, 1997			43.6875
November 24, 1997			43.8125
November 25, 1997			44.5625
November 26, 1997			44.8750
November 28, 1997			44.2500
December 1, 1997			45.0000
December 2, 1997			45.1250
December 3, 1997			44.5000
December 4, 1997			44.6250
December 5, 1997			44.9375
December 8, 1997			45.0000
December 9, 1997			44.4375
December 10, 1997			45.0000

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 11, 1997			45.6250
December 12, 1997			46.0000
December 15, 1997			46.7500
December 16, 1997			47.8125
December 17, 1997			47.0625
December 18, 1997			48.0625
December 19, 1997			48.0000
December 22, 1997			49.4375
December 23, 1997			48.0625
December 24, 1997			47.3750
December 26, 1997			47.6875
December 29, 1997			47.9375
December 30, 1997			47.8750
December 31, 1997			47.9375
January 2, 1998			47.6250
January 5, 1998			47.1875
January 6, 1998			47.0625
January 7, 1998			46.6875
January 8, 1998			47.1875
January 9, 1998			47.1875
January 12, 1998			47.5000
January 13, 1998			47.0625
January 14, 1998			46.6250
January 15, 1998			46.9375
January 16, 1998			46.8750
January 20, 1998			46.8125
January 21, 1998			46.0000
January 22, 1998			46.0000
January 23, 1998			45.3750
January 26, 1998			45.4375
January 27, 1998			44.7500
January 28, 1998			45.0000
January 29, 1998			45.3750
January 30, 1998			45.5625
February 2, 1998			45.5625
February 3, 1998			46.0625
February 4, 1998			45.7500
February 5, 1998			45.8750
February 6, 1998			45.7500
February 9, 1998			45.2500
February 10, 1998			45.4375
February 11, 1998			45.5000
February 12, 1998			45.6250
February 13, 1998			45.7500

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
February 17, 1998			45.4375
February 18, 1998			45.6875
February 19, 1998			45.5000
February 20, 1998			45.7500
February 23, 1998			46.3125
February 24, 1998			46.3125
February 25, 1998			46.6250
February 26, 1998			46.7500
February 27, 1998			46.6250
March 2, 1998			47.1875
March 3, 1998			47.4375
March 4, 1998			47.5000
March 5, 1998			47.6250
March 6, 1998			47.5625
March 9, 1998			48.1250
March 10, 1998			49.1250
March 11, 1998			48.9375
March 12, 1998			48.6250
March 13, 1998			48.3750
March 16, 1998			48.9375
March 17, 1998			48.6875
March 18, 1998			49.1875
March 19, 1998			48.9375
March 20, 1998			49.6875
March 23, 1998			49.6875
March 24, 1998			49.6875
March 25, 1998			49.8750
March 26, 1998			49.8750
March 27, 1998			50.0625
March 30, 1998			49.9375
March 31, 1998			50.3750
April 1, 1998			50.1250
April 2, 1998			50.1875
April 3, 1998			50.4375
April 6, 1998			49.8125
April 7, 1998			49.3125
April 8, 1998			49.3750
April 9, 1998			50.0625
April 13, 1998			49.6875
April 14, 1998			50.0625
April 15, 1998			49.4375
April 16, 1998			48.8125
April 17, 1998			49.1875
April 20, 1998			49.2500

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
April 21, 1998			48.9375
April 22, 1998			47.7500
April 23, 1998			47.1875
April 24, 1998			47.0000
April 27, 1998			46.4375
April 28, 1998			46.4375
April 29, 1998			46.6250
April 30, 1998			47.5000
May 1, 1998			47.5000
May 4, 1998			47.3125
May 5, 1998			47.2500
May 6, 1998			46.6875
May 7, 1998			46.5625
May 8, 1998			46.9375
May 11, 1998			46.8750
May 12, 1998			46.3750
May 13, 1998			46.0000
May 14, 1998			45.9375
May 15, 1998			45.6875
May 18, 1998			45.6250
May 19, 1998			44.9375
May 20, 1998			45.4375
May 21, 1998			45.3750
May 22, 1998			45.1250
May 26, 1998			44.8750
May 27, 1998			44.7500
May 28, 1998			44.9375
May 29, 1998			46.0000
June 1, 1998			47.3125
June 2, 1998			47.1875
June 3, 1998			47.3125
June 4, 1998			47.2500
June 5, 1998			47.8125
June 8, 1998			47.5625
June 9, 1998			47.7500
June 10, 1998			47.9375
June 11, 1998			48.3125
June 12, 1998			48.1250
June 15, 1998			47.7500
June 16, 1998			47.3125
June 17, 1998			46.6250
June 18, 1998			46.8750
June 19, 1998			46.5000
June 22, 1998			46.5625

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
June 23, 1998			46.2500
June 24, 1998			45.8750
June 25, 1998			45.6250
June 26, 1998			45.2500
June 29, 1998			45.5000
June 30, 1998			45.4375
July 1, 1998			46.2500
July 2, 1998			46.4375
July 6, 1998			46.5000
July 7, 1998			46.3125
July 8, 1998			46.0625
July 9, 1998			46.2500
July 10, 1998			46.0625
July 13, 1998			45.9375
July 14, 1998			45.8750
July 15, 1998			45.9375
July 16, 1998			45.6875
July 17, 1998			45.5313
July 20, 1998			46.0000
July 21, 1998			45.5000
July 22, 1998			45.3125
July 23, 1998			44.8125
July 24, 1998			44.6250
July 27, 1998			44.3125
July 28, 1998			43.6875
July 29, 1998			43.5625
July 30, 1998			43.3750
July 31, 1998			41.6250
August 3, 1998			43.1875
August 4, 1998			43.0625
August 5, 1998			42.3750
August 6, 1998			42.8125
August 7, 1998			43.0000
August 10, 1998			42.6250
August 11, 1998			42.4375
August 12, 1998			43.3125
August 13, 1998			43.1875
August 14, 1998			43.7500
August 17, 1998			44.6875
August 18, 1998			44.0625
August 19, 1998			43.3125
August 20, 1998			43.7500
August 21, 1998			44.8750
August 24, 1998			44.6875



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
August 25, 1998			44.1875
August 26, 1998			44.1250
August 27, 1998			43.8750
August 28, 1998			45.5625
August 31, 1998			46.1250
September 1, 1998			45.5000
September 2, 1998			44.8125
September 3, 1998			45.3125
September 4, 1998			45.7500
September 8, 1998			46.1250
September 9, 1998			45.5625
September 10, 1998			45.5000
September 11, 1998			46.3125
September 14, 1998			46.3125
September 15, 1998			47.5000
September 16, 1998			47.0000
September 17, 1998			47.1875
September 18, 1998			46.8125
September 21, 1998			47.0000
September 22, 1998			47.6250
September 23, 1998			48.2500
September 24, 1998			47.2500
September 25, 1998			47.0625
September 28, 1998			48.0000
September 29, 1998			48.7500
September 30, 1998			48.6875
October 1, 1998			48.7500
October 2, 1998			49.6250
October 5, 1998			50.4375
October 6, 1998			50.8125
October 7, 1998			51.3750
October 8, 1998			51.7500
October 9, 1998			49.5625
October 12, 1998			48.0625
October 13, 1998			48.5000
October 14, 1998			50.0625
October 15, 1998			49.8750
October 16, 1998			47.8750
October 19, 1998			47.8125
October 20, 1998			47.3125
October 21, 1998			46.5625
October 22, 1998			46.8750
October 23, 1998			46.0000
October 26, 1998			46.9375

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
October 27, 1998			46.6875
October 28, 1998			49.0000
October 29, 1998			48.0625
October 30, 1998			48.3125
November 2, 1998			48.3125
November 3, 1998			48.7500
November 4, 1998			48.4375
November 5, 1998			48.3750
November 6, 1998			48.6250
November 9, 1998			48.7500
November 10, 1998			49.0000
November 11, 1998			48.1875
November 12, 1998			48.7500
November 13, 1998			48.5000
November 16, 1998			49.3750
November 17, 1998			49.0000
November 18, 1998			48.4375
November 19, 1998			47.6250
November 20, 1998			47.8125
November 23, 1998			47.7500
November 24, 1998			47.8750
November 25, 1998			47.9375
November 27, 1998			48.0625
November 30, 1998			48.0625
December 1, 1998			48.4375
December 2, 1998			48.7500
December 3, 1998			48.6875
December 4, 1998			49.5000
December 7, 1998			49.6875
December 8, 1998			49.9375
December 9, 1998			49.2500
December 10, 1998			48.4375
December 11, 1998			48.4375
December 14, 1998			48.0625
December 15, 1998			47.8125
December 16, 1998			47.1875
December 17, 1998			47.6250
December 18, 1998			47.8750
December 21, 1998			47.8750
December 22, 1998			47.5000
December 23, 1998			48.0625
December 24, 1998			47.6875
December 28, 1998			47.8125
December 29, 1998			48.0625

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
December 30, 1998			47.9375
December 31, 1998			48.7500
January 4, 1999			48.0625
January 5, 1999			48.5000
January 6, 1999			48.3125
January 7, 1999			47.9375
January 8, 1999			47.5625
January 11, 1999			46.8750
January 12, 1999			46.5625
January 13, 1999			46.5625
January 14, 1999			46.2500
January 15, 1999			46.8750
January 19, 1999			46.1875
January 20, 1999			46.0000
January 21, 1999			45.4375
January 22, 1999			45.3750
January 25, 1999			45.3125
January 26, 1999			44.7500
January 27, 1999			44.4375
January 28, 1999			44.4375
January 29, 1999			44.0000
February 1, 1999			43.6250
February 2, 1999			43.6875
February 3, 1999			43.5000
February 4, 1999			42.8125
February 5, 1999			42.6875
February 8, 1999			43.0000
February 9, 1999			42.7500
February 10, 1999			42.5000
February 11, 1999			42.6250
February 12, 1999			42.1250
February 16, 1999			41.8125
February 17, 1999			42.1250
February 18, 1999			43.0625
February 19, 1999			42.5000
February 22, 1999			42.5000
February 23, 1999			42.2500
February 24, 1999			42.0625
February 25, 1999			41.2500
February 26, 1999			40.5625
March 1, 1999			40.6875
March 2, 1999			41.1250
March 3, 1999			41.6875
March 4, 1999			42.4375

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 5, 1999			43.0000
March 8, 1999			42.1875
March 9, 1999			40.8125
March 10, 1999			40.5625
March 11, 1999			39.7500
March 12, 1999			40.1875
March 15, 1999			40.0625
March 16, 1999			39.8750
March 17, 1999			39.3750
March 18, 1999			39.0000
March 19, 1999			38.7500
March 22, 1999			37.8750
March 23, 1999			38.0625
March 24, 1999			38.6875
March 25, 1999			36.5000
March 26, 1999			35.6250
March 29, 1999			35.1875
March 30, 1999			34.0000
March 31, 1999			34.0625
April 1, 1999			34.7500
April 5, 1999			35.2500
April 6, 1999			34.9375
April 7, 1999			34.4375
April 8, 1999			34.3750
April 9, 1999			34.0000
April 12, 1999			33.8750
April 13, 1999			33.7500
April 14, 1999			34.0000
April 15, 1999			34.1875
April 16, 1999			34.6875
April 19, 1999			34.6250
April 20, 1999			34.7500
April 21, 1999			34.6250
April 22, 1999			34.0625
April 23, 1999			34.1250
April 26, 1999			34.7500
April 27, 1999			34.8125
April 28, 1999			35.1875
April 29, 1999			35.8125
April 30, 1999			35.0000
May 3, 1999			36.4375
May 4, 1999			36.1250
May 5, 1999			36.5000
May 6, 1999			36.6250

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 7, 1999			36.7500
May 10, 1999			37.6250
May 11, 1999			37.8750
May 12, 1999			37.7500
May 13, 1999			38.8125
May 14, 1999			38.4375
May 17, 1999			38.5625
May 18, 1999			38.8750
May 19, 1999			39.3750
May 20, 1999			38.9375
May 21, 1999			39.5625
May 24, 1999			39.9375
May 25, 1999			38.8750
May 26, 1999			39.8750
May 27, 1999			40.2500
May 28, 1999			40.4375
June 1, 1999			39.6250
June 2, 1999			39.5625
June 3, 1999			39.5625
June 4, 1999			39.6250
June 7, 1999			39.9375
June 8, 1999			39.8125
June 9, 1999			39.7500
June 10, 1999			39.2500
June 11, 1999			38.5625
June 14, 1999			38.8750
June 15, 1999			39.4375
June 16, 1999			39.4375
June 17, 1999			39.5000
June 18, 1999			39.4375
June 21, 1999			39.6250
June 22, 1999			39.6250
June 23, 1999			39.7500
June 24, 1999			39.2500
June 25, 1999			38.9375
June 28, 1999			38.8750
June 29, 1999			38.8750
June 30, 1999			38.8125
July 1, 1999			38.3750
July 2, 1999			37.9375
July 6, 1999			37.9375
July 7, 1999			38.0625
July 8, 1999			37.1875
July 9, 1999			37.1875

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 12, 1999			36.6875
July 13, 1999			37.4375
July 14, 1999			37.6875
July 15, 1999			37.8125
July 16, 1999			37.9375
July 19, 1999			37.4375
July 20, 1999			37.2500
July 21, 1999			37.1250
July 22, 1999			37.1250
July 23, 1999			36.6250
July 26, 1999			36.6875
July 27, 1999			36.1250
July 28, 1999			35.8125
July 29, 1999			34.8750
July 30, 1999			34.6875
August 2, 1999			34.8750
August 3, 1999			34.6250
August 4, 1999			34.0000
August 5, 1999			34.4375
August 6, 1999			34.5000
August 9, 1999			34.3750
August 10, 1999			34.1250
August 11, 1999			33.7500
August 12, 1999			33.4375
August 13, 1999			32.8750
August 16, 1999			33.5000
August 17, 1999			33.5000
August 18, 1999			33.3750
August 19, 1999			34.0625
August 20, 1999			34.7500
August 23, 1999			35.1875
August 24, 1999			35.3750
August 25, 1999			35.9375
August 26, 1999			35.8125
August 27, 1999			35.8125
August 30, 1999			35.8125
August 31, 1999			36.1250
September 1, 1999			35.9375
September 2, 1999			35.8750
September 3, 1999			36.2500
September 7, 1999			35.6250
September 8, 1999			34.9375
September 9, 1999			34.4375
September 10, 1999			34.3750

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
September 13, 1999			34.0000
September 14, 1999			33.8750
September 15, 1999			34.2500
September 16, 1999			34.3125
September 17, 1999			34.4375
September 20, 1999			34.3125
September 21, 1999			34.1250
September 22, 1999			33.8750
September 23, 1999			33.3125
September 24, 1999			33.6250
September 27, 1999			33.5000
September 28, 1999			32.6875
September 29, 1999			32.4375
September 30, 1999			33.4375
October 1, 1999			33.5625
October 4, 1999			34.0000
October 5, 1999			33.5625
October 6, 1999			32.9375
October 7, 1999			31.8750
October 8, 1999			31.4375
October 11, 1999			31.6250
October 12, 1999			31.6250
October 13, 1999			31.6875
October 14, 1999			32.0000
October 15, 1999			31.6875
October 18, 1999			31.8750
October 19, 1999			31.8125
October 20, 1999			31.8125
October 21, 1999			31.8750
October 22, 1999			32.1250
October 25, 1999			32.0000
October 26, 1999			32.0000
October 27, 1999			32.3750
October 28, 1999			32.5000
October 29, 1999			32.5625
November 1, 1999			32.8125
November 2, 1999			33.4375
November 3, 1999			32.8750
November 4, 1999			33.0000
November 5, 1999			33.0625
November 8, 1999			33.3125
November 9, 1999			33.1250
November 10, 1999			32.5625
November 11, 1999			32.3750

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
November 12, 1999			31.7500
November 15, 1999			31.1250
November 16, 1999			31.7500
November 17, 1999			31.6875
November 18, 1999			31.6250
November 19, 1999			31.3750
November 22, 1999			31.2500
November 23, 1999			31.0000
November 24, 1999			31.0000
November 26, 1999			31.0000
November 29, 1999			30.8125
November 30, 1999			31.4375
December 1, 1999			31.2500
December 2, 1999			31.2500
December 3, 1999			31.8750
December 6, 1999			31.7500
December 7, 1999			31.7500
December 8, 1999			31.6250
December 9, 1999			31.6250
December 10, 1999			31.3125
December 13, 1999			31.0625
December 14, 1999			31.1875
December 15, 1999			31.4375
December 16, 1999			31.1250
December 17, 1999			31.0000
December 20, 1999			30.7500
December 21, 1999			31.1875
December 22, 1999			30.8750
December 23, 1999			31.1250
December 27, 1999			31.2500
December 28, 1999			31.1875
December 29, 1999			30.8125
December 30, 1999			30.8125
December 31, 1999			30.3750
January 3, 2000			29.5625
January 4, 2000			29.8125
January 5, 2000			30.8125
January 6, 2000			30.7500
January 7, 2000			30.3750
January 10, 2000			30.3125
January 11, 2000			29.9375
January 12, 2000			30.6875
January 13, 2000			30.3125
January 14, 2000			30.0625



	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
January 18, 2000			29.6094
January 19, 2000			29.5625
January 20, 2000			29.5000
January 21, 2000			29.6250
January 24, 2000			29.6250
January 25, 2000			29.4375
January 26, 2000			28.8125
January 27, 2000			28.2500
January 28, 2000			28.8750
January 31, 2000			29.0000
February 1, 2000			29.4375
February 2, 2000			28.8750
February 3, 2000			29.5000
February 4, 2000			28.9375
February 7, 2000			28.4375
February 8, 2000			28.8750
February 9, 2000			28.6406
February 10, 2000			28.1875
February 11, 2000			28.0000
February 14, 2000			28.0625
February 15, 2000			27.9375
February 16, 2000			28.1250
February 17, 2000			28.1250
February 18, 2000			27.8750
February 22, 2000			27.7500
February 23, 2000			27.4375
February 24, 2000			26.7500
February 25, 2000			26.3125
February 28, 2000			27.2500
February 29, 2000			27.0625
March 1, 2000			26.2500
March 2, 2000			25.5625
March 3, 2000			26.0625
March 6, 2000			25.3125
March 7, 2000			24.3125
March 8, 2000			24.8125
March 9, 2000			24.9375
March 10, 2000			25.0000
March 13, 2000			25.5000
March 14, 2000			25.8750
March 15, 2000			27.2500
March 16, 2000			29.3750
March 17, 2000			29.7500
March 20, 2000			29.3750

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
March 21, 2000			28.6250
March 22, 2000			27.3750
March 23, 2000			28.1250
March 24, 2000			28.5000
March 27, 2000			28.7500
March 28, 2000			28.8750
March 29, 2000			29.0000
March 30, 2000			29.5625
March 31, 2000			30.0625
April 3, 2000			29.8750
April 4, 2000			30.5625
April 5, 2000			30.8125
April 6, 2000			30.6875
April 7, 2000			30.5000
April 10, 2000			31.3750
April 11, 2000			32.0625
April 12, 2000			31.6875
April 13, 2000			32.5000
April 14, 2000			32.3750
April 17, 2000			31.6875
April 18, 2000			31.5625
April 19, 2000			31.0625
April 20, 2000			31.2500
April 24, 2000			32.2500
April 25, 2000			33.9375
April 26, 2000			33.4375
April 27, 2000			33.0000
April 28, 2000			32.6250
May 1, 2000			33.3125
May 2, 2000			33.2500
May 3, 2000			33.6250
May 4, 2000			33.8750
May 5, 2000			33.1250
May 8, 2000			33.3750
May 9, 2000			33.5000
May 10, 2000			33.9375
May 11, 2000			34.1875
May 12, 2000			34.1875
May 15, 2000			34.8750
May 16, 2000			34.8125
May 17, 2000			34.0000
May 18, 2000			34.5625
May 19, 2000			34.0625
May 22, 2000			35.2500

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
May 23, 2000			35.0000
May 24, 2000			36.1875
May 25, 2000			34.5625
May 26, 2000			34.6875
May 30, 2000			34.1875
May 31, 2000			33.6797
June 1, 2000			33.6250
June 2, 2000			33.0625
June 5, 2000			31.9375
June 6, 2000			32.5000
June 7, 2000			32.5625
June 8, 2000			32.3125
June 9, 2000			32.5625
June 12, 2000			33.0000
June 13, 2000			33.1250
June 14, 2000			32.8125
June 15, 2000			33.0625
June 16, 2000			33.0899
June 19, 2000			33.2500
June 20, 2000			32.8125
June 21, 2000			32.5625
June 22, 2000			32.0000
June 23, 2000			32.5000
June 26, 2000			32.6875
June 27, 2000			31.2500
June 28, 2000			32.1875
June 29, 2000			31.5625
June 30, 2000			30.0000
July 3, 2000			31.3750
July 5, 2000			31.1875
July 6, 2000			32.1875
July 7, 2000			32.3750
July 10, 2000			32.7500
July 11, 2000			32.7500
July 12, 2000			32.6875
July 13, 2000			32.6875
July 14, 2000			32.4375
July 17, 2000			32.3750
July 18, 2000			31.7500
July 19, 2000			33.6250
July 20, 2000			34.3125
July 21, 2000			34.2500
July 24, 2000			33.8750
July 25, 2000			34.6250

	<b>Public Service of Colorado</b>	<b>Southwestern Public Service</b>	<b>New Century Energy</b>
<b>Date</b>	<b>Closing Price</b>	<b>Closing Price</b>	<b>Closing Price</b>
July 26, 2000			34.0781
July 27, 2000			34.5625
July 28, 2000			34.6875
July 31, 2000			34.1875
August 1, 2000			35.2500
August 2, 2000			36.4375
August 3, 2000			36.9961
August 4, 2000			37.1250
August 7, 2000			38.1406
August 8, 2000			39.1250
August 9, 2000			38.9375
August 10, 2000			39.6406
August 11, 2000			40.3281
August 14, 2000			40.5000
August 15, 2000			40.7500
August 16, 2000			41.0000
August 17, 2000			40.5625
August 18, 2000			40.5000